Poultry Science
Index to Authors and Subjects

Volume 69
1990

Published by the
Poultry Science Association
309 West Clark Street
Champaign, Illinois 61820

Index of Authors

A

Abawi, F. G., 1*
Abdel-Zaher, M., 2*
Abdelnabi, M. A., 1*
Abel Ponce de Leon, F., 81*, 107*
Acar, N., 2*, 18*, 152*
Achee, V. M., 3*, 84*, 169*, 172*, 174*
Ackerman, S. E., 3*
Acton, J. C., 360, 694
Adams, A. W., 7*, 55*, 217, 2086
Adams, J. L., 185*
Adams, M. H., 3*, 64*, 66*, 152*, 171*, 173*, 185*, 818, 864, 1787, 1876, 2128, 2244
Adams, R. L., 153*
Adefope, N. A., 137*, 196*
Aguilera-Quintana, I., 118*
Ahn, D. U., 157, 1769, 2040
Ainsworth, A. J., 1070
Ait-Boulahsen, A., 4*
Ajuyah, A. O., 4*, 1614
Akamittath, J. G., 4*
Akavanichan, O., 787
Akiba, Y., 5*
Al-Athari, A. K., 5*
Al-Batshan, H. A., 5*, 8*, 120*
Al-Zubaidy, S. S., 6*
Alencar, R. M., 54*
Ali, D. H., 1862
Alla, A., 88*
Allen, P. C., 6*
Allred, L. C., 341
Allsep, T., 2027
Almirall, M., 2165
Alphin, R. L., 123*
Alston-Mills, B., 81*
Alvi, T. A., 6*
Amman, M. J., 1905
Ammerman, C. B., 188*, 197*
Ammerman, E. E., 153*
Andersen, B. J., 70*, 845
Anderson, K. E., 7*
Anderson-Langmuir, C. E., 134*
Andrades, S., 1325
Andrews, D. J., 132*
Andrews, D. K., 7*, 8*, 1471, 1883
Andrews, L. D., 71*, 1223, 1644, 1845
Ang, C.Y.W., 8*, 320
Angel, C. R., 5*, 8*, 120*, 1931
Angulo, E., 2165
Anthony, H. L., 679
Anthony, N. B., 11*, 801, 1055, 2057
Araba, M., 9*, 76, 153*, 154*, 1748
Arbtan, K. D., 1388
Arce, J., 9*
Arjona, A. A., 9*
Armaleo, D., 53*
Armstrong, J., 49*
Armstrong, J. A., 134*
Arnon, E., 176, 1220
Arrington, L. C., 104*
Ashizawa, K., 1563
Atkinson, J. L., 50*, 95*, 1855
Attamangkune, S., 118*
Attard, F. A., 10*
Augustine, P. C., 10*, 40*
Avakian, A. P., 10*, 80*
Avila, E., 9*

B

Bacon, J. R., 11*
Bacon, L. D., 49*, 1195
Bacon, W. L., 11*, 53*, 70*, 82*, 801, 1055, 1215, 1634, 2057
Bafundo, K. W., 11*, 154*, 1009, 1485
Bagley, L. G., 49*, 451, 2035
Bagley, R. A., 451
Bahr, J. M., 100*
Bai, Y., 12*
Baier, J. G., 22*, 2150
Bailey, C. A., 12*, 94*, 414, 420
Bailey, J. S., 13*, 17*, 20*, 38*, 154*, 158*, 162*, 457, 482, 686, 1606, 1809
Baker, D. H., 59*, 142*, 281, 977, 1156, 1357, 1364
Bakshi, M.P.S., 117*
Bakst, M. R., 13*, 32*, 1003
Balander, R., 14*
Baldwin, C. D., 23*
Ball, H. R., Jr., 4*, 141*, 166, 179*, 307, 369, 1414
Barbato, G. F., 14*, 15*, 74*, 76*
Barbour, G. W., 15*
Barbut, S., 827, 1410, 1813
Barmore, C. R., 360
Barnes, D. G., 58*, 73*, 75*, 78*, 155*, 169*, 172*, 174*, 2157
Barnes, H. J., 195*
Barta, J. R., 40*
Bartels, J. E., 145*
Bartels, K. E., 155*
Bass, E., 51*
Bater, B., 16*
Bayari, G. R., 79*, 1602
Bayley, H. S., 1339, 1348
Beard, C. W., 55*, 167*
Beasley, J. N., 191*
Beck, M. M., 100*, 131*
Bedford, M. R., 16*, 615
Beers, K. W., 16*, 1796
Beier, R. C., 171*
Beitz, D. C., 852
Beladi, I., 929
Belay, T., 42*, 43*, 90*, 155*
Bell, D. D., 17*
Bell, D. E., 156*, 157*, 341, 1900
Benabdeljelil, K., 781
Bennett, C. D., 715
Benoff, F. H., 16
Benson, S. T., 55*
Benton, B. M., 58*
Benz, R. C., 157*
Bergquist, D., 2051
Bermudez, A. J., 17*
Berrang, M. E., 17*, 38*, 158*
Berrio, L. F., 3*, 972
Berry, I. L., 157*
Beyer, R. S., 18*, 157*, 1285
Bhanushali, J. K., 168*
Bhargava, S., 2092
Bhatti, M. S., 18*, 158*
Bielfelt, S. W., 27*
Bilgili, S. F., 18*, 81*, 110*, 702, 1670
Birkold, S. G., 19*
Birrenkott, G. P., 123*, 2027
Bitgood, J. J., 142*, 1775
Blair, R., 1331, 1529
Blake, J. P., 19*, 36*, 93*
Blankenship, L. C., 13*, 17*, 20*, 38*, 130*, 154*, 158*, 162*, 1606, 1809
Blauwiekel, R., 73*
Bloom, S. E., 21*, 41*, 62*, 85*, 144*
Bochis, R., 134*
Bodnar, L., 2074
Bodwell, K. K., 21*
Bokanyi, R. P., Jr. 27*, 592
Bombara, C. J., 21*
Bonaspetti, S., 22*
Bond, P. L., 22*, 45*, 113*, 131*, 132*, 1147, 2150
Book, C. M., 22*
Boomer, F., 98*
Bootwalla, S. M., 93*, 144*, 186*, 187*, 426
Bostick, G. W., 23*
Bottcher, R. W., 119*
Bottje, W. G., 16*, 1796
Bowers, R. R., 23*
Boyle, M. L., III, 128*
Boyle, P. G., 227
Bradley, F. A., 22*, 736
Bradley, G. L., 156*, 157*
Brake, J., 23*, 24*, 37, 122*, 124*, 139*, 158*, 159*, 517, 535, 545, 887, 910, 1659
Brannon, J., 30*
Branton, S. L., 159*, 178*, 1070
Brazolot, C. L., 24*
Brenes, A., 24*, 1285
Bridges, W. C., Jr., 56*
Briles, C. O., 128*, 180*, 193*
Briles, R. W., 21*, 871
Briles, W. E., 21*
Britton, J. G., 25*

*Indicates Abstract.

Britton, W. M., 25*, 65*, 133
Brocht, D. M., 25*
Brodie, H. L., 31*
Brooks, C., 26*
Brufau, J., 2165
Brugh, M., 26*
Brumbaugh, J., 26*
Brundage, M. A., 27*
Brunet, P. Y., 51*
Bryan, T. A., 132*
Buckland, R. B., 493
Buckley, W. T., 245
Buhr, R. J., 27*, 65*, 124, 126*, 133, 187*, 1553
Burdette, J., 1539, 1905
Burger, R. E., 128*
Burke, W. H., 27*, 860, 1388
Burnell, T. W., 1110
Burnside, J., 28*
Bursian, S., 14*
Bushong, R. D., 16, 110*
Butcher, G. D., 187*
Byrd, J. A., 28*, 1862

C

Cabel, M. C., 159*, 173*, 652, 1787, 1876
Calderon, V. M., 934, 1956
Caldwell, D. J., 84*
Calkins, C. R., 57*
Callebaut, M. E., 2241
Cameron, W. J., 1595
Campbell, G. L., 16*
Campbell, L. D., 149*, 1816
Campbell, R. M., 1818
Cantor, A. H., 28*, 29*, 105*, 116*, 117*, 160*, 183*, 188*, 196*, 966, 985
Cao, Z., 29*
Carey, J. B., 23*, 29*, 30*, 174*, 1461
Carlson, C. W., 30*, 84*
Caron, N., 1037
Carpenter, G. H., 30*, 31*, 40*, 45
Carr, L. E., 31*
Carré, B., 623
Carsia, R. V., 74*, 119*
Carter, T. A., 160*, 238
Carter, W. F., 42*, 54*
Cartwright, A. L., 78*, 99*
Casale, E., 94*
Casey, J. M., 236
Cason, J. A., 31*, 52*, 1064, 1467
Castaldo, D. J., 27, 378, 378
Castanon, F., 90, 281, 1165
Castle, M. D., 40*
Caston, L., 1617
Cave, N. A., 1141
Cecil, H. C., 13*, 32*, 1003
Cervantes, H. M., 1285
Chabala, J., 134*
Chamblee, T. N., 160*
Chan, C., 86*, 137*, 1533, 1922
Chan, D., 1813
Chang, T. S., 79*
Chang, W.-P., 32*
Charles, R. G., 32*
Chavez, E., 86*
Chavez, E. R., 137*, 1533, 1922
Chen, J., 161*, 170*
Chen, T. C., 103*
Cheng, K. M., 60*, 2228
Cheng, T. K., 33*, 774, 787, 2199, 2204, 2209, 2214, 2228
Cherian, G., 33*, 1614, 1694
Christensen, V. L., 34*, 44*, 67*, 186*, 369, 451, 992, 1576, 2035
Christmas, R. B., 34*, 48, 161*, 192*
Chung, K.-S., 34*
Chung, T. K., 1357, 1364
Church, J. S., 49*
Clandinin, M. T., 2074
Clark, D. H., 156*
Classen, H. L., 16*, 32*, 35*
Coelho, M. B., 43*, 161*, 170*
Coffield, A. W., 1223
Cogburn, L. A. 28*, 35*, 96*
Colberg, M., 152*, 171*, 173*, 185*, 818, 864, 1787, 1876, 2128
Collier, J., 165*
Combs, G. F., 32*
Compton, M. M., 35*, 1292
Conner, D. E., 36*, 81*, 109*
Conrad, K. M., 36*
Cook, J. R., 36*, 1602
Cook, M. E., 12*, 19*, 93*, 146*, 259
Cook, R. E., 2102
Cook, R. F., 856
Cook S. J., 856
Coon, C. N., 29*, 33*, 67*, 68*, 80*, 774, 787, 2199, 2204, 2209, 2214, 2228
Cooper, G. A., 129*
Corella, G., 69*
Corrier, D., 37*, 64, 84*, 161*, 171*, 198*, 403, 727, 1078
Costello, T. A., 157*
Cotter, P., 98*
Cox, N. A., 13*, 17*, 20*, 38*, 44*, 154*, 158*, 162*, 457, 482, 686, 1428, 1606, 1809
Craig, J. V., 77*, 568, 902, 1020, 1652
Crane, M., 160*
Craven, S. E., 38*
Cravener, T. L., 114*, 845, 1480
Crawford, J. S., 898
Creger, C. R., 87*, 94*, 1006
Creswell, D. C., 194*
Crittenden, L. B., 127*, 1244, 1251
Cromwell, G. L., 1110
Crow, G. H., 1816
Cruz-Coy, J. S., 39*
Cuca G., M., 1377
Cunningham, F. E., 56*, 107*
Cuppett, S. L., 53*

D

D'Alfonso, T. H., 39*
Daghir, N. J., 1*, 1822
Dake, R. L., 61*, 168*
Dale, N. M., 39*, 72, 76, 153*, 162*, 1748
Daly, K. R., 40*, 1394
Damron, B. L., 162*, 669, 1806
Danforth, H. D., 40*
Daniels, J. M., 54*
David, G., 106*
Davis, G. S., 40*, 46*, 103*
Dawson, P. L., 41*, 166, 307, 1414
Day, E. J., 181*
De Wit, W., 2185
DeGraft-Hanson, J. A., 1404, 1582
Dean, C. E., 41*, 96*
Deaton, J. W., 85*, 1681
Del Corral, F., 482, 686
Delany, M. E., 41*
DeLee, J. A., 1265
DeLoach, J., 37*, 64*, 161*, 171*, 198*, 403
Dempfle, L., 1231
Denbow, D. M., 9*, 10*, 365, 576
Denton, G. W., 157*
Denton, J. H., 42*, 54*
Derieux, W. T., 43*
Derouet, L., 623
Desmarais, M., 1037
Deyhim, F., 42*, 43*, 90*, 163*
Dibner, J. J., 43*, 164, 194*, 1188
Dick, J. W., 43*, 2134
Dick, R. L., 360, 694
Dickens, J. A., 44*, 164*, 409
Dickerson, H., 193*
Diener, R. G., 1869
Dietert, R. R., 32*, 85*
Dobbs, J., 471
Dobson, D. C., 44*
Doerr, J. A., 10*, 58*
Dominy, W., 794
Donaldson, W. E., 34*, 44*, 1183
Donker, R. A., 599
Donoghue, A. M., 1862
Donoghue, D. J., 1818, 1862,
Donovan, D. J., 1009
Douglas, C. R., 763
Douglas, J. H., 22*, 45*, 113*, 131*, 132*, 1148, 2150
Douglass, L. W., 721
Dua, M., 158*
Duby, R. T., 77*
Duncan, I.J.H., 97*
Dunnington, E. A., 92*, 365, 871, 1621
Duyck, S. K., 164*
Dvorin, A., 99*

E

Earl, L. A., 471
Eclov, M. K., 105*

Edens, F. W., 4*, 40*, 46*, 67*, 103*, 106*, 140*, 165*, 196*
Edwards, C. M., 101*
Edwards, H. M., Jr., 46*, 48*, 129*, 165*
Edwards, J. F., 87*
Ekperigin, H. E., 1595
El Halawani, M. E., 47*, 96*, 100*, 124*, 1862
El-Begearmi, M. M., 242
El-Far, A., 88*
El-Gendy, E. A., 46*
Elissalde, M. H., 47*, 76*, 147*, 168*, 175*, 198*, 741
Elkin, R. G., 48*, 1685
Elliot, M. A., 46*, 48*, 165*
Emmel, M. D., 79*, 176*
Emmerson, D. A., 1055, 2057
Enyeart, J. J., 52*
Eoff, H. J., 1265
Erdman, J. W., Jr., 1364
Ernst, R. A., 48*, 165*, 241
Esbenshade, K. L., 102*
Eskridge, K. M., 100*
Espinoza, L., 69*
Esteve-Garcia, E., 2165
Etches, R. J., 49*, 134*, 288

F

Fadly, A. M., 49*, 127*, 1244, 1251
Fairfull, R. W., 493
Fanguy, R. C., 75*
Farr, F. M., 12*
Farran, M. T., 757
Farrell, D. J., 98
Fasenko, G. M., 49*
Fattori, T. R., 166*
Faure, J.-M., 70*
Fell, R. V., 898
Felts, J. V., 576
Ferket, P. R., 6*, 50*, 55*, 112*, 149*, 198*, 1257, 1974, 1982
Fethiere, R., 93*, 2195
Ficken, M. D., 181*
Fieman, F., 53*
Firman, J. D., 50*, 73*, 110*, 138*
Firmin, R. J., 58*, 169*
Fischer, E. N., 50*
Fisher, M., 134*
Fitz-Coy, S. H., 51*, 166*
Fitzsimmons, R. C., 1455
Flegal, C., 14*
Fleming, B. K., 51*
Fletcher, D. L., 52*, 116*, 126*, 127*, 133, 188*, 192*, 457, 1428
Fletcher, O. J., 915, 922
Flinchum, J. L., 72*
Flinders, J. T., 126*
Floto, F., 300
Flunker, L. K., 162*, 669
Fontana, E. A., 166*, 209
Ford, G. A., 167*
Forster, B., 61*
Forsythe, R. H., 2107
Foster, D. N., 11*, 52*, 53*, 122*, 592
Foster, L. K., 52*, 53*
Fredericksen, T. L., 53*, 67*, 106*, 160*, 167*
Freeman, T. B., 92*
Frew, T., 26*
Friesen, O. D., 1174
Froman, D. P., 66*, 72*, 812, 1764
Froning, G. W., 51*, 53*, 147*, 2051
Frost, T. J., 167*, 2008, 2157
Fuentes, M.F.F., 54*
Fuller, A. L., 89*, 197*
Fuller, J. C., Jr., 54*
Fuller, L., 90*
Furuse, M., 1023, 1508

G

Gahaly, S., 176
Galilli, D., 106*, 1792
Garcia, F., 58*
Garcia, J. M., 148*
Garcia, R., 115*
Garcia-Hernandez, F., 462
Gard, D. I., 11*
Gardiner, E. E., 245, 1331, 1529
Gardner, F. A., 42*, 54*
Garlich, J. D., 4*, 6*, 50*, 55*, 119*, 175*
Garwood, V. A., 1051
Gast, R. K., 55*, 167*
Gastañaduy, A., 1835
Gauer, R. V., 22*
Gavora, J. S., 493
Gelentere, L., 98*
Gempesaw, C. M., II, 11*, 2092
George, S. M., 1800
Georghiou, G. P., 736
Geraert, P. A., 1911
Gerig, T. M., 195*
Gernat, A. G., 55*, 217, 2086
Gerndt, B. M., 1195
Giambrone, J. J., 39*
Gibbs, P. S., 1292
Gibson, J. P., 68*
Gibson, R. M., 58*, 414, 420
Giesemann, M. A., 45*
Gilbert, D. L., 179*
Gilbert, J. M., 90*, 168*, 197*
Gildersleeve, R. P., 65*, 106*, 2035
Gillard, G. L., 111*
Gilman, R. H., 1835
Giroir, L. E., 47*, 76*, 147*, 168*, 175*
Glahn, R. P., 16*, 1796
Gleaves, E. W., 100*, 131*
Glick, B., 101*, 249, 929, 2134
Goetsch, S. J., 56*
Goher, N., 88*
Golemboski, K. A., 85*
Gonzalez, J., 1325
Goodling, A. C., 73*, 172*, 189*
Goodman, T. N., 146*
Goodwin, T. L., 231
Gowe, R. S., 493
Graham, E. F., 999
Grahm, J. K., 74*
Greer, J. L., 56*
Greger, J. L., 259
Griffin, H. D., 143*
Griffis, C. L., 168*
Grimes, J. L., 56*, 369
Gross, W. B., 871
Grunder, A. A., 135*, 1204, 1702
Guémené, D., 288
Guenter, W., 24*, 57*, 711, 1174, 1816
Guevara, V., 1835
Guise, K. S., 122*, 1046
Guyonnet, V., 57*, 169*
Gvaryahu, G., 121*
Gwartney, B. L., 57*
Gwyther, M. J., 1265

H

Haazele, F., 57*
Habib, G., 93*
Haddad, E. E., 1094
Hagedorn, T. K., 58*, 75*, 169*, 174*
Hagler, W. M., Jr., 37, 170*
Hah, T. W., 5*
Halley, J. T., 43*, 161*, 170*
Hamby, G. S., 61*
Hamilton, P. B., 53, 58*, 124*, 354, 397, 462
Hammack, T. S., 58*
Hammerstedt, R. H., 74*
Hamre, M. L., 774
Han, Y., 59*, 281, 1165, 1544
Hannah, K. W., 150, 313
Hannasch, K., 170*
Hanner, T. L., 143*
Hanson, J. A., 32*
Haque, A.K.M.A., 59*
Hardin, R. T., 49*, 113*, 526
Hargis, B. M., 28*, 37*, 41*, 84*, 87*, 96*, 101*, 1006
Hargis, P. S., 41*, 56*, 96*, 136*
Hargrove, T. L., 59*
Harmon, J., 23*
Harms, R. H., 34*, 48, 60*, 93*, 126*, 161*, 171*, 192*, 426, 433, 446, 763, 1226, 1610, 2195, 2231, 2235, 2237
Harris, G. C., 1496
Harris, G. C., Jr., 36*, 71*, 1265, 1602, 1759
Harrison, M. D., 60*
Harrison, P. C., 109*
Hart, L. E., 60*, 115*
Harter-Dennis, J. M., 61*, 99*, 166*
Harvey, R. B., 47*, 76*, 147*, 168*, 175*, 414, 420, 727, 741, 849, 1078
Harwood, D. E., 61*
Hasiak, R. J., 62*, 1257
Haustein, A. T., 1835
Havenstein, G. B., 233, 1634, 1998

Hawes, R. O., 1943
Hawkins, D. M., 999
Heath, J. L., 62*, 150, 313, 1404, 1582
Hebert, J. A., 3*, 84*, 898, 972
Hebrank, J., 53*
Heil, G., 1231
Heinrichs, B. S., 1399, 1539, 1845
Hemendinger, R. A., 62*
Hempe, J. M., 959
Hendricks, D. G., 341
Hendricks, G. L., III, 63*
Henry, P. R., 164*, 188*, 197*
Hermans, L., 60
Hermes, J. C., 63*
Hess, J. B., 133
Hester, P. Y., 63*, 132*, 133*, 1439, 1731, 1743
Hickling, D., 711
Hicks, K. D., 12*
Hierholzer, R. E., 64*, 66*, 152*, 171*, 173*, 185*, 864, 2128, 2244
Hildebrand, P. E., 166*
Hill, C. H., 112*
Hinton, A., Jr., 37*, 64*, 84*, 161*, 171*, 198*
Hiramoto, K., 84, 264
Ho, M.-L., 35*
Hodgson, C. P., 856
Hoerr, F. J., 109*
Hoffbeck, S., 100*, 138*
Holland, M., 23*
Holleman, K. A., 64*
Holmes, J. L., 15*
Holt, P. S., 172*
Hood, R. L., 647
Hooge, D. M., 190*
Horiguchi, M., 5*
Hortin, A. E., 142*
Howarth, B., Jr., 119, 138, 1012
Hoyle, C. M., 65*
Hsu, K. T., 172*, 177*
Hu, C. Y., 150*
Hudson, H. A., 65*
Hudspeth, J. P., 61*
Huff, W. E., 16*, 47*, 76*, 115*, 147*, 168*, 175*, 414, 420, 727, 741, 849, 1078, 1796
Hughes, B. L., 27, 378
Hughes, S., 26*
Huiatt, T. W., 54*
Hulan, H. W., 1713
Hulet, R. M., 365, 576
Hurnik, J. F., 141*, 1087, 1827, 2118
Hurwitz, S., 107*, 945
Hussein, A. S., 28*, 966, 985
Hwange-Bo, J., 1027, 1599
Hyatt, D. T., 1006

I

Ibanez, C., 65*
Ibrahim, A. A., 157*
Imaizumi, T., 1563
Iñarrea, P., 1325
Ingram, D. R., 58*, 73*, 75*, 78*, 155*, 169*, 172*, 174*
Ireland, J. J., 14*
Isaacs, R. E., 66*
Ivey, F. J., 43*, 133*, 164*, 194*, 1188
Ivie, G. W., 168*
Ivusic, S. I., 66*
Izat, A. L., 3*, 64*, 66*, 125*, 131*, 152*, 171*, 173*, 185*, 191*, 193*, 818, 864, 898, 1265, 1531, 1787, 1876, 2128, 2244

J

Jabe, J. M., 67*
Jackson, E. D., 1713
Jackson, K., 183
Jackson, M., 1731, 1743
Jackson, M. E., 60*, 71*, 181*
Jacob, J. P., 1331, 1529
Jacobs, D. E., 173*
Jakabosky, C. L., 95*
Jand, S. K., 117*
Janky, D. M., 348, 1433, 1610, 2235
Jeffers, T. K., 154*, 1485
Jenkins, M. C., 34*, 40*
Jensen, L. S., 18*, 67*, 104*, 135*, 157*, 182*, 195*, 781, 934, 1271, 1285, 1377, 1892, 1950, 1956
Jevne, C. J., 80*
Jevne, R. L., 67*, 68*
Jeyaruban, M. G., 68*
Jiang, Z., 68*, 1694
Jiraphocakul, S., 1966
Johnson, A. L., 75*, 134*, 292
Johnson, B. J., 88*
Johnson, J. K., 69*, 169*
Johnson, L. R., 1292
Johnson, P., 26*
Johnson, T. H., 28*, 29*, 105*, 116*, 117*, 160*, 183*, 188*, 966, 985
Johnson, Z. B., 79*, 113, 1496
Johnston, C. B., 63*
Johnston, N. P., 69*, 111*, 126*, 867
Johnston, R. W., 721
Johnston, S. J., 63*
Johnstone, B. J., 69*
Jones, D. L., 70*
Jones, F. T., 37, 70*, 174*
Jones, J. E., 27, 177*, 378, 661
Jones, R. B., 70*
Jones, S. J., 57*, 2143
Jones, W. T., 40*, 45, 1869
Joshi, P., 249
Julian, R. J., 1410

K

Kahl, S., 91*
Kaiser, M. G., 65
Kakuda, Y., 1813
Kamyab, A., 14*
Kaniawati, S., 71*
Karatzas, C. N., 71*
Kassid, J. F., 6*
Kassogue, A., 75*
Keleman, K. D., 94*
Kelly, B. J., 1553
Kelly, D. T., 132*, 133*
Kelly, J. D., 288
Keshavarz, K., 71*
Kienholz, E. W., 72*, 1491
Kim, H. W., 72*
Kim, S. U., 52*
King, A. J., 471
Kirby, J. D., 72*, 95*, 1764
Kirby, L. K., 113, 184*, 1496
Kirn, B. N., 73*
Klandorf, H., 73*, 108*
Klasing, K. C., 69*
Klemperer, M. D., 58*, 73*, 75*
Kleven, S. H., 10*
Kling, L. J., 1943
Klingensmith, P. M., 63*
Klinger, J., 98*
Knabe, D. A., 60*
Knight, C. D., 43*
Knightley, C., 92*
Knudtson, K. L., 65
Kocsis, J. F., 74*, 119*
Koelkebeck, K. W., 74*, 109*
Kopek, J. M., 3*, 64*, 66*, 152*, 171*, 173*, 185*, 864, 2244
Kosiba, A. M., 74*
Kotrola, J. S., 109*
Kovar, S. J., 75*, 169*, 174*
Kowalski, K. I., 75*, 134*
Kreger, M., 92*
Kreukniet, M. B., 608
Kropp, P. S., 694
Krueger, K. K., 50*, 1731, 1743
Krueger, W. F., 75*, 1862
Kruzelock, R. P., 76*
Kubena, L. F., 12*, 37*, 47*, 76*, 147*, 168*, 175*, 414, 420, 727, 741, 849, 1078
Kuenzel, W. J., 76*
Kuhlers, D. L., 145*
Kuhnlein, U., 71*
Kummerow, F. A., 833
Kuney, D. R., 17
Kuo, F.-L., 77*
Kurima, K., 88*

L

Lacy, M. P., 77*
Lakshmanan, N., 77*, 128*
Lamont, S. J., 65, 1195
Lance, G. C., 554
Langar, P. N., 117*
Langevin, C., 1614
Laquë, P., 86*
Larbier, M., 1911
Larick, D. K., 166, 1414
Larsen, G., 175*, 184*
Latimer, J. W., 205
Latshaw, J. D., 953, 1998
Lauerman, L. H., 39*

Laurent, S. M., 58*, 73*, 75*, 78*, 155*, 169*, 172*, 174*, 2157
Laurin, D. E., 78*
Leach, R. M., Jr., 1399, 1539, 1845, 1905
Leboute, E. M., 22*
Leclercq, B., 623, 1911
Lee, H., 175*
Lee, K., 78*
Lee, K. H., 4*
Lee, L. F., 79*
Lee, M. R., 189*
Lee, S. R., 18*, 79*, 158*, 176*
Lee, Y.-Y., 568
Leeper, R. W., 74*, 90
Leeson, S., 715, 1339, 1348, 1522, 1617, 1753, 1803
Leighton, A. T., Jr., 111*, 576
Lent, A. J., 79*
Leske, K. L., 80*, 787
Levi, P. E., 102*
Levin, I., 2017
Lewis, A. J., 45*
Lewis, N. J., 1087
Ley, D. H., 10*, 80*
Li, Q., 81*
Li, S., 181*
Li, Y., 81*, 107*
Lien, K., 1614
Lien, R. J., 81*, 96*
Lightsey, S. F., 172*, 177*, 661
Lilburn, M. S., 15*, 82*, 83*, 136*, 194*, 801, 860, 1118, 1126, 1215
Lillard, H. S., 148*
Lillehoj, H. S., 34*, 40*, 72*, 83*
Linda, S. B., 433
Lindblad, E. B., 83*
Lindsey, D. G., 84*
Link, G. A., 54*
Liu, J. K., 84*
Lizama, L. C., 673
Loe, L. C., 73*, 84*, 172*
Long, G. G., 157*
Long, P. L., 57*, 69*, 169*
Lopez-Coello, C., 9*
Lorr, N. A., 85*
Lott, B. D., 85*, 176*, 190*, 1681
Lourigan, M. M., 140*
Luhman, C. M., 852
Lui, J., 30*
Lyon, B. G., 20*, 85*, 176*, 320, 329, 1420
Lyon, C. E., 20*, 85*, 86*, 148*, 164*, 176*, 329, 1420, 1800
Lyons, J. J., 59*, 133*

M

Mabon, J. A., 137*, 196*
MacLean, J., 86*
Macleod, M. G., 1911
MacMillan, C., 634
Macy, L. B., 36*, 1265, 1602, 1759
Mahoney, A. W., 341
Maiorino, P. M., 768, 879
Malik, M. A., 86*
Mallarino, E., 5*, 8*, 120*
Mallinson, E. T., 721
Malone, G. W., 2064
Mandi, Y., 929
Manning, J. G., 87*
Manning, R. O., 388, 915, 922
March, B. E., 634
Marion, J. E., 673, 1900
Marks, H. L., 87*, 141*, 177*, 205, 879, 922, 1627
Marquardt, R. R., 24*, 1174, 1816
Marsboom, R., 60
Marsh, J. A., 32*, 88*
Martin, A., 871
Martin, T. L., 14*
Martin, W. G., 139*
Maruyama, K., 88*
Mashaly, M. M., 63*, 88*, 860, 1094
Maslin, W. R., 159*
Mast, M. G., 36*
Masters, G. C., 30*
Mathis, G. F., 89*, 90*
Mauldin, J. M., 38*, 1606
Maurer, A. J., 16*, 140*, 157, 1769, 2040
Maurice, D. V., 172*, 177*, 661
Mauromoustakos, A., 171*, 864
May, J. D., 85*, 89*, 178*, 1070, 1681
May, K. N., 2103
McBride, B. W., 1339, 1348
McCapes, R. H., 1595
McCorkle, F. M., 89*
McCormick, C. C., 1182
McDaniel, G. R., 145*
McDonald, K., 90*, 180*
McDougald, L. R., 89*, 90*, 168*, 187*, 197*
McDowell, L. R., 673
McEwen, S. A., 1410
McGhee, G. C., 192*
McGinnis, J. P., 3*, 64*, 152*, 171*, 173*, 185*, 2244
McHan, F., 91*, 1809
McIlroy, P. J., 74*
McLaren, D. G., 60*
McMillan, I., 97*
McMurtry, J. P., 25*, 70*, 91*, 113*, 114*
McNabb, F.M.A., 92*
McNaughton, J. L., 178*, 179*
Meinersmann, R. J., 193*, 1809
Melcion, J. P., 2177
Meltzer, A., 176
Mench, J. A., 92*, 122*, 1664
Mendonca, C. X., Jr., 67*, 1950, 1956
Merka, W. C., 116*, 179*, 188*, 195*
Meyer, J. A., 736
Mian, M. A., 93*
Michaels, J. M., 179*
Miles, R. D., 48, 93*, 144*, 164*, 186*, 187*, 188*, 197*, 1226, 1753, 2195, 2237
Miles, S. A., 1522, 1753
Miller, B. G., 852
Miller, C. C., 19*, 93*
Miller, E. H., 104*, 180*
Miller, L., 94*, 108*
Miller, M. F., 1800
Miller, R. G., 721
Miller, R. W., 1281
Mills, A. D., 70*
Mills, J. S., 94*
Mills, K. A., 94*
Minvielle, F., 1037
Mirosh, L. W., 95*, 98*, 118*, 150*, 189*
Misra, L. K., 28*
Mitchell, D. M., 1051
Mitchell, R. W., 112*, 179*, 768
Mittal, G. S., 827
Mittelstaedt, C. W., 180*
Mitzner, K. C., 100*
Moafi, M., 95*
Mobarak, M. S., 95*
Moellers, R. F., 96*
Mokadi, S., 99*
Molleur, B. A., 111*
Monroe, J. L., 190*
Moore, R., 41*, 42*, 87*, 96*
Moran, E. T., Jr., 2*, 18*, 110*, 152*, 185*, 702, 1670, 1718
Moreng, R. E., 72*, 1491
Morgan, G. W., 160*
Morgan, W., 167*
Morrison, T. O., 96*
Morrison, W. D., 97*
Moseley, J. L., 1869
Moshtaghian, J., 74*, 97*
Moss, C. W., 78*
Muir, F., 1845
Muir, W. M., 77*, 509, 1447
Murakami, H., 5*
Muramatsu, T., 84, 264, 1027, 1599
Murphy, D. W., 97*, 98*
Murphy, J., 98*
Murray, C., 143*
Murray, L., 167*
Murray, R., 178*
Musgrove, M., 158*
Mussman, H. C., 2114
Myers, C., 184*
Myers, T. J., 72*
Myers-Miller, D. J., 1118, 1126
Myszewski, M. A., 20*, 130*

N

Na-Lampang, P., 902, 1020, 1652
Naber, E. C., 129*
Nagaraja, K. V., 1595
Nahanson, S. N., 128*, 180*
Nakagawa, J., 1508
Nakajima, S.-I., 1508
Nakaue, H. S., 98*, 150*
Narayanan, S., 11*
Narbaitz, R., 135*, 1204, 1702
Nazerian, K., 72*
Ndegwa, P. M., 195*

Nelson, C. E., 21*, 170*, 175*, 184*
Nelson, D. S., 1610, 2235
Nelson, T. S., 113, 184*, 1496
Nestor, K. E., 11*, 15*, 53*, 1055, 1215, 1634, 2057
Newcombe, M., 61*, 99*, 166*, 1455
Newlon, N. F., 63*, 132*, 133*
Ngidi, E., 83*
Nichols, C. R., 60*
Nicolich, S., 134*
Nieuwland, M.G.B., 599
Nir, I., 99*, 1621, 2177
Nissen, S., 54*
Nitsan, Z., 99*
Nitta, H., 100*
Nogareda, C., 2165
Noll, S. L., 30*, 100*, 138*, 1595
Norman, J. O., 171*
Novero, R. P., 100*
Nusbaum, K. E., 39*
Nwokola, E., 270

O

O'Connor, S., 13*
Oates, S. S., 110*
Odom, A. M., 181*
Odom, T. W., 101*
Ogden, L. V., 106*
Oin, X., 73*
Oju, E. M., 30*
Okauchi, K., 1563
Okotie-Eboh, G. O., 12*
Okumura, J., 84, 264, 1023, 1027, 1508, 1599
Olah, I., 101*, 929
Oltjen, J. W., 197*
Omar, S., 181*
Onderka, D. K., 32*
Opel, H., 1209, 1569
Opitz, H. M., 183*
Orban, J. I., 101*, 440, 2068
Ort, J. F., 369, 1576
Ortiz, D. N., 67*, 102*
Osawa, Y., 100*
Oscar, T. P., 102*
Ostlind, D., 134*
Otis, J. S., 999, 1046
Ottinger, M. A., 1*, 59*, 81*, 95*
Ouart, M. D., 144*, 184*, 2082
Overhults, D. G., 105*
Owens, S. L., 62*, 150, 313
Ownings, W. J., 1257

P

Paciotti, G., 81*
Palacios, J., 1325
Panangala, V. S., 39*
Pancorbo, O. C., 116*
Pang, S. F., 60*
Papa, C. M., 86*, 102*, 148*, 182*, 192*, 482, 1800
Pardue, S. L., 563
Parham, G. L., 86*
Parinyasiri, T., 103*
Parkhurst, C. R., 40*, 46*, 103*, 124*, 170*, 354
Parr, J. F., 103*
Parsons, C. M., 59*, 60*, 74*, 90, 97*, 149*, 281, 1165, 1544
Parsons, J. T., 160*
Patterson, D. L., 509
Patterson, P. H., 104*, 182*
Payne, C. J., 2134
Payne, W., 26*
Pearson, S. A., 849
Peebles, E. D., 104*, 180*
Pentrack, M. L., 1869
Penz, A. M., Jr., 22*, 67*, 104*, 182*
Peo, E. R., Jr., 45*
Peréz-Vendrell, A., 2165
Pescatore, A. J., 28*, 29*, 105*, 116*, 117*, 160*, 183*, 188*
Pesti, D. A., 172*
Pesti, G. M., 72, 98, 105*, 186*, 746
Peterson, R. A., 40*, 45, 1394, 1869
Petitte, J. N., 49*
Pfaff, W. K., 28*, 29*, 105*, 160, 183*, 188*, 196*, 1491
Pfaff, W. P., 72*
Phelps, P. V., 106*
Phillips, R. A., 183*
Phillips, R. E., 47*
Phillips, T. D., 175*, 727, 1078
Picard, M., 2177
Pike, O. A., 106*
Pikul, J., 833
Pinchasov, Y., 67*, 106*, 1792, 1950
Pinson, E. R., 486
Piquer, F. J., 5*, 8*, 120*
Plavnik, I., 107*, 945
Plocher, W. J., 84*
Polanowski, A., 57*
Pone, K., 71*
Pope, E., 51*
Porter, D. W., 139*
Poste, L. M., 1037
Potts, M., 9*
Prescott, S., 23*
Primo, R. A., 898
Proctor, V. A., 107*
Proudfoot, F. G., 1713
Proudman, J. A., 95*, 108*, 1209, 1569
Pubols, M. H., 640
Pumfrey, L., 184*
Purdy, J. W., 184*
Putnam, J. R., 62*
Pyrzak, R., 142

Q

Qin, X., 73*, 108*
Quan, X. M., 90*
Quintana, L., 23*
Qureshi, M. A., 50*, 67*, 94*, 102*, 108*

R

Rabon, H. W., 2157
Racek, S. R., 140*
Ramos, N. C., 217
Rao, K. S., 101*, 109*, 185*, 1991, 2170
Redus, R., 1595
Reed, W. M., 132*, 133*
Reiber, M. A., 64*, 109*, 152*, 171*, 173*, 185*, 818, 864, 1787, 1876, 2128, 2244
Reid, B. L., 768
Reilly, W. M., 109*
Reine, A. H., 849
Remus, J. C., 110*
Renden, J. A., 16, 110*
Revington, W. H., 110*, 152*, 185*
Reynnells, R. D., 111*, 224
Reynolds, D. L., 1257
Rhoades, J. F., 177*, 661
Richard, T. L., 3*
Richards, M. P., 1*, 91*, 111*
Richardson, K. E., 397
Ricks, C. A., 53*
Riddell, C., 35*
Rising, R., 768
Ritchie, W. L., 1595
Ritz, C. W., 111*, 867
Rives, D. V., 112*, 119*, 174*, 195*
Robbins, M. L., 84*
Robblee, A. R., 113*
Robel, E. J., 112*, 186*
Roberson, J. A., 126*
Roberson, K. D., 112*
Robeson, L. G., 22*, 45*, 113*, 2150
Robinson, F. E., 32*, 49*, 113*, 148*, 526, 1694, 2074
Robinson, G. A., 300
Robinzon, B., 121*, 176, 1220
Rogers, S. R., 72, 186*, 746
Rogler, J. C., 48*, 1685
Rohani, A. K., 45*
Roland, D. A., Sr., 101*, 105, 109*, 167*, 185*, 440, 1991, 2008, 2068, 2157, 2170
Rolow, A., 175*, 184*
Rose, M., 158*
Rosebrough, R. W., 70*, 91*, 113*, 114*
Rosenblum, C. I., 1905
Rosinski, M. J., 360
Ross, E., 794
Rossi, A. F., 48, 164*, 186*, 187*, 192*, 2237
Rotibi, A., 90*, 187*
Rotter, B. A., 24*, 1174, 1816
Rottinghaus, G. E., 1078
Roush, W. B., 39*, 114*, 1480
Rowe, D. G., 53*
Rowland, G. N., III, 65*, 1271, 1892
Roy, T. A., 1399
Rozenboim, I., 176, 1220

Ruff, M. D., 115*, 1675
Ruiz, N., 433, 446, 1226, 2231
Ruiz-Lopez, B., 9*
Rupnow, J. H., 45*
Ruschkowski, S. R., 115*
Russell, R., 73*
Russell, S. M., 116*, 188*
Rutz, F., 116*, 117*, 183*, 188*

S

Sacco, R. E., 1215
Salisbury, C.D.C., 1713
Salmon, R. E., 138*, 1016, 1133, 1383
Salter, D., 26*
Sammelwitz, P. H., 117*
Sams, A. R., 19*, 94*, 348, 471, 477, 1006, 1433, 1781
Sams, G. H., 136*, 187
Sandhu, K. S., 117*
Sandoval, M., 188*
Satnick, J. L., 679
Satterlee, D. G., 118*, 189*
Saucedo, F. A., 178*
Saunderson, C. L., 139*
Savage, J. E., 959
Savage, T. F., 118*, 127*, 189*
Saylor, W. W., 123*
Scanes, C. G., 88*, 1818
Scanlan, C. M., 87*
Schaeffer, J. L., 53
Scheideler, S. E., 119*, 198*, 1030
Schimmel, R. J., 119*
Schlegel, B. F., 11*
Schutte, J. B., 1724
Schwartz, J. A., 140*
Scott, T. R., 2134
Segura, J. C., 493
Seibert, B. P., 90*
Selders, A. W., 31*
Sell, J. L., 5*, 8*, 54*, 120*, 1503, 1931, 1974, 1982
Senköylü, N., 120*
Seto, F., 121*, 1103
Shackelford, A. D., 121*
Shahani, K. M., 1966
Shalev, U., 121*
Shatilla, I., 1*
Shaw, E. M., 122*, 1046
Shea, M. M., 92*, 122*, 1664
Sheldon, B. W., 41*, 122*, 166, 307, 517, 1414
Sherwood, T. A., 123*
Shih, J.C.H., 94*
Shimizu, T., 1508
Shirai, K., 1023
Shoffner, R. N., 122*, 999, 1046
Shoop, W. A., 123*
Shotts, E. B., 91*, 482, 686
Shultz, F. T., 27*, 1553
Shuman, R. M., 189*
Sibbald, I. R., 1299, 1310, 1318
Siddigi, M. M., 93*
Siebenmorgen, T. J., 168*
Siegel, H. S., 63*, 124*, 205
Siegel, P. B., 92*, 871, 1621
Sigmon, A. R., 124*
Silbert, S. A., 97*, 98*
Silsby, J. L., 47*, 124*
Sim, J. S., 4*, 15*, 33*, 68*, 270, 1614, 1694
Sima, M. R., 679
Simianer, H., 1231
Simmons, J. D., 190*
Sims, M. D., 190*
Sinclair, R. W., 526
Siopes, T. D., 142
Sizemore, F. G., 124*
Skeeles, J. K., 1602
Skewes, P. A., 125*, 190*
Skillicorn, P. W., 1835
Skinner, J. T., 66*, 125*, 191*, 1787, 1876
Slaugh, B. T., 69*, 111*, 126*, 867
Slavik, M. F., 1602
Sloan, D. R., 48, 126*, 192*, 1806
Sloane, B. A., 155*
Smalley, E. B., 140*
Smith, D. M., 2220
Smith, D. P., 126*, 127*, 192*, 1428
Smith, Edward J., 127*
Smith, Eugene J., 127*, 1244, 1251, 2017
Smith, J. H., 97*
Smith, M. A., 86*
Smith, M. O., 192*
Smith, M. S., 1590, 2248
Smyth, J. R., Jr., 77*, 128*
Snapir, N., 176, 1220, 1388
Sohail, S. S., 128*, 192*
Solis, J., 27, 151*, 378
Somes, R. G., Jr., 128*
Soontharernying, S., 46*, 129*
Soto-Salanova, M., 5*, 8*
Southern, L. L., 276
Souza, F. M., 54*
Spates, G. E., 64*, 171*
Spreen, S. W., 1759
Spratt, D., 584, 615, 1339, 1348, 1855
Squires, E. J., 1371
Squires, M. W., 17*, 129*
Stahl, J. L., 259
Stahly, T. S., 1110
Stamps, L., 71*, 1223, 1644, 1851
Stanley, V. G., 849
Steffe, J. F., 2220
Stephens, J. F., 27*, 129*, 592
Stern, N. J., 20*, 130*, 193*, 1809
Stevens, R.W.C., 1439
Stevens, V. I., 1016, 1133, 1383
Stilborn, H. L., 131*, 193*, 194*, 1787
Stilwell, M. A., 173*
Stino, F., 88*
Stonerock, R., 194*
Strong, C. F., Jr., 131*
Struwe, F. J., 22*, 45*, 113*, 131*, 1147, 2150
Sturkie, P. D., 132*
Sullivan, T. W., 22*, 45*, 48*, 113*, 132*, 1147, 1685, 1966, 2150
Summers, J. D., 103*, 584, 615, 1855
Sunde, M. L., 12*
Sundlof, S. F., 669
Sutton, A. L., 132*, 133*
Suzuki, H., 59*
Swann, G. S., 535, 545, 887
Swayne, D. E., 17*
Swick, R. A., 133*, 194*

T

Tadtiyanant, C., 133*
Tajima, A., 999
Takeuchi, T., 26*
Tamarkin, L., 81*
Tamas, T., 134*
Tate, C. R., 721
Taylor, K. D., 134*
Taylor, R. L., Jr., 21*, 89*, 98*
Taylor, R. W., 2064
Teeter, R. G., 42*, 43*, 90*, 155*, 163*, 180*, 197*
Tesch, S., 150, 313
Thaxton, J. P., 53*, 106*, 160*, 167*
Thayer, S. B., 43*
Thomas, O. P., 98*, 757, 1664
Thomas, R. A., 818
Thomas, W., 16*
Thompson, S. A., 195*
Thomson, E., 98
Tidwell, N. M., 818, 1513
Tilley, B. J., 195*
Tilly, J. L., 75*, 134*, 292
Tilmon, H. D., 2064
Timmons, M. B., 119*
Tirado, F. J., 462
Tluscik, F., 57*
Toelle, V. D., 1634, 1998
Toler, J. E., 27, 378
Toma, W. Y., 182*
Tonkinson, L. V., 11*, 142*, 143*
Touchburn, S. P., 86*, 137*, 1533, 1922
Tramel, W. T., 159*,
Trammell, J. H., 898
Trampel, D. W., 1931
Tran, H., 736
Travis, J., 57*
Tsang, C.P.W., 135*, 1204, 1702, 1822
Tsudzukiz, M., 1236
Tufft, L. S., 135*, 195*
Tullett, S. G., 1
Turner, K. A., 129*, 136*
Twining, P. F., 898
Tyczkowski, J., 167*

U

Umscheid, S. C., 145*
Untawale, G., 426, 2008
Uribe, H. A., 49*

V

Valdes, E. V., 1803
Van der Flaes, L., 60
Van Der Klis, 2185
van der Zijpp, A. J., 58, 599, 608

Van Elswyk, M. E., 136*
Van Krey, H. P., 166*, 209, 365
Vandepopuliere, J. M., 25*, 59*, 133*
Vanparijs, O., 60
Varghese, S. K., 136*, 137*
Vasilatos-Younken, R., 11*, 70*, 91*, 113*, 114*, 801, 845, 1215, 2057
Velázquez, C. M., 184*
Vergara, V., 1835
Verrinder Gibbins, A. M., 24*
Verstegen, M.W.A., 2185
Vickers, Z. M., 138*
Vilchez, C., 137*, 1533, 1922
Villacres, A., 162*
Vo, K. V., 137*, 196*
Volmert, R. F., 138*
Voris, J. C., 138*

W

Waibel, P. E., 30*, 84*, 100*, 138*, 139*
Wakasugi, N., 1236
Wakefield, T., Jr., 137*, 196*
Waldroup, P. W., 66*, 125*, 131*, 159*, 173*, 191*, 193*, 194*, 652, 818, 898, 1265, 1513, 1787, 1876
Walker, S. A., 139*
Walsh, T. J., 139*
Walters, B. S., 140*
Wang, S., 140*, 165*, 196*
Wang, S. F., 2220
Wang, S. Y., 26*
Wang, S.-Y., 35*
Ward, N., 83*
Ward, T. L., 276
Ware, G. O., 1064
Warner, C. M., 1195
Warren, M. W., 141*
Washburn, K. W., 46*, 141*, 486, 502
Wasnidge, D. C., 300
Watkins, B. A., 5*
Watkins, K. L., 276, 1009
Weaver, W. D., Jr., 9*, 166*, 209
Webb, J. E., 61*, 168*
Webster, A. B., 141*, 2118
Wedekind, K. J., 142*, 977, 1156
Wehling, R. L., 53*
Wehrcamp, T., 194*
Wei, R., 142*, 1775
Weld, K. P., 92*
Wellenreiter, R. H., 142*, 143*
West, M. S., 110*
Wettemann, R. P., 163*
Whitaker, B., 26*
White, H. B., III, 123*
Whitehead, C. C., 143*
Whiting, T. S., 1644, 1851
Whitmore, J. H., 2110
Whittemore, A. D., 44*, 121*
Whittle, E., 39*, 153*, 179*
Wideman, R. F., Jr., 16*, 79*, 679, 1796
Widjajanti, P., 196*
Wiernusz, C. J., 43*, 155*, 197*
Wiggins, M., 2027
Wigle, W. L., 132*, 133*
Wilcox, C. J., 673
Wilkins, G. C., 1675
Willer, D. E., 147*
Williams, D. E., 1590, 2248
Williams, J. C., 16
Willis, W. L., 143*
Wilmer, J. L., 144*
Wilson, H. R., 144*, 166*, 184*, 426, 2082
Wilson, J. D., 179*
Wilson, J. L., 131*
Wilson, R. L., Jr., 86*, 158*, 164*
Wineland, M. J., 112*
Winstead, C. S., 144*, 145*
Wittemore, A. D., 121*
Witzel, D. A., 47*, 76*, 147*, 168*, 175*, 741
Wolf, L., 61*
Wolfe, R. E., 61*, 168*
Wolynetz, M. S., 1299, 1310, 1318
Wong-Valle, J., 145*
Woodward, M. D., 31*
Woodward, S. A., 348, 426
Workman, D. J., 31*
Worley, S. D., 1590, 2248
Wu, W., 146*
Wyatt, C. L., 146*, 1271, 1892
Wyatt, R. D., 9*, 146*, 147*, 154*, 186*, 388, 915, 922
Wyman, O. L., 242
Wyvratt, M., 134*

X

Xie, M. Q., 197*

Y

Yamamoto, H., 26*
Yamazaki, M., 5*
Yan, D., 79*
Yang, S. I., 1023
Yang, T. S., 51*, 147*
Yersin, A. G., 47*, 76*, 147*, 168*, 175*
Yokel, R. A., 966, 985
Young, L. L., 148*, 1800
Youngren, O. M., 47*
Yu, M. W., 148*, 2074

Z

Zadworny, D., 71*
Zanetti, M. A., 197*
Zatari, I. M., 55*, 149*, 198*, 1503
Zhang, D., 341
Zhang, W., 149*
Zhang, Y., 149*
Zhong, C., 150*
Zimmermann, N. G., 7*, 8*, 150*, 1471, 1883
Ziprin, R. L., 37*, 47*, 161*, 171*, 198*
Zumbado, M. E., 151*

Index of Subjects

1,25-dihydroxycholecalciferol, broiler, calcium, protein, tibial dyschondroplasia, 46*
calcium, egg production, layer, shell quality, 1702
1,25-dihydroxyvitamin D_3, eggshell quality, 1α-hydroxyvitamin D_3, tibia strength, vitamin D_3, 2008
fluorescent lighting, liver glycogen, tibial dyschondroplasia, vitamin D_3, 48*
1α-hydroxyvitamin D_3, 1,25-dihydroxyvitamin D_3, eggshell quality, tibia strength, vitamin D_3, 2008
2,3-bisphosphoglycerate, embryo development, erythrocytes, inosine, 66*
2-hydroxy-4-methylthio butanoic acid, Alimet®, methionine metabolism, methylthioadenosine, 164*
25-hydroxycholecalciferol, bone calcification, cimetidine, layer, shell quality, 1892
broiler, phosphorus, vitamin D_3, 178*
3,4,3′,4′ tetrachlorobiphenyl, cytochrome P-450, immunotoxicity, xenobiotic metabolism, 85*
3-methylhistidine, breast muscle composition, chick, nucleic acids, protein concentration, 1325
broiler, degradation, early nutrition, growth, 67*
broiler chick, hypophysectomy, muscle protein degradation, 89*
96-well format, carboxyfluorescein diacetate, fluorescent staining, propidium iodide, spermatozoa, 1602†
Abdominal fat, amino acid(s), broiler performance, carcass composition, finisher diets, 191*
broiler production, protein requirement, 194*
arginine requirement, broiler, feed efficiency, weight gain, 182*
body weight, quail–Japanese, selection, testes weight, 1627
broiler, compensatory growth, dietary protein, restricted feeding, 1855
feed and water intake, high energy diet, high protein diet, 177*
feed intake, high energy, water intake, 879
growth, photoregimen, restricted feeding, 99*
broiler performance, calorie utilization, carcass quality, energy, 125*
compensatory growth, early life, nutrient restriction, 652
high amino acid diet, low energy diet, 181*
lysine, starter diet, yield, 159*
lysine·HCl, phase feeding, roaster, 181*
egg production, layer, lipid metabolism, sorbose, 1508
feed conversion, leanness, plasma lipoprotein, selection, 143*
Absorption, bioavailability, cockerels, methionine, methionine hydroxy analog, 281
Absorption site, broiler, gastrointestinal tract, mineral absorption, retention time, 2185
Academia, Extension Service, poultry industry, research, students, 2107
future, government, poultry industry, poultry science in the year 2000, 2102
Acclimation, broiler, fasting, heat distress, mortality, 90*
feed withdrawal, heat exposure, water consumption, 176*
heat distress, light regimen, 192*
heat stress, layer, 33*
Acid-base balance, broiler, corticosterone, heat distress, supplemental drinking water, 163*
Acid-insoluble ash, calcium digestibility, layer, silica consumption, total collection method, 2228†
Acid oil, broiler performance, fat, tallow, 120*
Acid steeping, broiler performance, chemical composition, corn, sorghum grain, 45*
Acid treatment, chicken fajita, freezing, *Salmonella*, sensory panel, 20*
Acrosin purification, extraction, rooster, spermatozoa, urea, 812
Acrosome reaction, avian sperm-egg interaction, perivitelline layer, sperm receptor, spermatozoa, 1012†
Active immunization, egg laying, hen, immunoneutralization, inhibins, 14*
Activity, behavior, broiler performance, exercise, testes, 121*
Acyl-coenzyme A:cholesterol acylytransferase, chicken liver, cholesterol ester, cytosolic modulators, fatty acid-binding protein, 56*
Adams-Bell model, egg production curves, linear regression, Marquardt method, nonlinear models, 31*
Adaptation, broiler breeder, juvenile protein restrictions, metabolic hormone concentrations, protein repletion, 113*
Added fat, body weight, broiler breeder performance, fertility, metabolizable energy, 1659
Added poultry fat, broiler breeder performance, fertility, hatchability, 158*
Adenosine 5′-triphosphate, bioluminescence assay, broiler muscle, electrical stimulation, 61*
fowl spermatozoa, metabolism, sperm motility, tetraphenylboron, 1563
Adenosine triphosphatase, body weight, carbonic anhydrase, layer, vitamin D_3 metabolites, 1204
Adhesion, broiler, colonization, intestinal mucous, *Salmonella california*, 38*
Adhesion strength, broiler breast meat, cook-in-the-film procedure, myofibrillar protein, poultry meat product, 360†
Adipocyte, broiler, glucagon, lipolysis, 102*
Adipocyte number, broiler, limited feeding, lipogenesis, lipoiysis, 150*
Adoptive immunity, immunocyte precursors, neonatal immunity, plaque-forming cells, unprimed chicken, 1103
Adrenal cells, corticosterone, leukocytes, ovine corticotropin-releasing factor, 63*
Adrenal corticosterone, gonadotropin secretion, luteinizing hormone, quail–Japanese, restricted feeding, 95*
Adrenocortical cells, Angiotensin II, cytosolic calcium, turkey, 119*
angiotensin II receptors, turkey, 74*
Adrenocorticotropic hormone, divergent selection, plasma cholesterol, quail–Japanese, 205
Adulterant, chicken, poultry products, turkey, 86*
Aerobic plate count, broiler breasts, broiler thighs, irradiation, *Salmonella*, 150

*Indicates Abstract.
†Indicates Research Note.

***Aeromonas hydrophilas*,** bacterial pathogens, broiler, lactic acid fermentation, processing waste, 116*
Affinity purification, gonadotropin, monoclonal antibodies, turkey, 134*
Aflatoxicosis, body weight, hydrated sodium calcium aluminosilicate, poult, 175*
broiler, calcium, phosphorus, renal function, 1796†
egg production, fatty liver, layer, tryptophan, 186*
Aflatoxin, aluminosilicate, body weight, charcoal, toxicity, 727
blood parameters, chicken lines, genetic selection, resistance, 922
body weight, broiler chick, feed efficiency, salinomycin, 849†
hydrated sodium calcium aluminosilicate, T-2 toxin, toxicity reduction, 1078
broiler, diacetoxyscirpenol, hydrated sodium calcium aluminosilicate, 76*
dietary lipid, lutein metabolism, micellar theory, 53
glutathione, metabolism, renal function, 16*
kojic acid, synergy, toxicity, 168*
broiler breeder performance, deoxynivalenol, mold inhibitor, mycotoxins, 37
broiler chick, cold acclimation, cytochrome P-450, sodium pentobarbital sleeping time, 388
resistance, serum chemistry, 915
broiler performance, methionine, mold-infested corn, niacinamide, 177*
chicken blood, enzyme-linked immunosorbent assay, protein binding, storage, 10*
Chukar partridge, mycotoxin, ochratoxin, T-2 toxin, 343*
Aflatoxin-B_1, chicken, macrophage, mixed-function oxidase, piperonyl butoxide, 102*
Age, apparent metabolizable energy–nitrogen-corrected, broiler chick, canola oil, poult, 50*
amino acid requirement, grower diet, poult, protein level, 30*
beak trimming, egg production, layer performance, pullet, 1461
strain, 29*
grower diet, high fiber, layer performance, 17*
behavior, caged rearing versus floor rearing, layer, multiple-hen cages, 1652
bird density, layer performance, strain, 29*
body weight, broiler breeder, egg production, sequence length, 113*
broiler, metabolizable energy, medium-chain triglyceride, true metabolizable energy, 5*
broiler breast muscle, sampling, symmetry, weight, 711†
feed efficiency, turkey, virginiamycin, weight gain, 1383
growth rate, insulin-like growth factor-I, sex, turkey, 11*
macrophage, poult, tumor necrosis factor, 67*
meat yield, protein level, turkey, weight gain, 584
overcooking, soybean meal, turkey, turkey performance, 175*
photostimulation, reproduction, restricted feeding, turkey breeder hen, 1522
Age at housing, cage shape, egg production, ingestive behavior, waterer type, 217
Age dependency, chick, heat production, propylthiouracil, triiodothyronine-induced thermogenesis, 1599†
Agglutination, bacteria, broiler carcasses, d-mannose, fimbriae growth, 1582
Aggression, broiler breeder, corticosterone, feed restriction, 92*
mating behavior, plasma testosterone, tryptophan, 92*
broiler breeder male, dominance status, tryptophan, 122*
restricted feeding, tryptophan, 1664
Air chilled, broiler, cytochrome c, heme pigments, ice slush, 51*
Air inlets, baffles, broiler house, ventilation, 125*
Air sampling, broiler hatcher, hatcheries, *Salmonella*, 38*
Air scrubbing, broiler carcasses, chlorine, microbiological quality, *Salmonella typhimurium*, 44*
Aircraft overflight, behavioral effects, poult, sound, 22*
Alanine, ascorbic acid, carbohydrate metabolism, glucose, turkey, 44*
Alanine-producing bacteria, chick growth, oral administration, urea, 1023†
Albumen height, egg holding time, egg sanitizer, egg weight loss, flock age, 139*
Alfalfa meal, amino acid(s), energy, feather meal, poultry by-product meal, 1544
Alimet®, 2-hydroxy-4-methylthio butanoic acid, methionine metabolism, methylthioadenosine, 164*
amino acid metabolism, hepatic protein synthesis, liver, methylthioadenosine, 1188
broiler performance, heat stress, humidity, methionine, 194*
cockerels, crystalline amino acid diet, cystine, sulfur amino acid, 43*
Alloantigen systems, antibody response, chicken lines, production traits, sheep erythrocytes, 871
Allo-Kramer shear, broiler breast meat, diced meat, 127*
sensory tenderness, shear value, Warner-Bratzler shear, 176*
shear value, tenderness, Warner-Bratzler shear, 85*
Altitude, ascites, broiler, hypobaric chambers, 147*
Aluminosilicate, aflatoxin, body weight, charcoal, toxicity, 727
Aluminum, broiler chick, dietary supplement, iron, phytate phosphorus utilization, 129*
broiler chick performance, calcium, metabolism, phosphorus, 966
dissolved air flotation sludge, evisceration wastewater, iron, polymer floculation, 179*
Aluminum availability, layer, phosphorus availability, plasma phosphorus, 2237†
Aluminum sulfate, broiler chick, calcium, metabolism, phosphorus, 985
Apparent metabolizable energy–nitrogen-corrected, age, broiler chick, canola oil, poult, 50*
excreta collection methods, 152*
Amino acid availability, canola seed, flax seed, true metabolizable energy–nitrogen-corrected, 15*
Amino acid balance, broiler chick performance, protein supplement, 156*
Amino acid digestibility, chicken, corn gluten feed, protein quality, true metabolizable energy–nitrogen-corrected, 1165
poultry, swine, 60*
Amino acid excretion, crop-intubation, lysine, methionine, 149*
Amino acid feeding program, body weight, egg production, pullet, 763
Amino acid fortification, chick, corn-soybean meal diet, methionine, 59*
Amino acid metabolism, Alimet®, hepatic protein synthesis, liver, methylthioadenosine, 1188

Amino acid requirement, age, grower diet, poult, protein level, 30*
broiler starter period, isoleucine, leucine, valine, 757
dietary protein, leg disorders, soybean meal, turkey, 159*
Amino acid(s), abdominal fat, broiler performance, carcass composition, finisher diets, 191*
broiler production, protein requirement, 194*
alfalfa meal, energy, feather meal, poultry by-product meal, 1544
bone development, broiler, calcium, leg disorders, 191*
brain, liver, thiamin deficiency, turkey, 110*
broiler, carcass quality, crude protein, lysine, 131*
corn, layer, protein, 22*
broiler performance, carcass quality, energy, separate sex diet, 1513
corn, drought, protein characteristics, yield, 83*
corn-soybean meal diet, egg production, layer performance, 60*
dietary protein, parts yield, soybean meal, turkey, 173*
egg components, layer performance, protein, 104*
growing pullet performance, layer performance, protein level, 71*
heme-complex, nicotinamide, pH, poultry meat color, 2040
Ammonia, feed efficiency, fermented whey-sarsaponin, litter composition, turkey tom performance, 133*
Ammonium sulfate, DL-methionine, urinary acidifiers, urolithiasis, 79*
Amprolium, coccidiosis, *Eimeria*, pullet, restricted feeding, 115*
halofuginone, oocyst, turkey, 89*
Anaerobic cecal culture, chick, lactose, *Salmonella enteritidis*, seroconversion, 84*
Anaerobic Pasteurizing Conditioning System, *Escherichia coli*, microcidial efficiency, pelleting, *Salmonella*, 1595†
Angel food cake, concentration, egg white, vacuum evaporation, 36*
Angiotensin II, adrenocortical cells, cytosolic calcium, turkey, 119*
Angiotensin II receptors, adrenocortical cells, turkey, 74*
Animal meat meal, food preservative, most probable number, ProStat™, *Salmonella*, 184*
Animal needs, animal welfare, ethical aspects, longevity, production systems, 1827
Animal protein diet, corn-soybean meal diet, dietary changes, poult, stunting syndrome, 8*
Animal sciences, college administration, research, teaching, 132*
Animal-vegetable fat, fat absorbability, poultry fat, restaurant grease, turkey, 55*
Animal welfare, animal needs, ethical aspects, longevity, production systems, 1827
caponization, videotape, 104*
Antibiotics, *Bacillus subtilis*, body weight, intestinal microflora, turkey performance, 1966
broiler, feed conversion, fructooligosaccharide, yield, 153*
broiler chick, disease prevention, hatchability, *in ovo*, 106*
broiler performance, dressing percentage, parts yield, processing characteristics, 1787
Antibodies, *Brucella abortus*, chicken serum, immunity, immunoassays, 172*
Campylobacter jejuni, cecal colonization, human enteropathogens, immunology, 193*
chicken serum, immunoglobulin G, purification technique, 168*
Antibody production, dose effects, humoral response, selection lines, sheep red blood cells, 608
heat stress, selection lines, sheep red blood cells, 599
Antibody response, alloantigen systems, chicken lines, production traits, sheep erythrocytes, 871
avian leukosis virus, endogenous viral genes, feathering genes, lymphomas, 1244
Anticoccidial, broiler, diclazuril, efficacy, histopathology, 187*
Anticoccidial agents, broiler breeder, coccidia, efficacy, pullet breeder, 166*
egg production, reproduction, shell pigmentation, 27
broiler performance, heat stress, lasalocid, temperature regimen, 1265
Chukar partridge, *Eimeria*, mortality, weight gain, 1675
coccidiostats, egg quality, egg yolk mottling, layer, 378
diclazuril, efficacy, floor pen trials, 60
Anticoccidial effect, *Eimeria dispersa*, *Eimeria mitis*, intestinal scores, monensin, 1009†
Antifungal activity, *Aspergillus parasiticus*, boric acid, darkling beetle, poultry litter, 147*
Antigenic variation, *Eimeria maxima*, *Eimeria tenella*, immunity, 51*
Antisera, chicken, immunocytochemistry, ovary, steroids, 100*
Appetite, renin-angiotensin system, sodium chloride, sodium deficiency, 138*
Aquatic plants, elodea, hydrilla, layer performance, yolk pigmentation, 673
Arabinose, chick, *in vivo*, *Salmonella typhimurium*, sugar, 91*
Arginine requirement, abdominal fat, broiler, feed efficiency, weight gain, 182*
broiler chick, growth rate, protein, 1377
Arginine vasotocin, cardiac hypotensive extract, dietary sodium, hypertension, layer, 679
Artificial insemination, evaluation procedures, semen, turkey, videotape, 13*
Ascites, altitude, broiler, hypobaric chambers, 147*
broiler, diet, energy, 162*
electrocardiology, hypobaric hypoxia, 101*
hematology, high altitudes, histopathology, 741
broiler diet, Ethacal®, high altitude, mortality, 78*
Ascitic syndrome, broiler chick, potassium, sodium, 9*
Ascorbic acid, alanine, carbohydrate metabolism, glucose, turkey, 44*
broiler performance, sodium zeolite A, 75*
chromium, egg quality, Haugh units, vanadium, 781
eggshell quality, layer, plasma thyroxine, thiouracil, 180*
Ascorbic acid requirement, egg quality, environmental stress, layer performance, vitamin C, 774
Aseptic processing, chicken meat, collagen, texture, 41*
Ash, dried bakery product, ether extract, fiber, true metabolizable energy–nitrogen-corrected, 72
Ash concentration, bone ash, bone strength, calcium intake, layer, 2209
Aspergillus fumigatus, lesion, pathology, pigeon, reticuloendothelial system, 2*
pathology, pigeon, susceptibility, 2*

Aspergillus parasiticus, antifungal activity, boric acid, darkling beetle, poultry litter, 147*
feed, mold growth, respirometry, 154*
Assay, canthaxanthin, egg yolk, layer, pigmentation, 1610†
chromatographic analysis, lipid peroxidation, liver, malondialdehyde, 1371
in vitro assay, micrococcal nuclease, thymocytes, 35*
Assay methods, broiler carcasses, broiler processing, *Salmonella*, variability, 171*
carcass halves, *Salmonella*, variability, 864†
Athens-Canadian randombred chicken, body temperature, body weight, broiler, genetic variation, 486†
Atherosclerosis, carcass lipids, cholesterol, dietary fat, quail–Japanese, 82*
Attractant lights, brooding, growth, quail–Bobwhite, 184*
Autoclaved, chick performance, dehulled, lupin seeds, nutritional value, 24*
Autoimmunity, chicken growth hormone, obese chicken, thyroid hormone, 88*
Automated spray equipment, *Fannis canicularis*, fly resistance, *Musca domestica*, synergized pyrethrins, 736
Avian influenza, chicken, pathogenicity, 26*
flock profiling, health status, location, small poultry flocks, 61*
Avian leukosis, hematocrit, nonneoplastic wasting syndrome, 49*
Avian leukosis virus, antibody response, endogenous viral genes, feathering genes, lymphomas, 1244
Avian lymphomyeloid tissue, endogenous peroxidase, Fc alpha receptors, immunoglobulin A cells, thymus, 101*
Avian sperm-egg interaction, acrosome reaction, perivitelline layer, sperm receptor, spermatozoa, 1012†
***B*-congenic chicken lines,** major histocompatibility complex, molecular typing, restriction fragment length polymorphisms, 1195
β-glucan, barley, bioavailable energy, enzyme supplementation, protein digestibility, 1174
chemical composition, geographical location, true metabolizable energy–nitrogen-corrected, 146*
dietary enzyme, excreta collection time, true metabolizable energy-nitrogen-corrected, 1816†
β-glucanase, barley, broiler performance, intestinal weight, wheat, 160*
egg cholesterol, layer, plasma cholesterol, 183*
Bacillus subtilis, antibiotics, body weight, intestinal microflora, turkey performance, 1966
Bacitracin methylene disalicylate, broiler carcasses, broiler performance, fructooligosaccharide, *Salmonella*, 66*
Background genome, dwarf versus normal, egg composition, embryo composition, 1621†
Bacon, cured turkey thigh, low fat, turkey, 140*
Bacteria, agglutination, broiler carcasses, d-mannose, fimbriae growth, 1582
Bacterial attachment, d-mannose, flagella, motility, *Pseudomonoas aeruginosa*, 1404
Bacterial contamination, broiler carcasses, foodborne pathogen, *Yersiniae*, 482†
Bacterial cross-contamination, broiler carcasses, feather release, immersion-scalding, spray-scalding, 409
Bacterial pathogens, *Aeromonas hydrophilas*, broiler, lactic acid fermentation, processing waste, 116*
Baffles, air inlets, broiler house, ventilation, 125*
Bambermycin, flavomycin®, reused litter, strain, turkey, 1133
Banding pattern, chicken, chromosomes, GBA banding, methotrexate block, 107*
Barley, β-glucan, bioavailable energy, enzyme supplementation, protein digestibility, 1174
chemical composition, geographical location, true metabolizable energy–nitrogen-corrected, 146*
dietary enzyme, excreta collection time, true metabolizable energy–nitrogen-corrected, 1816†
β-glucanase, broiler performance, intestinal weight, wheat, 160*
egg cholesterol, layer, plasma cholesterol, 183*
broiler chick, feeding value, protein, 6*
Barley flour, cholesterol, eggs, layer, protein, 18*
Basophil hypersensitivity, immunity, immunocompetence, interdigital skin test, phytohemagglutinin, 403
Bath method, broiler breasts, in-bag method, marinade retention, tumbling variables, 62*
Batter, breading, chicken nuggets, deep-fat frying, yield, 103*
Beak discoloration, broiler breeder, diacetoxyscirpenol, mouth lesions, 124*
Beak trimming, age, egg production, layer performance, pullet, 1461
strain, 29*
grower diet, high fiber, layer performance, 17*
behavior, genetic stocks, rearing period, weight gain, 568
cannibalism, egg production, genetic stocks, pullet, 77*
growout nutrition, laying house performance, pullet, 34*
Bedding material, microbiological changes, pathogenic bacteria, poultry litter, ruminant feed, 117*
Behavior, activity, broiler performance, exercise, testes, 121*
age, caged rearing versus floor rearing, layer, multiple-hen cages, 1652
beak trimming, genetic stocks, rearing period, weight gain, 568
body weight, nipple waterer, pullet, waterer usage, 1020†
Chukar partridge, rearing method, survival, 126*
egg production, layer, movable roost, welfare, 2118
Behavioral effects, aircraft overflight, poult, sound, 22*
Behavioral synchronization, cage, layer, social facilitation, 141*
Bind, cook yield, hydrocolloids, sliceability, turkey ham, 16*
Bioassay precision, modified technique, Sibbald technique, true metabolizable energy, 149*
Bioavailability, absorption, cockerels, methionine, methionine hydroxy analog, 281
broiler, litter ash, phosphorus, 1845
chick, copper acetate, copper carbonate, tissue uptake, 197*
tissue uptake, zinc, 188*
cis-lutein, egg yolk, pigmentation, 58*
fluorine, layer, sepiolate, sodium fluoride, 2165
zinc, zinc sulfate, zinc-methionine, 142*
Bioavailable energy, β-glucan, barley, enzyme supplementation, protein digestibility, 1174
Biochemical analysis, flow cytometry, leucocyte-common antigens, monoclonal antibodies, 34*
Bio-cox, broiler performance, coccidiosis, restricted feeding, skin pigmentation, 179*
Bioelectrical impedance analysis, body composition, fat-free mass, turkey, 369
Biolistic process, chick cells, gene delivery, 53*

Biological value, bone ash, chick, commercial phosphate, phosphorus bioavailability, 113
Bioluminescence assay, adenosine 5′-triphosphate, broiler muscle, electrical stimulation, 61*
Biopotency, chick, oxygen consumption, thyroxine, triiodothyronine, 1027†
Biotin, chick diet, egg white, low-zinc diet, protein source, 959
embryo, hatchability, turkey egg, 112*
Bird density, age, layer performance, strain, 29*
Black-out rearing, broiler breeder, hatchery operations, layer, videotape, 23*
Blastoderm, early oviposition, precalcified ova, prostaglandins, 59*
Blood cells, broiler cockerel, heat shock proteins, hyperthermia, 196*
Blood chemistry, broiler chick, ochratoxin A, phenylalanine, 420
Blood gas, broiler, heat distress, potassium, sodium, 42*
Blood parameters, aflatoxin, chicken lines, genetic selection, resistance, 922
broiler, drinking water supplementation, heat distress, 42*
Blood pressure and heart rate, catecholamine level, coccidiosis, epinephrine, poult, 10*
Blood samples, clinical chemistry, emu, ostrich, serum biochemical values, 12*
Bloodmeal, broiler chick, protein source, white lupins, 156*
Bobwhite quail, (see quail–Bobwhite)
Body composition, bioelectrical impedance analysis, fat-free mass, turkey, 369
body weight, broiler, lipid carcass composition, prediction equation, 1318
broiler breeder, energy intake, light stimulation, 715
dietary energy, Dwarf Leghorns, sexual maturity, 16
broiler, catch-up growth, feeding frequency, restricted feeding, 148*
compensatory growth, feeding frequency, restricted feeding, 2074
energy, protein, temperature, turkey tom performance, 50*
Body density, carcass composition, correlation, quail–Japanese, selection, 1051
Body fat, broiler, growth hormone-releasing factor, triiodothyronine, 35*
Body temperature, Athens-Canadian randombred chicken, body weight, broiler, genetic variation, 486†
broiler, genetic variation, heat stress, 46*
Body weight, abdominal fat, quail–Japanese, selection, testes weight, 1627
added fat, broiler breeder performance, fertility, metabolizable energy, 1659
adenosine triphosphatase, carbonic anhydrase, layer, vitamin D_3 metabolites, 1204
aflatoxicosis, hydrated sodium calcium aluminosilicate, poult, 175*
aflatoxin, aluminosilicate, charcoal, toxicity, 727
broiler chick, feed efficiency, salinomycin, 849†
hydrated sodium calcium aluminosilicate, T-2 toxin, toxicity reduction, 1078
age, broiler breeder, egg production, sequence length, 113*
amino acid feeding program, egg production, pullet, 763
antibiotics, *Bacillus subtilis*, intestinal microflora, turkey performance, 1966
Athens-Canadian randombred chicken, body temperature, broiler, genetic variation, 486†
behavior, nipple waterer, pullet, waterer usage, 1020†
body composition, broiler, lipid carcass composition, prediction equation, 1318
broiler breeder, energy intake, light stimulation, 715
dietary energy, Dwarf Leghorns, sexual maturity, 16
bone strength, broiler strain, brooding temperature, dietary phosphorus, 440
boron, broiler, riboflavin, 186*
broiler, by-products, feed intake, full-fat soybeans, 29*
corn-soybean meal diet, feed conversion, niacin, 2231†
broiler breeder, feeding effects, feeding regimen, fertility, 209
selection, tibial dyschondroplasia, 145*
broiler breeder hen, carcass composition, dietary protein, egg production, 1126
broiler breeder hen performance, dietary protein, egg production, prebreeder feeding, 1118
broiler chick, feed conversion, leg abnormalities, niacin requirement, 433
broiler performance, Chore-Time cups, feed conversion, Plasson hanging bell waterer, 71*
fluorescent lighting, incandescent, light source, 1030†
brooder type, brooding environment, brooding paper, quail–Bobwhite, 2082
carcass characteristics, forced-molt, oviduct, turkey breeder, 194*
carcass composition, mass selection, quail–Japanese, sensory quality, 1037
chicken, deiodinase, liver, 92*
corn oil, free fatty acids, quail–Japanese, reproductive performance, 1533
divergent selection, quail–Japanese, split versus complete diet environment, 87*
egg production, feed efficiency, layer performance, sunflower seeds, 78*
growth hormone, Haugh unit, shell thickness, 1818†
feed efficiency, feed intake, quail–Japanese, split versus complete diet environment, 87*
monensin, turkey broiler diet, virginiamycin, 1016†
poult, restricted feeding, 107*
feed line, feed nutrient content, pen location, pullet, 56*
genetics, growth rate, selection, 14*
lysine requirement, muscle growth, quail–Japanese, 15*
niacinamide, poult growth, salt, stocking density, 661
plasma phosphorus, quail, reproduction, yolk precursor, 1055
Body weight gain, broiler chick, glutamic acid, protein concentration, synthetic amino acids, 1950
broiler performance, feed intake, particle size, sorghum grain, 2177
Body weight loss, egg production, feed intake, heat stress, magnesium-aspartate-hydrochloride, 1862
Bone, mineral apposition rate, osteopenia, prelay pullets, 65*
Bone ash, ash concentration, bone strength, calcium intake, layer, 2209

biological value, chick, commercial phosphate, phosphorus bioavailability, 113
bone development, oyster shell, turkey, 14*
broiler performance, corn-soybean meal diet, free fatty acids, tibial dyschondroplasia, 135*
Bone breaking strength, bone densitometry, bone weight, direct photon absorptiometry, 167*
broiler performance, sodium zeolite A, 174*
layer performance, liver lipid, sodium zeolite A, 169*
production parameters, sodium zeolite A, 73*
Bone calcification, 25-hydroxycholecalciferol, cimetidine, layer, shell quality, 1892
Bone densitometry, bone breaking strength, bone weight, direct photon absorptiometry, 167*
Bone development, amino acid(s), broiler, calcium, leg disorders, 191*
bone ash, oyster shell, turkey, 14*
broiler chick, cimetidine, isoniazid, vitamin D_3, 1271
layer performance, sodium zeolite A, 172*
Bone metabolism, broiler chick, dietary calcium, growth rate, zeolite A, 1539
Bone status, boron, broiler performance, diet, sodium chloride deficiency, 187*
calcium intake, layer performance, limestone solubility, particle size, 2214
Bone strength, ash concentration, bone ash, calcium intake, layer, 2209
body weight, broiler strain, brooding temperature, dietary phosphorus, 440
eggshell quality, layer diet, plasma calcium, vitamin D_3 metabolites, 426
Bone weight, bone breaking strength, bone densitometry, direct photon absorptiometry, 167*
Borate, chicken, chromosomes, G-banding, *in situ* hybridization, 1046
Boric acid, antifungal activity, *Aspergillus parasiticus*, darkling beetle, poultry litter, 147*
boron, broiler breeder performance, sodium tetraborate-borax, 187*
Boron, body weight, broiler, riboflavin, 186*
bone status, broiler performance, diet, sodium chloride deficiency, 187*
boric acid, broiler breeder performance, sodium tetraborate-borax, 187*
broiler breeder performance, egg production, plasma calcium, shell quality, 108*
broiler chick, rickets, tibial dyschondroplasia, vitamin D_3, 165*
Boron toxicity, fibroblast, *in vitro* assay, lethal dose, 79*
Brain, amino acid(s), liver, thiamin deficiency, turkey, 110*
catecholamine, chick, development, genetics, 76*
embryo, litter sodium borate treatment, thyroid, water iodophor, 176*
Breading, batter, chicken nuggets, deep-fat frying, yield, 103*
Breast blister, broiler performance, carcass quality, litter, raised flooring, 1644
Breast muscle composition, 3-methylhistidine, chick, nucleic acids, protein concentration, 1325
Breast yield, compensatory growth, restricted protein intake, turkey tom, 82*
feather meal, growth, strain, turkey hen, 136*
Breed, round heart disease, spontaneous cardiomyopathy, starter diet, turkey, 181*
Breeder, hatcheries, *Salmonella*, 38*
Breeder hen age, broiler chick, serum glucose, triglyceride, yolk fat, 1394
egg and poult size, growth performance, immune function, turkey tom performance, 50*
Breeder hen performance, copper, iron, progeny, zinc, 259
Brewer's condensed solubles, broiler diet, 133*
Brewer's dried grains, diet, egg production, hatchability, pheasant breeder, 1491
layer performance, yeast, 196*
Brine shrimp, broiler chick, comparative toxicity, dermal toxicity, scirpenols, 397
Broiler, 1,25-dihydroxycholecalciferol, calcium, protein, tibial dyschondroplasia, 46*
25-hydroxycholecalciferol, phosphorus, vitamin D_3, 178*
3-methylhistidine, degradation, early nutrition, growth, 67*
abdominal fat, arginine requirement, feed efficiency, weight gain, 182*
compensatory growth, dietary protein, restricted feeding, 1855
feed and water intake, high energy diet, high protein diet, 177*
feed intake, high energy, water intake, 879
growth, photoregimen, restricted feeding, 99*
absorption site, gastrointestinal tract, mineral absorption, retention time, 2185
acclimation, fasting, heat distress, mortality, 90*
feed withdrawal, heat exposure, water consumption, 176*
heat distress, light regimen, 192*
acid-base balance, corticosterone, heat distress, supplemental drinking water, 163*
adhesion, colonization, intestinal mucous, *Salmonella california*, 38*
adipocyte, glucagon, lipolysis, 102*
adipocyte number, limited feeding, lipogenesis, lipolysis, 150*
Aeromonas hydrophilas, bacterial pathogens, lactic acid fermentation, processing waste, 116*
aflatoxicosis, calcium, phosphorus, renal function, 1796†
aflatoxin, diacetoxyscirpenol, hydrated sodium calcium aluminosilicate, 76*
dietary lipid, lutein metabolism, micellar theory, 53
glutathione, metabolism, renal function, 16*
kojic acid, synergy, toxicity, 168*
age, metabolizable energy, medium-chain triglyceride, true metabolizable energy, 5*
air chilled, cytochrome c, heme pigments, ice slush, 51*
altitude, ascites, hypobaric chambers, 147*
amino acid(s), bone development, calcium, leg disorders, 191*
carcass quality, crude protein, lysine, 131*
corn, layer, protein, 22*
antibiotics, feed conversion, fructooligosaccharide, yield, 153*
anticoccidial, diclazuril, efficacy, histopathology, 187*
ascites, diet, energy, 162*
electrocardiology, hypobaric hypoxia, 101*
hematology, high altitudes, histopathology, 741
Athens-Canadian randombred chicken, body temperature, body weight, genetic variation, 486†
bioavailability, litter ash, phosphorus, 1845
blood gas, heat distress, potassium, sodium, 42*
blood parameters, drinking water supplementation, heat distress, 42*

body composition, body weight, lipid carcass composition, prediction equation, 1318
catch-up growth, feeding frequency, restricted feeding, 148*
compensatory growth, feeding frequency, restricted feeding, 2074
body fat, growth hormone-releasing factor, triiodothyronine, 35*
body temperature, genetic variation, heat stress, 46*
body weight, boron, riboflavin, 186*
by-products, feed intake, full-fat soybeans, 29*
corn-soybean meal diet, feed conversion, niacin, 2231†
cage layer manure, composting, litter, turkey, 59*
cages, fecal contamination, feed withdrawal, intestinal contents, 182*
calorie:protein ratio, dietary self-selection, metabolizable energy, roaster, 61*
Campylobacter jejuni, cecal colonization, competitive exclusion, enteropathogen, 130*
lactose, mannose, 130*
Gallomycin®, infection elimination, 143*
carcass characteristics, cimaterol, meat tenderness, response time, 57*
carcass composition, crude protein, growing period, methionine, 193*
carcass energy retention, true metabolizable energy, 180*
carcass quality, dietary lysine, fat content, meat yield, 702
carcass *Salmonella* count, cecal count, Primilac®, *Salmonella*, 70*
carcass washing, fecal contamination, prescald cleaning, prototype machine, 121*
carcass yield, compensatory growth, restricted feeding, 190*
ceca, cloacal swab, colonization, *Listeria monocytogenes*, 457
cecal anaerobes, lactose, *Salmonella*, volatile fatty acids, 171*
cecal persistence, colonization, immunoglobulin response, *Salmonella typhimurium*, 130*
cereal, diet, protein source, sudden death syndrome, 1331
chemical composition, nutritional value, shatter cane, tannin, 45*
chlorinated hydrocarbon residues, turkey, uropygial gland, 19*
circadian rhythm, density, floor pen, locomotion, 1087
coccidiosis, Ethacal®, lesions, shank pigmentation, 155*
coccidiostat, *Eimeria tenella*, trickle vaccination, 160*
coliforms, composting, microbiology, mortality, 36*
colonization, fructooligosaccharide, *Salmonella*, 13*
colostomy, heat distress, mineral balance, 155*
computer control, energy conservation, heat exchanger, ventilation, 1869
cooling, mist spray, mortality, 157*
cooping, fecal contamination, feed withdrawal, 102*
corn-soybean meal diet, genetic strain, phosphorus, 113*
corticosterone, muscle growth, protein synthesis, trilostane, 2143
cottonseed meal, ferrous sulfate, gossypol, prophylactic effect, 6*
diet, glucose, lactate, sudden death syndrome, 1529
dietary lysine, energy utilization, metabolizable energy–nitrogen-corrected ratios, tissue synthesis, 1299
digesta, environmental temperature, feed withdrawal, light, 1681
duckling, muscle fiber, *pectoralis major* muscle, 126*
efficiency, fatness, feed utilization, restricted feeding, 502
Eimeria acervulina, *Eimeria tenella*, ionophores, lasalocid:stage of action, 169*
feed efficiency, growth pattern, 68*
fermentation, processing waste, silage culture, 188*
finishing feed, lactose, market age, *Salmonella*, 378
floor-raised, glutathione peroxidase, riboflavin, selenium, 188*
formaldehyde, hatchability, hatching egg disinfectant, hydrogen peroxide, 122*
genetic lines, macrophage functions, 108*
grain form, grain source, nutritional value, pelleting, 2150
growout housing, interregional profitability analysis, simulation model, 2092
growth hormone-binding protein, identification and verification, turkey, 70*
growth promoter, *in ovo*, interleukin-2, 167*
growth rate, leg abnormalities, lighting effects, 35*
hatcheries, *Salmonella* contamination, shell penetration, 1606†
heat shock proteins, neonatal heat stress, protein synthesis profile, thermotolerance, 9*
heat stress, indirect calorimetry, model, thermobalance, 197*
ionized calcium, potassium chloride, 4*
histochemical determination, muscle fiber type, skeletal muscle, staining procedure, 1433
host resistance, lactose, *Salmonella* colonization, volatile fatty acids, 161*
live shrink, meat quality, processing yield, vitamin C, 52*
long segmented filamentous organism, pigmentation, serum carotenoid, 6*
marigold extracts, skin pigmentation, xanthophyll, 178*
market weight, processing yield, sex, strain, 54*
sex, strain, yield characteristics, 42*
paired feeding, sodium aluminosilicate, sodium availability, 93*
pantothenic acid requirement, riboflavin requirement, 43*
probiotic, *Salmonella typhimurium*, whey, withdrawal feed, 1670
restricted feeding, roaster, skeletal disease, 32*
sudden death syndrome, tissue minerals, 245
Broiler appearance, downgrading, scabby hip lesions, scalding conditions, skin discoloration, 1006†
Broiler breast meat, adhesion strength, cook-in-the-film procedure, myofibrillar protein, poultry meat product, 360†
Allo-Kramer shear, diced meat, 127*
sensory tenderness, shear value, Warner-Bratzler shear, 176*
shear value, tenderness, Warner-Bratzler shear, 85*
carcass yield, feed withdrawal, objective texture, shrink, 86*
deboning time, panel responses, sensory test, shear value, 1420
duckling, meat tenderness, post-mortem aging, 192*
electrical stimulation, feed withdrawal, high temperature conditioning, rigor mortis, 94*
post-mortem, shear value, tenderization, 168*
pH, sarcomere length, shear method, tenderness, 348
shear value, textural quality, ultrasonic radiation, 164*

Broiler breast muscle, age, sampling, symmetry, weight, 711†
divalent cations, marination, meat texture, rigor development, 148*
Broiler breasts, aerobic plate count, broiler thighs, irradiation, *Salmonella*, 150
bath method, in-bag method, marinade retention, tumbling variables, 62*
broiler thighs, irradiation, thiobarbituric acid value, yield, 313
Broiler breeder, adaptation, juvenile protein restrictions, metabolic hormone concentrations, protein repletion, 113*
age, body weight, egg production, sequence length, 113*
aggression, corticosterone, feed restriction, 92*
aggression, mating behavior, plasma testosterone, tryptophan, 92*
anticoccidial agents, coccidia, efficacy, pullet breeder, 166*
egg production, reproduction, shell pigmentation, 27
beak discoloration, diacetoxyscirpenol, mouth lesions, 124*
black-out rearing, hatchery operations, layer, videotape, 23*
body composition, body weight, energy intake, light stimulation, 715
body weight, feeding effects, feeding regimen, fertility, 209
selection, tibial dyschondroplasia, 145*
cell-mediated immunity, feeding practices, skip-a-day feeding, 158*
coccidiosis, immunity, intestinal lesions, salinomycin, 112*
economics, egg production, restricted feeding, 166*
egg production, energy metabolism, maintenance, partition of dietary energy intake, 1339
energy metabolism, fasting metabolism, tissue heat production, tissue metabolism, 1348
feed restriction, growth, hormones, insulin-like growth factor, 25*
fertility, fluorescence method automated, semen quality, 36*
humoral immunity, immune responses, restricted feeding, skip-a-day feeding, 18*
intermittent light, light regimen, tibial dyschondroplasia, 145*
light regimen, semen, testes, 110*
progeny, quantitative traits, selection, 193*
Broiler breeder hen, body weight, carcass composition, dietary protein, egg production, 1126
Broiler breeder hen performance, body weight, dietary protein, egg production, prebreeder feeding, 1118
Broiler breeder male, aggression, dominance status, tryptophan, 122*
restricted feeding, tryptophan, 1664
crossbred, crossbred, quantitative traits, selection, 128*
fertility, growth, luteinizing hormone, restricted feeding, 860†
growth hormone-receptor binding, growth hormone-receptor mRNA, thyroid manipulation, 28*
low protein diet, nitrogen retention, temperature, 185*
Broiler breeder performance, added fat, body weight, fertility, metabolizable energy, 1659
added poultry fat, fertility, hatchability, 158*
aflatoxin, deoxynivalenol, mold inhibitor, mycotoxins, 37
boric acid, boron, sodium tetraborate-borax, 187*
boron, egg production, plasma calcium, shell quality, 108*
broiler chick performance, mortality, nipple waterer, satellite waterer, 45
cooled roosts, egg production, hatchability, heat stress, 97*
corn-soybean meal diet, digestive enzymes, egg production, Kemsyme®, 24*
egg production, feed efficiency, hatchability, light control, 1223†
fertility, hatchability, zinc bacitracin, 23*
incandescent light, light intensity, photoperiod, 910
fertility, preferential mating, separate feeding, 166*
prelayer diet, pretransition lighting, pullet-layer transition, 1141
Broiler breeder pullet, energy requirement, growth, maintenance, restricted feeding, 1792†
feed consumption, feeding time, first egg, hatchability, 144*
growing period, laying period, propionic acid, restricted feeding, 106*
Broiler carcasses, agglutination, bacteria, d-mannose, fimbriae growth, 1582
air scrubbing, chlorine, microbiological quality, *Salmonella typhimurium*, 44*
assay methods, broiler processing, *Salmonella*, variability, 171*
carcass halves, *Salmonella*, variability, 864†
bacitracin methylene disalicylate, broiler performance, fructooligosaccharide, *Salmonella*, 66*
bacterial contamination, foodborne pathogen, *Yersiniae*, 482†
bacterial cross-contamination, feather release, immersion-scalding, spray-scalding, 409
broiler performance, calcium formate, formic acid, microbiological characteristics, 1876
carcass energy, lipid energy, prediction, protein, 1310
ceca, d-mannose, drinking water, *Salmonella*, 173*
Salmonella, 2244†
chill water treatments, lactic acid, *Salmonella*, sodium lactate, 152*
drug resistance, market survey, *Salmonella* characterization, *Salmonella* isolation, 592
electrical stimulation, meat tenderness, temperature conditioning, 1781
enzyme-linked immunosorbent assay, preenrichment, *Salmonella* detection, whole carcass rinse samples, 185*
incidence, retail survey, *Salmonella*, serotypes, 3*
lactic acid fermentation, mortality, pathogen-free, 98*
litter, microbiological quality, processing, *Salmonella*, 2128
microbiological quality, reprocessing, 158*
reprocessing, *Salmonella*, serotypes, 20*
Broiler chick, 3-methylhistidine, hypophysectomy, muscle protein degradation, 89*
aflatoxin, body weight, feed efficiency, salinomycin, 849†
cold acclimation, cytochrome P-450, sodium pentobarbital sleeping time, 388
resistance, serum chemistry, 915
age, apparent metabolizable energy–nitrogen-corrected, canola oil, poult, 50*
aluminum, dietary supplement, iron, phytate phosphorus utilization, 129*
aluminum sulfate, calcium, metabolism, phosphorus, 985

antibiotics, disease prevention, hatchability, *in ovo*, 106*
arginine requirement, growth rate, protein, 1377
ascitic syndrome, potassium, sodium, 9*
barley, feeding value, protein, 6*
blood chemistry, ochratoxin A, phenylalanine, 420
bloodmeal, protein source, white lupins, 156*
body weight, feed conversion, leg abnormalities, niacin requirement, 433
body weight gain, glutamic acid, protein concentration, synthetic amino acids, 1950
bone development, cimetidine, isoniazid, vitamin D_3, 1271
bone metabolism, dietary calcium, growth rate, zeolite A, 1539
boron, rickets, tibial dyschondroplasia, vitamin D_3, 165*
breeder hen age, serum glucose, triglyceride, yolk fat, 1394
brine shrimp, comparative toxicity, dermal toxicity, scirpenols, 397
calcium, canola meal, cystine, sulfur, 615
defluorinated phosphate, particle size, phosphorus, 1110
dyschondroplasia, leg abnormalities, phosphorus, 1496
calcium deficiency, copper toxicity, growth rate, liver copper content, 1905
ceca, incidence, *Salmonella*, surface, 64*
cecal anaerobes, lactose, *Salmonella typhimurium* colonization, 64*
cecal colonization, intracloacal, lactose, *Salmonella typhimurium*, 198*
coccidiosis, monensin, sodium zeolite A, weight gain, 276
colonization, inoculation method, pH, *Salmonella typhimurium*, 1809†
Salmonella mutant, vaccine, 20*
corn, infrared treatment, nutritional value, sorghum grain, 45*
cytochrome P-450, growth depression, mixed-function oxidase system, monensin, 1285
dicalcium phosphate, tibia mineralization, vitamin A, vitamin D_3, 25*
dietary salt, gain, plasma aldosterone, 163*
digesta, feed withdrawal, small intestine, 89*
dwarfism, epiphyseal growth plate, proteoglycans, skeletal development, 1399
energy, metabolizable energy, soybean oil, 99*
feed availability, lipid, posthatch yolk utilization, yolk sac, 95*
feed efficiency, fermented fish, lipids, nutritional quality, 270
growth rate, pentosanase, rye, viscosity, 16*
hydrated sodium calcium aluminosilicate, liver vitamin A, riboflavin utilization, tibia manganese and zinc, 1364
layer, *Sesbania macrocarpa*, toxic seeds, weed seed, 669
mycotoxin, ochratoxin, *Salmonella*, 47*
Broiler chick performance, aluminum, calcium, metabolism, phosphorus, 966
amino acid balance, protein supplement, 156*
broiler breeder performance, mortality, nipple waterer, satellite waterer, 45
diet dilution method, dietary protein, lipid metabolism, tryptophan requirement, 746
feed grade salt, sea salt, 94*
Broiler cockerel, blood cells, heat shock proteins, hyperthermia, 196*
continuous intravenous infusion, growth hormone-releasing factor, growth response, pulsatile infusion, 96*
corticosterone, gonadal steroids, heat stress, 165*
corticotropin, hypothalamus, stress, thermotolerance, 123*
heat shock proteins, heat stress, leukocytes, turkey, 140*
hypothalamus, neuroendocrine involvement, stress, thermotolerance, 123*
Broiler cross, carcass composition, carcass fat, dietary energy, 124*
Broiler diet, ascites, Ethacal®, high altitude, mortality, 78*
brewer's condensed solubles, 133*
carcass characteristics, feed conversion, intestinal colonization, *Streptococcus faecium*, 1257
carcass composition, essential amino acids, protein, 103*
corn, nutritional value, pearl millet, sorghum, 132*
drinking water, feed, growth promoter, virginiamycin, 1713
protein supplement, sesame seed meal, soybean oil meal, 157*
Broiler grower, broiler industry, broiler production, education, videotape, 105*
Broiler hatcher, air sampling, hatcheries, *Salmonella*, 38*
Broiler hatching weight, hatch time, holding time, incubation temperature, relative humidity, 887
Broiler house, air inlets, baffles, ventilation, 125*
diclazuril, *Eimeria*, field isolate, 90*
economics, heat exchanger, management, 31*
electricity reduction, ventilation, wind sensor, 190*
electricity use, growth, light source, photoperiods, 1471
Broiler housing, computer software, decision support system, heat stress, 119*
Broiler industry, broiler grower, broiler production, education, videotape, 105*
Broiler litter, contamination, processing, recycled paper, *Salmonella*, 109*
pine shavings, recycled paper chips, 81*
Broiler meat, canola, cholesterol, flax seed, lipid, 4*
electrical stimulation, fragmentation, muscle tensioning, tenderness, 19*
fatty acids, hydrogenated vegetable oil, *trans*-$C_{18:1}$, 5*
microwave cooking, oxidative deterioration, reheating, tocopherol, 8*
Broiler muscle, adenosine 5′-triphosphate, bioluminescence assay, electrical stimulation, 61*
Broiler performance, abdominal fat, amino acid(s), carcass composition, finisher diets, 191*
calorie utilization, carcass quality, energy, 125*
compensatory growth, early life, nutrient restriction, 652
high amino acid diet, low energy diet, 181*
lysine, starter diet, yield, 159*
lysine·HCl, phase feeding, roaster, 181*
acid oil, fat, tallow, 120*
acid steeping, chemical composition, corn, sorghum grain, 45*
activity, behavior, exercise, testes, 121*
aflatoxin, methionine, mold-infested corn, niacinamide, 177*
Alimet®, heat stress, humidity, methionine, 194*

amino acid(s), carcass quality, energy, separate sex diet, 1513
antibiotics, dressing percentage, parts yield, processing characteristics, 1787
anticoccidial agents, heat stress, lasalocid, temperature regimen, 1265
ascorbic acid, sodium zeolite A, 75*
β-glucanase, barley, intestinal weight, wheat, 160*
bacitracin methylene disalicylate, broiler carcasses, fructooligosaccharide, *Salmonella*, 66*
Bio-cox, coccidiosis, restricted feeding, skin pigmentation, 179*
body weight, Chore-Time cups, feed conversion, Plasson hanging bell waterer, 71*
fluorescent lighting, incandescent, light source, 1030†
body weight gain, feed intake, particle size, sorghum grain, 2177
bone ash, corn-soybean meal diet, free fatty acids, tibial dyschondroplasia, 135*
bone breaking strength, sodium zeolite A, 174*
bone status, boron, diet, sodium chloride deficiency, 187*
breast blister, carcass quality, litter, raised flooring, 1644
broiler carcasses, calcium formate, formic acid, microbiological characteristics, 1876
buffered propionic acid, carcass microflora, *Salmonella*, 818
calcium, carcass composition, finisher period, phosphorus, 125*
calcium lignosulfonate, dietary energy, pellet integrity, summer-raised, 198*
calcium:phosphorus ratio, dyschondroplasia, manganese, 112*
carcass composition, growth, lysine level, virginiamycin, 86*
trace minerals, vitamins, withdrawal period, 191*
carcass yield, lysine, 2*
strain-cross, 18*
chemical composition, nutritional value, triticale, 177*
corn-soybean meal diet, enzyme supplementation, exogenous enzymes, 149*
darkling beetle, dietary ivermectin, lesser mealworm, 1281
lesser mealworm, relationship, 190*
dietary calcium, dietary phosphorus, skeletal development, 119*
digestibility, metabolizable energy, palm kernel oil, palm oil, 151*
dissolved oxygen, drinking water, electronic treatment, 150*
egg weight loss, incubation, parent age, posthatch treatment, 526
Ethacal®, growth performance, 40*
processing yield, zeolite A, 155*
farm size, 77*
fat concentration, fish oil, omega-3 fatty acids, soybean oil, 99*
fat retention, poult, taurine, 195*
feed additives, narasin, roxarsone, zinc bacitracin, 898
feed conversion, growth, yeast, 75*
geometric mean diameter, mash, milo, pellet, 85*
heat stress, oral rehydration, summer growing conditions, water treatment, 1851
water cooled perch, 109*
Hibiscus cannabinus L., kenaf core litter, litter moisture, pine sawdust litter, 2064
litter replacement, litter treatment, sulfur, 97*
metabolizable energy–nitrogen-corrected, sunflower meal, supplemental fat, 1503
ochratoxin, phenylalanine, 414
paper under water lines, satellite cups, water management, 63*
phosphorus deficiency, phytase, 133*
poult performance, protein deficiency, restricted feeding, sodium deficiency, 945
soapstock, tallow, 120*
trypsin inhibitor, untoasted full-fat soybean, urease activity, 22*
Broiler processing, assay methods, broiler carcasses, *Salmonella*, variability, 171*
broiler yield determination methods, yield-by-difference, 52*
sampling locations, scalding temperature, skin strength, 1108
Broiler production, abdominal fat, amino acid(s), protein requirement, 194*
broiler grower, broiler industry, education, videotape, 105*
Canada, profitability, trade barriers, 11*
ceca, feathers, *Salmonella*, skin, 154*
nutrient management program, waste, 31*
Broiler production efficiency, contract grower, economic evaluation, housing systems, integrated operations, 554
Broiler pullet, continuous administration, lipid metabolism, pituitary-derived chicken growth hormone, pulsatile administration, 114*
growth hormone, infusion, liver composition, nucleic acid content, 845†
Broiler response, glutamic acid, protein concentration, synthetic amino acids, 67*
Broiler safety, egg injection, hatching eggs, INOVOJECT™, Marek's disease vaccination, 65*
Broiler starter period, amino acid(s) requirement, isoleucine, leucine, valine, 757
Broiler strain, body weight, bone strength, brooding temperature, dietary phosphorus, 440
Broiler thighs, aerobic plate count, broiler breasts, irradiation, *Salmonella*, 150
broiler breasts, irradiation, thiobarbituric acid value, yield, 313
Broiler yield determination methods, broiler processing, yield-by-difference, 52*
Brooder type, body weight, brooding environment, brooding paper, quail–Bobwhite, 2082
Broodiness, dosimetry study, epostane, plasma hormone level, turkey hen, 40*
Broodiness development, broody-prone, egg production, epostane, turkey hen, 46*
Brooding, attractant lights, growth, quail–Bobwhite, 184*
Brooding environment, body weight, brooder type, brooding paper, quail–Bobwhite, 2082
Brooding temperature, body weight, bone strength, broiler strain, dietary phosphorus, 440
Broody-prone, broodiness development, egg production, epostane, turkey hen, 46*
epostane, plasma hormones, turkey hen, 103*
Brown-egg-type pullet, early maturation, egg size, methionine, protein, 1943
Brucella abortus, antibodies, chicken serum, immunity, immunoassays, 172*
Bruising, downgrading, truck cage location, turkey processing, unloading turkeys, 1410
Buffered propionic acid, broiler performance, carcass microflora, *Salmonella*, 818

Bursa of Fabricius, DNA degradation, glucocorticoids, lymphocytes, programmed cell death, 1292
lymphocyte chemotactic factor, lymphocyte inhibitory factor, thymus, 249
Bursal development, major histocompatibility complex dosage, trisomics, 62*
Bursal disease virus, chick, egg, *Salmonella enteritidis,* transovarian transmission, 183*
Bursal lymphocytes, chicken, growth hormone, growth rate, *in ovo* endocrine manipulation, 96*
cyclophosphamide, embryo, selective targeting, structure-activity relationships, 144*
By-products, body weight, broiler, feed intake, full-fat soybeans, 29*
Cage, behavioral synchronization, layer, social facilitation, 141*
Cage layer manure, broiler, composting, litter, turkey, 59*
Cage population, egg production, egg quality, layer, strain, 30*
Cage shape, age at housing, egg production, ingestive behavior, waterer type, 217
layer performance, nipple number and location, nipple waterers, water consumption, 2086
nipple waterer, strain, 55*
Cage space, colony size, decision analysis, layer, population density, 114*
egg production, fuzzy decision analysis, layer, 1480
Caged rearing versus floor rearing, age, behavior, layer, multiple-hen cages, 1652
Cages, broiler, fecal contamination, feed withdrawal, intestinal contents, 182*
Calciferol, calcitriol, calcium, layer, shell quality, 135*
Calcitriol, calciferol, calcium, layer, shell quality, 135*
egg weight, layer performance, shell quality, vitamin D_3, 1822†
Calcium, 1,25-dihydroxycholecalciferol, broiler, protein, tibial dyschondroplasia, 46*
egg production, layer, shell quality, 1702
aflatoxicosis, broiler, phosphorus, renal function, 1796†
aluminum, broiler chick performance, metabolism, phosphorus, 966
aluminum sulfate, broiler chick, metabolism, phosphorus, 985
amino acid(s), bone development, broiler, leg disorders, 191*
broiler chick, canola meal, cystine, sulfur, 615
defluorinated phosphate, particle size, phosphorus, 1110
dyschondroplasia, leg abnormalities, phosphorus, 1496
broiler performance, carcass composition, finisher period, phosphorus, 125*
calciferol, calcitriol, layer, shell quality, 135*
calcium lactate, drinking water, layer, shell quality, 162*
chick, manganese utilization, phosphorus, slope ratio, 1156
standard-curve methodology, 977
chick age, erythrocyte, taurine, thermal stress, 139*
environment, layer, stress, zinc-methionine, 72*
fat, interaction, layer performance, temperature, 1*
feed, phosphorus, x-ray fluorescence spectroscopy, 1803†
in vitro pH change, limestone solubility, percentage weight loss, 2204
Calcium deficiency, broiler chick, copper toxicity, growth rate, liver copper content, 1905
layer, reproductive failure, vitamin D deficiency, 344*
Calcium digestibility, acid-insoluble ash, layer, silica consumption, total collection method, 2228†
Calcium formate, broiler carcasses, broiler performance, formic acid, microbiological characteristics, 1876
Calcium intake, ash concentration, bone ash, bone strength, layer, 2209
bone status, layer performance, limestone solubility, particle size, 2214
Calcium lactate, calcium, drinking water, layer, shell quality, 162*
Calcium level, calcium soaps, layer, nutrient utilization, true metabolizable energy, 768
in vitro solubilization, *in vivo* solubilization, limestone particle size, 2170
Calcium lignosulfonate, broiler performance, dietary energy, pellet integrity, summer-raised, 198*
Calcium metabolism, calcium source, layer performance, limestone solubility, shell quality, 2199
Calcium:phosphorus ratio, broiler performance, dyschondroplasia, manganese, 112*
Calcium soaps, calcium level, layer, nutrient utilization, true metabolizable energy, 768
Calcium source, calcium metabolism, layer performance, limestone solubility, shell quality, 2199
California, insulation evaluation, turkey barn, 48*
Calmodulin dependent kinase, cytokine, interleukin-1 production, protein kinase c, 21*
Calorie:protein ratio, broiler, dietary self-selection, metabolizable energy, roaster, 61*
cellulose, dried distiller's by-product, glucose oxidation, lipogenesis, 150*
Calorie utilization, abdominal fat, broiler performance, carcass quality, energy, 125*
Campylobacter jejuni, antibodies, cecal colonization, human enteropathogens, immunology, 193*
broiler, cecal colonization, competitive exclusion, enteropathogen, 130*
lactose, mannose, 130*
Gallomycin®, infection elimination, 143*
Canada, broiler production, profitability, trade barriers, 11*
Cane molasses, daily feed consumption, *Lactobacillus,* layer, 98*
Cannibalism, beak trimming, egg production, genetic stocks, pullet, 77*
Cannulation, growth hormone, hypothyroidism, propylthiouracil, turkey, 82*
Canola, broiler meat, cholesterol, flax seed, lipid, 4*
Canola meal, broiler chick, calcium, cystine, sulfur, 615 parts yield, taste preference, turkey, 138*
Canola oil, age, apparent metabolizable energy–nitrogen-corrected, broiler chick, poult, 50*
Canola seed, amino acid availability, flax seed, true metabolizable energy–nitrogen-corrected, 15*
egg composition, flax seed, layer, omega-3 fatty acids, 33*
Canthaxanthin, assay, egg yolk, layer, pigmentation, 1610†
Caponization, animal welfare, videotape, 104*
Capsicum annuum, carotenoids, egg yolk, red pepper, saponification, 462
Carbohydrate metabolism, alanine, ascorbic acid, glucose, turkey, 44*
Carbon dioxide, chemical preservatives, feed, microbial growth, 146*

ergosterol, mold activity, 58*
feed preservative efficacy, mold inhibitor, propionic acid, 161*
Carbon dioxide production, mold growth, oxygen consumption, poultry feed, 9*
Carbonic anhydrase, adenosine triphosphatase, body weight, layer, vitamin D_3 metabolites, 1204
Carboxyfluorescein diacetate, 96-well format, fluorescent staining, propidium iodide, spermatozoa, 1602†
Carcass characteristics, body weight, forced-molt, oviduct, turkey breeder, 194*
broiler, cimaterol, meat tenderness, response time, 57*
broiler diet, feed conversion, intestinal colonization, *Streptococcus faecium*, 1257
energy restriction, high-fat versus low-fat diet, protein level, turkey tom, 1982
Carcass composition, abdominal fat, amino acid(s), broiler performance, finisher diets, 191*
body density, correlation, quail–Japanese, selection, 1051
body weight, broiler breeder hen, dietary protein, egg production, 1126
mass selection, quail–Japanese, sensory quality, 1037
broiler, crude protein, growing period, methionine, 193*
broiler cross, carcass fat, dietary energy, 124*
broiler diet, essential amino acids, protein, 103*
broiler performance, calcium, finisher period, phosphorus, 125*
growth, lysine level, virginiamycin, 86*
trace minerals, vitamins, withdrawal period, 191*
feeding regimen, growth rate, restricted feeding, turkey breeder hen, 1753
genetic parameters, selection, sexual dimorphism, turkey, 1634
Carcass energy, broiler carcasses, lipid energy, prediction, protein, 1310
Carcass energy retention, broiler, true metabolizable energy, 180*
Carcass fat, broiler cross, carcass composition, dietary energy, 124*
Carcass halves, assay methods, broiler carcasses, *Salmonella*, variability, 864†
Carcass lipids, atherosclerosis, cholesterol, dietary fat, quail–Japanese, 82*
Carcass microflora, broiler performance, buffered propionic acid, *Salmonella*, 818
Carcass parameters, ractopamine hydrochloride, turkey, 143*
Carcass quality, abdominal fat, broiler performance, calorie utilization, energy, 125*
amino acid(s), broiler, crude protein, lysine, 131*
broiler performance, energy, separate sex diet, 1513
breast blister, broiler performance, litter, raised flooring, 1644
broiler, dietary lysine, fat content, meat yield, 702
Carcass *Salmonella* count, broiler, cecal count, Primilac®, *Salmonella*, 70*
Carcass traits, growth hormone, growth rate, pulsatile secretion, turkey, 1215
Carcass washing, broiler, fecal contamination, prescald cleaning, prototype machine, 121*
Carcass yield, broiler, compensatory growth, restricted feeding, 190*
broiler breast meat, feed withdrawal, objective texture, shrink, 86*
broiler performance, lysine, 2*
strain-cross, 18*
compensatory growth, plane of nutrition, protein consumption, turkey, 1743
Cardiac hypotensive extract, arginine vasotocin, dietary sodium, hypertension, layer, 679
Carotenoids, *Capsicum annuum*, egg yolk, red pepper, saponification, 462
Carry-over effects, feeder space, floor space, layer performance, waterer space, 7*
Casein-dextrose diet, corn-soybean meal diet, phosphorus utilization, poultry, sodium aluminosilicate, 97*
Catabolic state, chick, ethanol, growth, leupeptin, 54*
Catch-up growth, body composition, broiler, feeding frequency, restricted feeding, 148*
Catecholamine, brain, chick, development, genetics, 76*
Catecholamine level, blood pressure and heart rate, coccidiosis, epinephrine, poult, 10*
Ceca, broiler, cloacal swab, colonization, *Listeria monocytogenes*, 457
broiler carcasses, d-mannose, drinking water, *Salmonella*, 173*
Salmonella, 2244†
broiler chick, incidence, *Salmonella*, surface, 64*
broiler production, feathers, *Salmonella*, skin, 154*
Cecal anaerobes, broiler, lactose, *Salmonella*, volatile fatty acids, 171*
broiler chick, lactose, *Salmonella typhimurium* colonization, 64*
Cecal colonization, antibodies, *Campylobacter jejuni*, human enteropathogens, immunology, 193*
broiler, *Campylobacter jejuni*, competitive exclusion, enteropathogen, 130*
lactose, mannose, 130*
broiler chick, intracloacal, lactose, *Salmonella typhimurium*, 198*
Cecal count, broiler, carcass *Salmonella* count, Primilac®, *Salmonella*, 70*
Cecal flora, lactose, layer chick, *Salmonella enteritidis*, 37*
Cecal persistence, broiler, colonization, immunoglobulin response, *Salmonella typhimurium*, 130*
Cell-mediated immunity, broiler breeder, feeding practices, skip-a-day feeding, 158*
Cellular immunity, dopamine, leukocyte migration, wattle response, 89*
Cellulose, calorie:protein ratio, dried distiller's by-product, glucose oxidation, lipogenesis, 150*
Cereal, broiler, diet, protein source, sudden death syndrome, 1331
Change prediction, egg inventory, egg purchases reports, marketing, 30*
Changing needs, Extension Service, future, issues programming, 227
Characterization, educational needs, poultry survey, small flock owners, 144*
Charcoal, aflatoxin, aluminosilicate, body weight, toxicity, 727
Chemical composition, acid steeping, broiler performance, corn, sorghum grain, 45*
β-glucan, barley, geographical location, true metabolizable energy–nitrogen-corrected, 146*
broiler, nutritional value, shatter cane, tannin, 45*
broiler performance, nutritional value, triticale, 177*
Chemical preservatives, carbon dioxide, feed, microbial growth, 146*
Chick, 3-methylhistidine, breast muscle composition, nucleic acids, protein concentration, 1325

age dependency, heat production, propylthiouracil, triiodothyronine-induced thermogenesis, 1599†
amino acid fortification, corn-soybean meal diet, methionine, 59*
anaerobic cecal culture, lactose, *Salmonella enteritidis*, seroconversion, 84*
arabinose, *in vivo*, *Salmonella typhimurium*, sugar, 91*
bioavailability, copper acetate, copper carbonate, tissue uptake, 197*
tissue uptake, zinc, 188*
biological value, bone ash, commercial phosphate, phosphorus bioavailability, 113
biopotency, oxygen consumption, thyroxine, triiodothyronine, 1027†
brain, catecholamine, development, genetics, 76*
bursal disease virus, egg, *Salmonella enteritidis*, transovarian transmission, 183*
calcium, manganese utilization, phosphorus, slope ratio, 1156
standard-curve methodology, 977
catabolic state, ethanol, growth, leupeptin, 54*
cholesterol feeding, cholesterol metabolism, egg cholesterol, laying hen, 1694
corn-soybean meal diet, purified amino acid diet, riboflavin requirement, 1357
D-xylose, L-arabinose, metabolizable energy, pentose sugar, 1724
dietary tannin, duck, rat, sorghum, 1685
duck, growth, sorghum, tannin, 48*
endotoxin, metabolic parameters, serum lipids, tumor necrosis factor, 69*
estrogen-induced, oviduct weight, shell gland, thyroid hormone modulaton, 73*
fertility, semen, sexual maturity, tamoxifen, 1220†
glutathione peroxidase, metabolism, riboflavin, selenium, 116*
growth hormone, lymphoid organs, thyrotropin-releasing hormone, white blood cells, 1094
Chick age, calcium, erythrocyte, taurine, thermal stress, 139*
Chick cells, biolistic process, gene delivery, 53*
Chick cells and tissues, gene expression, mouse tyrosinase, transgenics, vector, 26*
Chick diet, biotin, egg white, low-zinc diet, protein source, 959
Chick embryo, developmental genetics, ethanol, pharmacogenetics, 15*
Chick growth, alanine-producing bacteria, oral administration, urea, 1023†
Chick performance, autoclaved, dehulled, lupin seeds, nutritional value, 24*
egg weight, hen age, lipid retention, sex, 135*
Chick weight, eggshell conductance, hatchability, incubation conditions, 535
peranatal period, 545
Chicken, adulterant, poultry products, turkey, 86*
aflatoxin-B_1, macrophage, mixed-function oxidase, piperonyl butoxide, 102*
amino acid digestibility, corn gluten feed, protein quality, true metabolizable energy–nitrogen-corrected, i165
antisera, immunocytochemistry, ovary, steroids, 100*
avian influenza, pathogenicity, 26*
banding pattern, chromosomes, GBA banding, methotrexate block, 107*
body weight, deiodinase, liver, 92*
borate, chromosomes, G-banding, *in situ* hybridization, 1046
bursal lymphocytes, growth hormone, growth rate, *in ovo* endocrine manipulation, 96*
chymotrypsin, elastase, pancreas, trypsin, 57*
coccidiosis, evaluation, *in vivo*, L-651,582, 134*
cryopreservation, germplasm preservation, glycerol, semen, 999†
denervation, *Musculus pectoralis*, *124*
dietary protein, fatness, genetic lines, nitrogen metabolism, 1911
eggshell color, genetics, shell pigmentation, 142*
etiology, transient toxicosis, 51*
eye color, plumage color genetics, shank color, 128*
gene mapping, growth hormone gene, *in situ* hybridization, metaphase chromosomes, 122*
glycerol, motility, oviducal cultures, spermatozoa, 1759
growth, soybean, tortilla mix, vitamins, 69*
immunoblotting, *Mycoplasma gallisepticum*, species-specific proteins, turkey, 10*
interleukin-2, Marek's disease, T-cell antigens, turkey, 72*
minigene, oocyte, vitellogenin, 24*
oviduct removal, plasma luteinizing hormone, quail–Japanese, 26*
Chicken blood, aflatoxin, enzyme-linked immunosorbent assay, protein binding, storage, 10*
Chicken breast meat, dynamic rheological testing, gelation, pH, salt-soluble proteins, 2220
Chicken egg, hatchability, incubation, turning, 95*
Chicken fajita, acid treatment, freezing, *Salmonella*, sensory panel, 20*
Chicken genome, human × chicken cell hybrids, microchromosomes, partitioning, somatic cell hybridization, 81*
Chicken growth hormone, autoimmunity, obese chicken, thyroid hormone, 88*
Chicken insulin, liver cell culture, parenchymal cell, second-messenger regulation, triglyceride synthesis, 78*
Chicken lines, aflatoxin, blood parameters, genetic selection, resistance, 922
alloantigen systems, antibody response, production traits, sheep erythrocytes, 871
Chicken liver, acyl-coenzyme A:cholesterol acylytransferase, cholesterol ester, cytosolic modulators, fatty acid-binding protein, 56*
Chicken macrophage, heat shock proteins, heat shock protein-90 mRNA, 94*
Chicken meat, aseptic processing, collagen, texture, 41*
Chicken muscle, chicken skin, microwave cooking, oxidation products, refrigerated storage, 833
Chicken nuggets, batter, breading, deep-fat frying, yield, 103*
Chicken pancreas, chromatography, isoelectric focusing, pancreatic trypsin inhibitor, 640
Chicken patties, color, cooking loss, shelf-life, texture profile, 148*
off-flavor, reheating, storage, 320
Chicken serum, antibodies, *Brucella abortus*, immunity, immunoassays, 172*
immunoglobulin G, purification technique, 168*
Chicken skin, chicken muscle, microwave cooking, oxidation products, refrigerated storage, 833
Chill water treatments, broiler carcasses, lactic acid, *Salmonella*, sodium lactate, 152*
Chlordane, DDT, dieldrin, turkey, uropygial gland, 19*
Chloride, egg production, layer, molt, sodium, 171*
Chlorinated hydrocarbon residues, broiler, turkey, uropygial gland, 19*

Chlorine, air scrubbing, broiler carcasses, microbiological quality, *Salmonella typhimurium*, 44*
Cholesterol, atherosclerosis, carcass lipids, dietary fat, quail–Japanese, 82*
barley flour, eggs, layer, protein, 18*
broiler meat, canola, flax seed, lipid, 4*
colestipol, egg, layer, lovastatin, 852†
dehydrated chicken meat, lipids, supercritical carbon dioxide extraction, 53*
egg composition, fatty acid profile, flax seed, layer diet, 1617†
fat, feed, incorporation method, layer, 972
plasma, quail–Japanese, selection, yolk, 141*
Cholesterol ester, acyl-coenzyme A:cholesterol acylytransferase, chicken liver, cytosolic modulators, fatty acid-binding protein, 56*
Cholesterol feeding, chick, cholesterol metabolism, egg cholesterol, layer, 1694
Cholesterol metabolism, chick, cholesterol feeding, egg cholesterol, layer, 1694
diet, egg lecithin, rats, soy lecithin, 68*
fatty acid transport, lipid transport proteins, liver, 136*
Cholesterol synthesis, fatty acid synthesis, hepatic tissue, quail–Japanese, substrate, 647
Choline, egg production, inorganic sulfate, layer, sulfur amino acid, 1226†
Chore-Time cups, body weight, broiler performance, feed conversion, Plasson hanging bell waterer, 71*
Chromatographic analysis, assay, lipid peroxidation, liver, malondialdehyde, 1371
Chromatography, chicken pancreas, isoelectric focusing, pancreatic trypsin inhibitor, 640
Chromium, ascorbic acid, egg quality, Haugh units, vanadium, 781
Chromometer, eggshell color, Hunter Colorimeter, Minolta Chroma Meter, shell measurement, 1775
Chromosomal DNA, deoxyribonuclease 1, foreign DNA, nuclease degradation, sperm cells, 856†
Chromosomes, banding pattern, chicken, GBA banding, methotrexate block, 107*
borate, chicken, G-banding, *in situ* hybridization, 1046
Chukar partridge, aflatoxin, mycotoxin, ochratoxin, T-2 toxin, 343*
anticoccidial agents, *Eimeria*, mortality, weight gain, 1675
behavior, rearing method, survival, 126*
Chymotrypsin, chicken, elastase, pancreas, trypsin, 57*
Cimaterol, broiler, carcass characteristics, meat tenderness, response time, 57*
Cimetidine, 25-hydroxycholecalciferol, bone calcification, layer, shell quality, 1892
bone development, broiler chick, isoniazid, vitamin D_3, 1271
Circadian rhythm, broiler, density, floor pen, locomotion, 1087
***cis*-lutein,** bioavailability, egg yolk, pigmentation, 58*
Classroom, *Coturnix*, science education, 137*
Clinical chemistry, blood samples, emu, ostrich, serum biochemical values, 12*
Cloacal swab, broiler, ceca, colonization, *Listeria monocytogenes*, 457
Cloning, growth hormone, nucleotide sequence, turkey, 52*
Clutch cycle, shell quality, shell-less eggs, uncollectible egg production, 509
Coccidia, anticoccidial agents, broiler breeder, efficacy, pullet breeder, 166*
immunity, microscopy techniques, recombinant antigens, 40*
Coccidiosis, amprolium, *Eimeria*, pullet, restricted feeding, 115*
halofuginone, oocyst, turkey, 89*
Bio-cox, broiler performance, restricted feeding, skin pigmentation, 179*
blood pressure and heart rate, catecholamine level, epinephrine, poult, 10*
broiler, Ethacal®, lesions, shank pigmentation, 155*
broiler breeder, immunity, intestinal lesions, salinomycin, 112*
broiler chick, monensin, sodium zeolite A, weight gain, 276
chicken, evaluation, *in vivo*, L-651,582, 134*
combinations, ionophores, roxarsone, 90*
intestinal immunity, intestinal intraepithelial lymphocytes, protective immunity, T-cell, 83*
Coccidiostats, anticoccidial agents, egg quality, egg yolk mottling, layer, 378
broiler, *Eimeria tenella*, trickle vaccination, 160*
Cockerels, absorption, bioavailability, methionine, methionine hydroxy analog, 281
Alimet®, crystalline amino acid diet, cystine, sulfur amino acid, 43*
digestibility of polysaccharides, Muscovy duck, nonstarch polysaccharides, rats, 623
growth, nutritional value, quail–Japanese, *Spirulina plantensis*, 794
Cold acclimation, aflatoxin, broiler chick, cytochrome P-450, sodium pentobarbital sleeping time, 388
resistance, serum chemistry, 915
Colestipol, cholesterol, egg, layer, lovastatin, 852†
Coliforms, broiler, composting, microbiology, mortality, 36*
Collagen, aseptic processing, chicken meat, texture, 41*
heat stability, lathyrogen, spent fowl muscle, tenderness, 477
College administration, animal sciences, research, teaching, 132*
Colonization, adhesion, broiler, intestinal mucous, *Salmonella* california, 38*
broiler, ceca, cloacal swab, *Listeria monocytogenes*, 457
cecal persistence, immunoglobulin response, *Salmonella typhimurium*, 130*
fructooligosaccharide, *Salmonella*, 13*
broiler chick, inoculation method, pH, *Salmonella typhimurium*, 1809†
Salmonella mutant, vaccine, 20*
lactose, poult, *Salmonella*, 37*
Colony size, cage space, decision analysis, layer, population density, 114*
egg production, fuzzy decision analysis, layer, 1480
Color, chicken patties, cooking loss, shelf-life, texture profile, 148*
Color loci, plumage color, turkey, 118*
Color mutation, genetics, peafowl, plumage color, white allele, 128*
Colostomy, broiler, heat distress, mineral balance, 155*
Combinations, coccidiosis, ionophores, roxarsone, 90*
Combined halogen, disinfectant, halamine, pH, poultry processing, 1590
poultry processing, *Salmonella typhimurium*, 2248†
Commercial flock survey, egg content, layer, nutritional status, vitamin profiles, 129*

Commercial phosphate, biological value, bone ash, chick, phosphorus bioavailability, 113
Communication, Extension Service, regionalization, specialists, western United States, 241
Comparative toxicity, brine shrimp, broiler chick, dermal toxicity, scirpenols, 397
Compensatory growth, abdominal fat, broiler, dietary protein, restricted feeding, 1855
broiler performance, early life, nutrient restriction, 652
high amino acid diet, low energy diet, 181*
body composition, broiler, feeding frequency, restricted feeding, 2074
breast yield, restricted protein intake, turkey tom, 82*
broiler, carcass yield, restricted feeding, 190*
carcass yield, plane of nutrition, protein consumption, turkey, 1743
leg abnormalities, protein consumption, restricted growth, turkey performance, 1731
Competitive exclusion, broiler, *Campylobacter jejuni*, cecal colonization, enteropathogen, 130*
hatching eggs, *in ovo*, *Salmonella*, 162*
Composting, broiler, cage layer manure, litter, turkey, 59*
coliforms, microbiology, mortality, 36*
dead birds, disposal, temperature, 3*
Computer control, broiler, energy conservation, heat exchanger, ventilation, 1869
Computer program, poultry management, problem solving, undergraduate course, 105*
Computer software, broiler housing, decision support system, heat stress, 119*
Conalbumin, egg white gelation, elastic modulus, ovalbumin, 179*
emulsions, interfacial tension, lysozyme, ovalbumin, 694
Concanavalin A, genetic control, interleukin-2-like activity, lymphokines, mitogen response, 65
Concentration, angel food cake, egg white, vacuum evaporation, 36*
Conferences, Extension Service, poultry research programs, regionalization, youth programs, 233
Congenital transmission, endogenous viral genes, feathering genes, lymphomas, shedding, 1251
Constitution and By-Laws, Poultry Science Association, 183
Contamination, broiler litter, processing, recycled paper, *Salmonella*, 109*
disinfection, hatchability, hatching egg spray, hatching eggs, 517
Continuous administration, broiler pullet, lipid metabolism, pituitary-derived chicken growth hormone, pulsatile administration, 114*
Continuous intravenous infusion, broiler cockerel, growth hormone-releasing factor, growth response, pulsatile infusion, 96*
Continuous light, fly populations, intermittent light, turkey breeder, 867†
Contract grower, broiler production efficiency, economic evaluation, housing systems, integrated operations, 554
Contraction state, laser diffraction, microscopy method, *Pectoralis major*, sarcomere length, 1800†
Cook-in-the-film procedure, adhesion strength, broiler breast meat, myofibrillar protein, poultry meat product, 360†
Cook yield, bind, hydrocolloids, sliceability, turkey ham, 16*
Cooking loss, chicken patties, color, shelf-life, texture profile, 148*
Cooking method, deboning time, *Pectoralis major* muscle, sensory evaluation, Texture Profile Analysis, 329
Cooled roosts, broiler breeder performance, egg production, hatchability, heat stress, 97*
Cooling, broiler, mist spray, mortality, 157*
cyclically interrupted incubation, embryonic period, hatchability, quail–Japanese, 2241†
Cooping, broiler, fecal contamination, feed withdrawal, 102*
Copper, breeder hen performance, iron, progeny, zinc, 259
fluorine, manganese, tibial dyschondroplasia, zinc, 184*
Copper acetate, bioavailability, chick, copper carbonate, tissue uptake, 197*
Copper carbonate, bioavailability, chick, copper acetate, tissue uptake, 197*
Copper toxicity, broiler chick, calcium deficiency, growth rate, liver copper content, 1905
Corn, acid steeping, broiler performance, chemical composition, sorghum grain, 45*
amino acid(s), broiler, layer, protein, 22*
drought, protein characteristics, yield, 83*
broiler chick, infrared treatment, nutritional value, sorghum grain, 45*
broiler diet, nutritional value, pearl millet, sorghum, 132*
corn gluten meal, high performance liquid chromatography, marigold, xanthophyll variability, 21*
Fusarium, immunosuppression, mycotoxin, tibial dyschondroplasia, 146*
Corn gluten feed, amino acid digestibility, chicken, protein quality, true metabolizable energy–nitrogen-corrected, 1165
egg production, layer, molting, 90
Corn gluten meal, corn, high performance liquid chromatography, marigold, xanthophyll variability, 21*
Corn oil, body weight, free fatty acids, quail–Japanese, reproductive performance, 1533
Corn-soybean meal diet, amino acid fortification, chick, methionine, 59*
amino acid(s), egg production, layer performance, 60*
animal protein diet, dietary changes, poult, stunting syndrome, 8*
body weight, broiler, feed conversion, niacin, 2231†
bone ash, broiler performance, free fatty acids, tibial dyschondroplasia, 135*
broiler, genetic strain, phosphorus, 113*
broiler breeder performance, digestive enzymes, egg production, Kemsyme®, 24*
broiler performance, enzyme supplementation, exogenous enzymes, 149*
casein-dextrose diet, phosphorus utilization, poultry, sodium aluminosilicate, 97*
chick, purified amino acid diet, riboflavin requirement, 1357
Corneal opacity, *Mycoplasma gallisepticum*, pullet, vaccination, weight loss, 159*
Correlation, body density, carcass composition, quail–Japanese, selection, 1051
Corrosion, feed preservative, metal strips, mold inhibitor, propionic acid, 170*
Corticosterone, acid-base balance, broiler, heat distress, supplemental drinking water, 163*
adrenal cells, leukocytes, ovine corticotropin-releasing factor, 63*
aggression, broiler breeder, feed restriction, 92*

broiler, muscle growth, protein synthesis, trilostane, 2143
broiler cockerel, gonadal steroids, heat stress, 165*
Corticotropin, broiler cockerel, hypothalamus, stress, thermotolerance, 123*
Cottonseed meal, broiler, ferrous sulfate, gossypol, prophylactic effect, 6*
Coturnix, (see quail)
classroom, science education, 137*
***Coturnix* International,** international students, small animal production, training, 136*
Crop-intubation, amino acid excretion, lysine, methionine, 149*
Crossbred, broiler breeder male, quantitative traits, selection, 128*
dietary energy, purebreds, quantitative traits, selection, 180*
Crude actomyosin, mechanically deboned chicken meat, polymerization, transglutaminase, 4*
Crude protein, amino acid(s), broiler, carcass quality, lysine, 131*
broiler, carcass composition, growing period, methionine, 193*
Cryopreservation, chicken, germplasm preservation, glycerol, semen, 999†
fertility, fresh semen, genetics, semen extenders, 74*
Crystalline amino acid diet, Alimet®, cockerels, cystine, sulfur amino acid, 43*
Cured turkey thigh, bacon, low fat, turkey, 140*
Curtain turkey houses, electrical energy, fluorescent lighting, mortality, weight gain, 160*
Cyclic adenosine monophosphate, protein kinase c, small yellow follicles, steroidogenesis, theca cells, 75*
Cyclically interrupted incubation, cooling, embryonic period, hatchability, quail–Japanese, 2241†
Cyclophosphamide, bursal lymphocytes, embryo, selective targeting, structure-activity relationships, 144*
Cystine, Alimet®, cockerels, crystalline amino acid diet, sulfur amino acid, 43*
broiler chick, calcium, canola meal, sulfur, 615
Cytochrome c, air chilled, broiler, heme pigments, ice slush, 51*
heme-complex, ligand, myoglobin, turkey breast meat color, 157
Cytochrome P-450, aflatoxin, broiler chick, cold acclimation, sodium pentobarbital sleeping time, 388
broiler chick, growth depression, mixed-function oxidase system, monensin, 1285
3,4,3′,4′ tetrachlorobiphenyl, immunotoxicity, xenobiotic metabolism, 85*
Cytokine, calmodulin dependent kinase, interleukin-1 production, protein kinase c, 21*
dendritic cell, ellipsoid-associated cell, human adenovirus, spleen, 929
Cytosolic calcium, adrenocortical cells, Angiotensin II, turkey, 119*
Cytosolic modulators, acyl-coenzyme A:cholesterol acylytransferase, chicken liver, cholesterol ester, fatty acid-binding protein, 56*
DL-methionine, ammonium sulfate, urinary acidifiers, urolithiasis, 79*
D-mannose, agglutination, bacteria, broiler carcasses, fimbriae growth, 1582
bacterial attachment, flagella, motility, *Pseudomonoas aeruginosa,* 1404
broiler carcasses, ceca, drinking water, *Salmonella,* 173*
Salmonella, 2244†
D-xylose, chick, L-arabinose, metabolizable energy, pentose sugar, 1724
Daily feed consumption, cane molasses, *Lactobacillus,* layer, 98*
Dark poultry meat, freezing rate, gelation, rheology, 827
Dark turkey meat, potassium salts, quality characteristics, sodium salt, turkey patties, 471
Darkling beetle, antifungal activity, *Aspergillus parasiticus,* boric acid, poultry litter, 147*
broiler performance, dietary ivermectin, lesser mealworm, 1281
lesser mealworm, relationship, 190*
Data analysis, duration of fertility, fertility, logits, poultry, 1764
DDT, chlordane, dieldrin, turkey, uropygial gland, 19*
Dead birds, composting, disposal, temperature, 3*
Deboning time, broiler breast meat, panel responses, sensory test, shear value, 1420
cooking method, *Pectoralis major* muscle, sensory evaluation, Texture Profile Analysis, 329
Decision analysis, cage space, colony size, layer, population density, 114*
Decision support system, broiler housing, computer software, heat stress, 119*
Deep-fat frying, batter, breading, chicken nuggets, yield, 103*
Defluorinated phosphate, broiler chick, calcium, particle size, phosphorus, 1110
Degradation, 3-methylhistidine, broiler, early nutrition, growth, 67*
Dehulled, autoclaved, chick performance, lupin seeds, nutritional value, 24*
Dehydrated chicken meat, cholesterol, lipids, supercritical carbon dioxide extraction, 53*
Deiodinase, body weight, chicken, liver, 92*
Dendritic cell, cytokine, ellipsoid-associated cell, human adenovirus, spleen, 929
Denervation, chicken, *Muculus pectoralis, 124*
Density, broiler, circadian rhythm, floor pen, locomotion, 1087
Deoxynivalenol, aflatoxin, broiler breeder performance, mold inhibitor, mycotoxins, 37
fusariotoxicosis, mycotoxins, waterfowl, 170*
Deoxyribonuclease 1, chromosomal DNA, foreign DNA, nuclease degradation, sperm cells, 856†
Dermal toxicity, brine shrimp, broiler chick, comparative toxicity, scirpenols, 397
Design need, feather loss, feed withdrawal, flock age, molting programs, 126*
Development, brain, catecholamine, chick, genetics, 76*
Developmental age, homeostasis, shell-less culture, trace elements, turkey embryo, 111*
Developmental genetics, chick embryo, ethanol, pharmacogenetics, 15*
Diacetoxyscirpenol, aflatoxin, broiler, hydrated sodium calcium aluminosilicate, 76*
beak discoloration, broiler breeder, mouth lesions, 124*
Diagnosis, F-strain, flow cytometry, *Mycoplasma gallisepticum, Mycoplasma synoviae,* 1070
flow cytometry, *Mycoplasma gallisepticum, Mycoplasma synoviae,* 178*
Dicalcium phosphate, broiler chick, tibia mineralization, vitamin A, vitamin D_3, 25*
Diced meat, Allo-Kramer shear, broiler breast meat, 127*
Diclazuril, anticoccidial, broiler, efficacy, histopathology, 187*
anticoccidial agents, efficacy, floor pen trials, 60

broiler house, *Eimeria*, field isolate, 90*
Dieldrin, chlordane, DDT, turkey, uropygial gland, 19*
Diet, ascites, broiler, energy, 162*
bone status, boron, broiler performance, sodium chloride deficiency, 187*
brewer's dried grains, egg production, hatchability, pheasant breeder, 1491
broiler, cereal, protein source, sudden death syndrome, 1331
glucose, lactate, sudden death syndrome, 1529
cholesterol metabolism, egg lecithin, rats, soy lecithin, 68*
Diet acceptability, fecal moisture, layer, sodium zeolite A, water consumption, 169*
Diet density, pullet diet, pullet performance, summer and spring housed, young hen diet, 161*
Diet dilution method, broiler chick performance, dietary protein, lipid metabolism, tryptophan requirement, 746
Dietary calcium, bone metabolism, broiler chick, growth rate, zeolite A, 1539
broiler performance, dietary phosphorus, skeletal development, 119*
layer, phosphatemia, phosphorus, urinary calcium, 1991
Dietary changes, animal protein diet, corn-soybean meal diet, poult, stunting syndrome, 8*
Dietary chloride, egg chloride, hatchability, layer, tissue chloride, 25*
Dietary energy, body composition, body weight, Dwarf Leghorns, sexual maturity, 16
broiler cross, carcass composition, carcass fat, 124*
broiler performance, calcium lignosulfonate, pellet integrity, summer-raised, 198*
crossbred, purebreds, quantitative traits, selection, 180*
dietary protein, housing, layer performance, pullet rearing, 28*
Dietary enzyme, β-glucan, barley, excreta collection time, true metabolizable energy–nitrogen-corrected, 1816†
Dietary fat, atherosclerosis, carcass lipids, cholesterol, quail–Japanese, 82*
lutein, oxycarotenoids, yolk pigmentation, 354
Dietary ivermectin, broiler performance, darkling beetle, lesser mealworm, 1281
Dietary linoleic acid, egg size, liver lipid composition, yolk lipid composition, yolk weight, 634
Dietary lipid, aflatoxin, broiler, lutein metabolism, micellar theory, 53
Dietary lysine, broiler, carcass quality, fat content, meat yield, 702
energy utilization, metabolizable energy–nitrogen-corrected ratios, tissue synthesis, 1299
Dietary phosphorus, body weight, bone strength, broiler strain, brooding temperature, 440
broiler performance, dietary calcium, skeletal development, 119*
osteoporosis, pullet, sexual maturity, urinary calcium, 109*
Dietary protein, abdominal fat, broiler, compensatory growth, restricted feeding, 1855
amino acid requirement, leg disorders, soybean meal, turkey, 159*
amino acid(s), parts yield, soybean meal, turkey, 173*
body weight, broiler breeder hen, carcass composition, egg production, 1126
broiler breeder hen performance, egg production, prebreeder feeding, 1118
broiler chick performance, diet dilution method, lipid metabolism, tryptophan requirement, 746
chicken, fatness, genetic lines, nitrogen metabolism, 1911
dietary energy, housing, layer performance, pullet rearing, 28*
egg production, layer, postmolt performance, 74*
energy restriction, feed:gain ratio, high-fat versus low-fat diet, turkey performance, 1974
layer performance, strain, temperature, 33*
Dietary salt, broiler chick, gain, plasma aldosterone, 163*
Dietary self-selection, broiler, calorie:protein ratio, metabolizable energy, roaster, 61*
Dietary sodium, arginine vasotocin, cardiac hypotensive extract, hypertension, layer, 679
Dietary supplement, aluminum, broiler chick, iron, phytate phosphorus utilization, 129*
Dietary tannin, chick, duck, rat, sorghum, 1685
Digesta, broiler, environmental temperature, feed withdrawal, light, 1681
broiler chick, feed withdrawal, small intestine, 89*
Digestibility, broiler performance, metabolizable energy, palm kernel oil, palm oil, 151*
metabolizable energy, poultry litter, roughages, ruminants, 93*
rooster, oligosaccharides, soybean meal, true metabolizable energy–nitrogen-corrected, 787
Digestibility of polysaccharides, cockerels, Muscovy duck, nonstarch polysaccharides, rats, 623
Digestive enzymes, broiler breeder performance, corn-soybean meal diet, egg production, Kemsyme®, 24*
digestive system, embryo development, turkey, 120*
Digestive system, digestive enzymes, embryo development, turkey, 120*
Digestive tract, eggshell quality, *in vivo* limestone solubilization, layer, phosphorus level, 101*
Direct photon absorptiometry, bone breaking strength, bone densitometry, bone weight, 167*
Disaccharidases, nutrient retention, pale-bird syndrome, stunting syndrome, turkey, 1931
Disease prevention, antibiotics, broiler chick, hatchability, *in ovo*, 106*
Disinfectant, combined halogen, halamine, pH, poultry processing, 1590
poultry processing, *Salmonella typhimurium*, 2248†
Disinfection, contamination, hatchability, hatching egg spray, hatching eggs, 517
Disposal, composting, dead birds, temperature, 3*
Dissolved air flotation sludge, aluminum, evisceration wastewater, iron, polymer floculation, 179*
Dissolved oxygen, broiler performance, drinking water, electronic treatment, 150*
Diurnal variation, egg yolk layers, layer, serum xanthophyll, 2235†
Divalent cations, broiler breast muscle, marination, meat texture, rigor development, 148*
Divergent selection, adrenocorticotropic hormone, plasma cholesterol, quail–Japanese, 205
body weight, quail–Japanese, split versus complete diet environment, 87*
DNA degradation, bursa of Fabricius, glucocorticoids, lymphocytes, programmed cell death, 1292
DNA probe, egg production, *Salmonella*, 98*
Dominance status, aggression, broiler breeder male, tryptophan, 122*
Dopamine, cellular immunity, leukocyte migration, wattle response, 89*

Dopaminergic activity, electrical stimulation, incubation, prolactin, turkey, 47*
Dose effects, antibody production, humoral response, selection lines, sheep red blood cells, 608
Dosimetry study, broodiness, epostane, plasma hormone level, turkey hen, 40*
Downgrading, broiler appearance, scabby hip lesions, scalding conditions, skin discoloration, 1006†
bruising, truck cage location, turkey processing, unloading turkeys, 1410
Dressing percentage, antibiotics, broiler performance, parts yield, processing characteristics, 1787
Dried bakery product, ash, ether extract, fiber, true metabolizable energy–nitrogen-corrected, 72
Dried distiller's by-product, calorie:protein ratio, cellulose, glucose oxidation, lipogenesis, 150*
Drinking water, broiler carcasses, ceca, d-mannose, *Salmonella*, 173*
broiler diet, feed, growth promoter, virginiamycin, 1713
broiler performance, dissolved oxygen, electronic treatment, 150*
calcium, calcium lactate, layer, shell quality, 162*
energy, feed, layer, sucrose addition, 1806†
Drinking water supplementation, blood parameters, broiler, heat distress, 42*
Drought, amino acid(s), corn, protein characteristics, yield, 83*
Drug resistance, broiler carcasses, market survey, *Salmonella* characterization, *Salmonella* isolation, 592
Eimeria precocious lines, reproductive potential, trickle dose, 69*
retail survey, *Salmonella*, turkey parts, 27*
Duck, chick, dietary tannin, rat, sorghum, 1685
growth, sorghum, tannin, 48*
Duckling, broiler, muscle fiber, *pectoralis major* muscle, 126*
broiler breast meat, meat tenderness, post-mortem aging, 192*
Duckweed, egg production, egg quality, layer performance, sewage-grown Lemnacea, 1835
Duration of fertility, data analysis, fertility, logits, poultry, 1764
Dwarf Leghorns, body composition, body weight, dietary energy, sexual maturity, 16
Dwarf versus normal, background genome, egg composition, embryo composition, 1621†
Dwarfism, broiler chick, epiphyseal growth plate, proteoglycans, skeletal development, 1399
Dynamic rheological testing, chicken breast meat, gelation, pH, salt-soluble proteins, 2220
Dyschondroplasia, broiler chick, calcium, leg abnormalities, phosphorus, 1496
broiler performance, calcium:phosphorus ratio, manganese, 112*
Early life, abdominal fat, broiler performance, compensatory growth, nutrient restriction, 652
Early maturation, brown-egg-type pullet, egg size, methionine, protein, 1943
Early nutrition, 3-methylhistidine, broiler, degradation, growth, 67*
Early oviposition, blastoderm, precalcified ova, prostaglandins, 59*
Economic evaluation, broiler production efficiency, contract grower, housing systems, integrated operations, 554
Economics, broiler breeder, egg production, restricted feeding, 166*
broiler house, heat exchanger, management, 31*
Education, broiler grower, broiler industry, broiler production, videotape, 105*
Educational needs, characterization, poultry survey, small flock owners, 144*
Efficacy, anticoccidial, broiler, diclazuril, histopathology, 187*
anticoccidial agents, broiler breeder, coccidia, pullet breeder, 166*
diclazuril, floor pen trials, 60
Efficiency, broiler, fatness, feed utilization, restricted feeding, 502
growth, lysine utilization, metabolism, turkey, 139*
Egg, bursal disease virus, chick, *Salmonella enteritidis*, transovarian transmission, 183*
cholesterol, colestipol, layer, lovastatin, 852†
Egg and poult size, breeder hen age, growth performance, immune function, turkey tom performance, 50*
Egg candling, overpull, training program, undergrade eggs, 131*
Egg chloride, dietary chloride, hatchability, layer, tissue chloride, 25*
Egg cholesterol, β-glucanase, barley, layer, plasma cholesterol, 183*
chick, cholesterol feeding, cholesterol metabolism, layer, 1694
fish oil, layer, oat bran, rice bran, 3*
layer performance, orotic acid, 157*
Egg collection frequency, egg storage method, embryo development, 49*
Egg components, amino acid(s), layer performance, protein, 104*
Egg composition, background genome, dwarf versus normal, embryo composition, 1621†
canola seed, flax seed, layer, omega-3 fatty acids, 33*
cholesterol, fatty acid profile, flax seed, layer diet, 1617†
Egg content, commercial flock survey, layer, nutritional status, vitamin profiles, 129*
Egg energy output, energy metabolism, heat production, layer, respiration calorimetry, 98
Egg formation, layer, liver, oviduct, protein synthesis, 264
Egg holding time, albumen height, egg sanitizer, egg weight loss, flock age, 139*
Egg injection, broiler safety, hatching eggs, IN-OVOJECT™, Marek's disease vaccination, 65*
hatchability, pyridoxine, turkey egg, 186*
Egg inventory, change prediction, egg purchases reports, marketing, 30*
Egg laying, active immunization, hen, immunoneutralization, inhibins, 14*
Egg lecithin, cholesterol metabolism, diet, rats, soy lecithin, 68*
Egg mass, egg weight, layer, probiotics, zinc bacitracin, 65*
Egg production, (see layer performance also)
1,25-dihydroxycholecalciferol, calcium, layer, shell quality, 1702
abdominal fat, layer, lipid metabolism, sorbose, 1508
aflatoxicosis, fatty liver, layer, tryptophan, 186*
age, beak trimming, layer performance, pullet, 1461
strain, 29*
body weight, broiler breeder, sequence length, 113*
age at housing, cage shape, ingestive behavior, waterer type, 217
amino acid feeding program, body weight, pullet, 763
amino acid(s), corn-soybean meal diet, layer performance, 60*

anticoccidial agents, broiler breeder, reproduction, shell pigmentation, 27
beak trimming, cannibalism, genetic stocks, pullet, 77*
behavior, layer, movable roost, welfare, 2118
body weight, broiler breeder hen, carcass composition, dietary protein, 1126
broiler breeder hen performance, dietary protein, prebreeder feeding, 1118
feed efficiency, layer performance, sunflower seeds, 78*
growth hormone, Haugh unit, shell thickness, 1818†
body weight loss, feed intake, heat stress, magnesium-aspartate-hydrochloride, 1862
boron, broiler breeder performance, plasma calcium, shell quality, 108*
brewer's dried grains, diet, hatchability, pheasant breeder, 1491
broiler breeder, economics, restricted feeding, 166*
energy metabolism, maintenance, partition of dietary energy intake, 1339
broiler breeder performance, cooled roosts, hatchability, heat stress, 97*
corn-soybean meal diet, digestive enzymes, Kemsyme®, 24*
feed efficiency, hatchability, light control, 1223†
fertility, hatchability, zinc bacitracin, 23*
incandescent light, light intensity, photoperiod, 910
broodiness development, broody-prone, epostane, turkey hen, 46*
cage population, egg quality, layer, strain, 30*
cage space, colony size, fuzzy decision analysis, layer, 1480
chloride, layer, molt, sodium, 171*
choline, inorganic sulfate, layer, sulfur amino acid, 1226†
corn gluten feed, layer, molting, 90
dietary protein, layer, postmolt performance, 74*
DNA probe, *Salmonella*, 98*
duckweed, egg quality, layer performance, sewage-grown Lemnacea, 1835
eggshell quality, layer, plasma thyroxine, thiouracil, 104*
oviposition, postoviposition, tibia status, 2068
egg specific gravity, layer, vitamin C, 1900
phosphorus level, phosphorus source, sodium aluminosilicate, 2157
egg weight, electricity consumption, fluorescent lighting, layer, 1455
feed consumption, layer, lenses, mortality, 165*
feed efficiency, mortality, red plastic lenses, 153*
fertility, hatchability, restricted feeding, turkey breeder hen, 1439
genetic correlation, heritability, semen, sex-limited traits, 493
Gompertz equation, growth curve, plasma growth hormone, turkey, 2057
grain combinations, layer, protein needs, 44*
granulosa cells, heat stress, ovarian tissue, progesterone, 100*
hatchability, turkey breeder hen, yeast culture, 189*
index, partial record, persistency, selection, 1447
intermittent light, limited feeding, molt diet, strain, 8*
layer, liver fat, protein, tryptophan, 1956
phosphorus, specific gravity, synthetic sodium aluminosilicate, 2195
layer performance, wheat middlings diet, 12*
phosphorus, shell quality, sodium aluminosilicate, 105
Egg production curves, Adams-Bell model, linear regression, Marquardt method, nonlinear models, 31*
growth curves, nonlinear models, prediction, time, 1064
linear regression, nonlinear models, prediction, prediction error, 1467
Egg production facilities, *Salmonella*, sampling, 174*
Egg purchases reports, change prediction, egg inventory, marketing, 30*
Egg quality, anticoccidial agents, coccidiostats, egg yolk mottling, layer, 378
ascorbic acid, chromium, Haugh units, vanadium, 781
ascorbic acid requirement, environmental stress, layer performance, vitamin C, 774
cage population, egg production, layer, strain, 30*
duckweed, egg production, layer performance, sewage-grown Lemnacea, 1835
Haugh unit, marketing, specific gravity, yolk color, 182*
layer, storage conditions, time, vanadium, 164*
Egg sanitizer, albumen height, egg holding time, egg weight loss, flock age, 139*
Egg sequence position, fertility, hatchability, 27*
Eggshell color, chicken, genetics, shell pigmentation, 142*
chromometer, Hunter Colorimeter, Minolta Chroma Meter, shell measurement, 1775
Eggshell conductance, chick weight, hatchability, incubation conditions, 535
peranatal period, 545
embryonic respiration, hatchability, incubation, Kapok seed meal, 1
Eggshell membranes, fertility, incubation, minerals, turkey, 992
Eggshell permeability, hatchability, oxygen partial pressures, turkey egg, 451
Eggshell quality, 1,25-dihydroxyvitamin D_3, 1α-hydroxyvitamin D_3, tibia strength, vitamin D_3, 2008
ascorbic acid, layer, plasma thyroxine, thiouracil, 180*
bone strength, layer diet, plasma calcium, vitamin D_3 metabolites, 426
digestive tract, *in vivo* limestone solubilization, layer, phosphorus level, 101*
egg production, layer, plasma thyroxine, thiouracil, 104*
oviposition, postoviposition, tibia status, 2068
egg specific gravity, egg specific gravity formula, egg weight, shell weight, 48
Egg size, brown-egg-type pullet, early maturation, methionine, protein, 1943
dietary linoleic acid, liver lipid composition, yolk lipid composition, yolk weight, 634
Egg specific gravity, egg production, layer, vitamin C, 1900
phosphorus level, phosphorus source, sodium aluminosilicate, 2157
eggshell quality, egg specific gravity formula, egg weight, shell weight, 48
Egg specific gravity formula, eggshell quality, egg specific gravity, egg weight, shell weight, 48
Egg storage method, egg collection frequency, embryo development, 49*
Egg weight, calcitriol, layer performance, shell quality, vitamin D_3, 1822†
chick performance, hen age, lipid retention, sex, 135*
egg mass, layer, probiotics, zinc bacitracin, 65*

egg production, electricity consumption, fluorescent lighting, layer, 1455
eggshell quality, egg specific gravity, egg specific gravity formula, shell weight, 48
fasting, glucose, mortality, poult, 1718
Egg weight loss, albumen height, egg holding time, egg sanitizer, flock age, 139*
broiler performance, incubation, parent age, posthatch treatment, 526
Egg white, angel food cake, concentration, vacuum evaporation, 36*
biotin, chick diet, low-zinc diet, protein source, 959
gels, mechanically deboned chicken meat, washing, 307
Egg white gelation, conalbumin, elastic modulus, ovalbumin, 179*
Egg yolk, assay, canthaxanthin, layer, pigmentation, 1610†
bioavailability, *cis*-lutein, pigmentation, 58*
Capsicum annuum, carotenoids, red pepper, saponification, 462
folate metabolism, half-life, layer, nutrition, 123*
Egg yolk layers, diurnal variation, layer, serum xanthophyll, 2235†
Egg yolk mottling, anticoccidial agents, coccidiostats, egg quality, layer, 378
Eggs, barley flour, cholesterol, layer, protein, 18*
layer, *Salmonella enteritidis* detection, yolk antibodies, 55*
methodology, *Salmonella* recovery, 17*
Eggs–white versus brown, hard-cooked eggs, peelability, physical and chemical composition, storage conditions, 1614†
Eimeria, amprolium, coccidiosis, pullet, restricted feeding, 115*
anticoccidial agents, Chukar partridge, mortality, weight gain, 1675
broiler house, diclazuril, field isolate, 90*
immunogenicity, merozoite, sporozoite, 83*
monensin, monensin plus nicarbazin, nicarbazin, resistance, 1485
monensin, monensin plus nicarbazin, resistance, 154*
precocious lines, drug resistance, reproductive potential, trickle dose, 69*
Eimeria acervulina, broiler, *Eimeria tenella*, ionophores, lasalocid:stage of action, 169*
Eimeria dispersa, anticoccidial effect, *Eimeria mitis*, intestinal scores, monensin, 1009†
Eimeria maxima, antigenic variation, *Eimeria tenella*, immunity, 51*
Eimeria mitis, anticoccidial effect, *Eimeria dispersa*, intestinal scores, monensin, 1009†
Eimeria tenella, antigenic variation, *Eimeria maxima*, immunity, 51*
broiler, coccidiostat, trickle vaccination, 160*
Eimeria acervulina, ionophores, lasalocid:stage of action, 169*
merozoite, purification, 197*
Ejaculate volume, semen production, sperm concentration, turkey breeder, turkey hen presence, 1003†
Elastase, chicken, chymotrypsin, pancreas, trypsin, 57*
Elastic modulus, conalbumin, egg white gelation, ovalbumin, 179*
Electrical energy, curtain turkey houses, fluorescent lighting, mortality, weight gain, 160*
Electrical stimulation, adenosine 5′-triphosphate, bioluminescence assay, broiler muscle, 61*
broiler breast meat, feed withdrawal, high temperature conditioning, rigor mortis, 94*
post-mortem, shear value, tenderization, 168*
broiler carcasses, meat tenderness, temperature conditioning, 1781
broiler meat, fragmentation, muscle tensioning, tenderness, 19*
dopaminergic activity, incubation, prolactin, turkey, 47*
Electricity consumption, egg production, egg weight, fluorescent lighting, layer, 1455
Electricity reduction, broiler house, ventilation, wind sensor, 190*
Electricity use, broiler house, growth, light source, photoperiods, 1471
Electrocardiology, ascites, broiler, hypobaric hypoxia, 101*
Electrolytes, layer, postmolt performance, strain, vitamins, 105*
Electronic treatment, broiler performance, dissolved oxygen, drinking water, 150*
Enzyme-linked immunosorbent assay, aflatoxin, chicken blood, protein binding, storage, 10*
broiler carcasses, preenrichment, *Salmonella* detection, whole carcass rinse samples, 185*
luteinizing hormone-releasing hormone, monoclonal antibodies, quantitative measurement, 81*
Mycoplasma gallisepticum, turkey, vaccination, 43*
Ellipsoid-associated cell, cytokine, dendritic cell, human adenovirus, spleen, 929
Elodea, aquatic plants, hydrilla, layer performance, yolk pigmentation, 673
Embryo, biotin, hatchability, turkey egg, 112*
brain, litter sodium borate treatment, thyroid, water iodophor, 176*
bursal lymphocytes, cyclophosphamide, selective targeting, structure-activity relationships, 144*
gene transfer, quail, retrovirus vector, transgenic quail, 189*
Embryo age, embryo weight, plasma thyroid hormone, tetraiodothyronine, triiodothyronine, 1388
Embryo composition, background genome, dwarf versus normal, egg composition, 1621†
Embryo development, 2,3-bisphosphoglycerate, erythrocytes, inosine, 66*
digestive enzymes, digestive system, turkey, 120*
egg collection frequency, egg storage method, 49*
polymorphic-nucleoli, ribosomal RNA gene copy number, 41*
Embryo weight, embryo age, plasma thyroid hormone, tetraiodothyronine, triiodothyronine, 1388
Embryogenesis, growth hormone, *in ovo*, thyroid function, tissue development, 41*
Embryonic carbohydrate metabolism, hatchability, iodine, oxygen, turkey egg, 34*
Embryonic period, cooling, cyclically interrupted incubation, hatchability, quail–Japanese, 2241†
Embryonic respiration, eggshell conductance, hatchability, incubation, Kapok seed meal, 1
Employee exposure, formaldehyde, hatchery, remote delivery system, 173*
Emu, blood samples, clinical chemistry, ostrich, serum biochemical values, 12*
Emulsions, conalbumin, interfacial tension, lysozyme, ovalbumin, 694
Endogenous peroxidase, avian lymphomyeloid tissue, Fc alpha receptors, immunoglobulin A cells, thymus, 101*

Endogenous viral genes, antibody response, avian leukosis virus, feathering genes, lymphomas, 1244
congenital transmission, feathering genes, lymphomas, shedding, 1251
feathering genes, junction fragment, molecular analysis, unoccupied integration site, 2017
Endotoxin, chick, metabolic parameters, serum lipids, tumor necrosis factor, 69*
Endpoint temperature, moisture, physical characteristics, sensory evaluation, turkey breast meat, 106*
Energy, abdominal fat, broiler performance, calorie utilization, carcass quality, 125*
alfalfa meal, amino acid(s), feather meal, poultry byproduct meal, 1544
amino acid(s), broiler performance, carcass quality, separate sex diet, 1513
ascites, broiler, diet, 162*
body composition, protein, temperature, turkey tom performance, 50*
broiler chick, metabolizable energy, soybean oil, 99*
drinking water, feed, layer, sucrose addition, 1806†
feed levels, growth, protein, pullet performance, 137*
leg strength, protein, turkey performance, 73*
Energy conservation, broiler, computer control, heat exchanger, ventilation, 1869
Energy expenditure, hyperthyroid chickens, lipid synthesis, liver explants, sodium-potassium transport, 114*
Energy intake, body composition, body weight, broiler breeder, light stimulation, 715
Energy level, genotype-environment interactions, layer diet, Single Comb White Leghorn, strain, 1998
Energy metabolism, broiler breeder, egg production, maintenance, partition of dietary energy intake, 1339
fasting metabolism, tissue heat production, tissue metabolism, 1348
egg energy output, heat production, layer, respiration calorimetry, 98
Energy requirement, broiler breeder pullet, growth, maintenance, restricted feeding, 1792†
Energy restriction, carcass characteristics, high-fat versus low-fat diet, protein level, turkey tom, 1982
dietary protein, feed:gain ratio, high-fat versus low-fat diet, turkey performance, 1974
Energy utilization, broiler, dietary lysine, metabolizable energy–nitrogen-corrected ratios, tissue synthesis, 1299
Enrichment procedure, novobiocin, *Salmonella* isolation, tetrathionate broth, 721
Enrollment, poultry science, recruitment, undergraduate programs, 563
Enteropathogen, broiler, *Campylobacter jejuni*, cecal colonization, competitive exclusion, 130*
Entrainment, intermittent light, reproductive parameters, turkey breeder hen, 111*
Environment, calcium, layer, stress, zinc-methionine, 72*
federal budget, outlook, poultry industry, public-private cooperation, 2114
Environmental enrichment, fear, genetic selection, quail–Japanese, regular handling, 70*
Environmental stress, ascorbic acid requirement, egg quality, layer performance, vitamin C, 774
Environmental temperature, broiler, digesta, feed withdrawal, light, 1681
Enzyme activity, fatty acid synthase, lipid metabolism, liver, newly hatched chicks, 1183
Enzyme supplementation, β-glucan, barley, bioavailable energy, protein digestibility, 1174
broiler performance, corn-soybean meal diet, exogenous enzymes, 149*
Enzymes, function, liver, metabolism, symposium, 1182
Epinephrine, blood pressure and heart rate, catecholamine level, coccidiosis, poult, 10*
Epiphyseal growth plate, broiler chick, dwarfism, proteoglycans, skeletal development, 1399
Epostane, broodiness, dosimetry study, plasma hormone level, turkey hen, 40*
broodiness development, broody-prone, egg production, turkey hen, 46*
broody-prone, plasma hormones, turkey hen, 103*
Ergosterol, carbon dioxide, mold activity, 58*
Ergot-like feed, quail–Bobwhite, toxicosis, toxin, 87*
Erythrocytes, 2,3-bisphosphoglycerate, embryo development, inosine, 66*
calcium, chick age, taurine, thermal stress, 139*
Escherichia coli, Anaerobic Pasteurizing Conditioning System, microcidial efficiency, pelleting, *Salmonella*, 1595†
feed, microorganisms, mold count, pelleting, 175*
Essential amino acids, broiler diet, carcass composition, protein, 103*
Estradiol, layer, melatonin, molt-induced, plasma melatonin, 60*
Estrogen-induced, chick, oviduct weight, shell gland, thyroid hormone modulaton, 73*
Estrogens, *in vitro*, luteinizing hormone, pituitary cells, turkey, 124*
Ethacal®, ascites, broiler diet, high altitude, mortality, 78*
broiler, coccidiosis, lesions, shank pigmentation, 155*
broiler performance, growth performance, 40*
processing yield, zeolite A, 155*
Ethanol, catabolic state, chick, growth, leupeptin, 54*
chick embryo, developmental genetics, pharmacogenetics, 15*
extraction procedure, isopropyl, soybean meal, true metabolizable energy–nitrogen-corrected, 80*
Ether extract, ash, dried bakery product, fiber, true metabolizable energy–nitrogen-corrected, 72
Ethical aspects, animal needs, animal welfare, longevity, production systems, 1827
Etiology, chicken, transient toxicosis, 51*
Evaluation, chicken, coccidiosis, *in vivo*, L-651,582, 134*
Evaluation procedures, artificial insemination, semen, turkey, videotape, 13*
Evisceration wastewater, aluminum, dissolved air flotation sludge, iron, polymer floculation, 179*
***Ex ovo* culture,** hormones, turkey embryo, 1*
Excreta collection methods, apparent metabolizable energy–nitrogen-corrected, 152*
Excreta collection time, β-glucan, barley, dietary enzyme, true metabolizable energy–nitrogen-corrected, 1816†
Exercise, activity, behavior, broiler performance, testes, 121*
Exogenous enzymes, broiler performance, corn-soybean meal diet, enzyme supplementation, 149*
Expression, molecular cloning, nucleotide sequence, prolactin, turkey, 71*
Extension Service, academia, poultry industry, research, students, 2107
changing needs, future, issues programming, 227
communication, regionalization, specialists, western United States, 241
conferences, poultry research programs, regionalization, youth programs, 233
food safety, initiative approach, interdisciplinary programs, 64*

multistate meetings, poultry industry, poultry programs, regionalization, 231
New England states, poultry programs, regionalization, 242
poultry industry, poultry programs, regionalization, 236
poultry programs, regionalization, specialists, 238
youth programs, 224
Extraction, acrosin purification, Leghorn rooster, spermatozoa, urea, 812
Extraction procedure, ethanol, isopropyl, soybean meal, true metabolizable energy–nitrogen-corrected, 80*
plasma aldosterone, radioimmunoassay, 163*
Extruded egg product, feed conversion, inedible eggshell utilization, shell quality, technical egg albumen, 2051†
Extruded soybean meal, nutrient composition, turkey performance, 93*
Eye color, chicken, plumage color genetics, shank color, 128*
F-strain, diagnosis, flow cytometry, *Mycoplasma gallisepticum*, *Mycoplasma synoviae*, 1070
***Fannia canicularis*,** automated spray equipment, fly resistance, *Musca domestica*, synergized pyrethrins, 736
Farm size, broiler performance, 77*
Fasting, acclimation, broiler, heat distress, mortality, 90*
egg weight, glucose, mortality, poult, 1718
glutathione, glutathione S-transferases, hematocrit value, 172*
growth hormone, insulin, refeeding, turkey tom, 801
Fasting metabolism, broiler breeder, energy metabolism, tissue heat production, tissue metabolism, 1348
Fat, acid oil, broiler performance, tallow, 120*
calcium, interaction, layer performance, temperature, 1*
cholesterol, feed, incorporation method, layer, 972
feather meal, metabolizable energy–nitrogen-corrected, protein content, 39*
Fat absorbability, animal-vegetable fat, poultry fat, restaurant grease, turkey, 55*
Fat concentration, broiler performance, fish oil, omega-3 fatty acids, soybean oil, 99*
Fat content, broiler, carcass quality, dietary lysine, meat yield, 702
laboratory determination, protein solubility, soybean meal, 153*
Fat retention, broiler performance, poult, taurine, 195*
Fat-free mass, bioelectrical impedance analysis, body composition, turkey, 369
Fatness, broiler, efficiency, feed utilization, restricted feeding, 502
chicken, dietary protein, genetic lines, nitrogen metabolism, 1911
Fatty acid-binding protein, acyl-coenzyme A:cholesterol acylytransferase, chicken liver, cholesterol ester, cytosolic modulators, 56*
Fatty acid composition, mechanically deboned chicken meat, neutral lipid, phospholipid, 1414
Fatty acid profile, cholesterol, egg composition, flax seed, layer diet, 1617†
Fatty acid synthase, enzyme activity, lipid metabolism, liver, newly hatched chicks, 1183
Fatty acid transport, cholesterol metabolism, lipid transport proteins, liver, 136*
Fatty acids, broiler meat, hydrogenated vegetable oil, *trans*-$C_{18:1}$, 5*
mechanically deboned chicken meat, neutral lipids, phospholipids, storage, 166
Fatty liver, aflatoxicosis, egg production, layer, tryptophan, 186*
Fatty acid synthesis, cholesterol synthesis, hepatic tissue, quail–Japanese, substrate, 647
Fayoumi, hemagglutination-inhibition titer, Newcastle disease virus, season effect, vaccination, 88*
Fc alpha receptors, avian lymphomyeloid tissue, endogenous peroxidase, immunoglobulin A cells, thymus, 101*
Fear, environmental enrichment, genetic selection, quail–Japanese, regular handling, 70*
Feather loss, design need, feed withdrawal, flock age, molting programs, 126*
Feather meal, alfalfa meal, amino acid(s), energy, poultry by-product meal, 1544
breast yield, growth, strain, turkey hen, 136*
fat, metabolizable energy–nitrogen-corrected, protein content, 39*
Feather meal quality, feather processing, lanthionine, pepsin digestibility, sulfur amino acids, 953
Feather release, bacterial cross-contamination, broiler carcasses, immersion-scalding, spray-scalding, 409
Feathering, layer, nervousness, productivity, rearing environment, 902
Feathering genes, antibody response, avian leukosis virus, endogenous viral genes, lymphomas, 1244
congenital transmission, endogenous viral genes, lymphomas, shedding, 1251
endogenous viral genes, junction fragment, molecular analysis, unoccupied integration site, 2017
Feathers, broiler production, ceca, *Salmonella*, skin, 154*
Fecal contamination, broiler, cages, feed withdrawal, intestinal contents, 182*
carcass washing, prescald cleaning, prototype machine, 121*
cooping, feed withdrawal, 102*
Fecal moisture, diet acceptability, layer, sodium zeolite A, water consumption, 169*
layer, sodium zeolite A, water consumption, 58*
Federal budget, environment, outlook, poultry industry, public-private cooperation, 2114
Feed, *Aspergillus parasiticus*, mold growth, respirometry, 154*
broiler diet, drinking water, growth promoter, virginiamycin, 1713
calcium, phosphorus, x-ray fluorescence spectroscopy, 1803†
carbon dioxide, chemical preservatives, microbial growth, 146*
cholesterol, fat, incorporation method, layer, 972
drinking water, energy, layer, sucrose addition, 1806†
Escherichia coli, microorganisms, mold count, pelleting, 175*
Feed additives, broiler performance, narasin, roxarsone, zinc bacitracin, 898
Feed and water intake, abdominal fat, broiler, high energy diet, high protein diet, 177*
Feed availability, broiler chick, lipid, posthatch yolk utilization, yolk sac, 95*
Feed consumption, broiler breeder pullet, feeding time, first egg, hatchability, 144*
egg production, layer, lenses, mortality, 165*
first oviposition, pullet performance, strain, 12*
Feed conversion, abdominal fat, leanness, plasma lipoprotein, selection, 143*
antibiotics, broiler, fructooligosaccharide, yield, 153*
body weight, broiler, corn-soybean meal diet, niacin, 2231†

broiler chick, leg abnormalities, niacin requirement, 433
broiler diet, carcass characteristics, intestinal colonization, *Streptococcus faecium*, 1237
broiler performance, growth, yeast, 75*
broiler performance, Chore-Time cups, Plasson hanging bell waterer, 71*
extruded egg product, inedible eggshell utilization, shell quality, technical egg albumen, 2051†
growth performance, processing yields, rabbit waste, turkey, 196*
Feed efficiency, abdominal fat, arginine requirement, broiler, weight gain, 182*
aflatoxin, body weight, broiler chick, salinomycin, 849†
age, turkey, virginiamycin, weight gain, 1383
ammonia, fermented whey-sarsaponin, litter composition, turkey tom performance, 133*
body weight, egg production, layer performance, sunflower seeds, 78*
feed intake, quail–Japanese, split versus complete diet environment, 87*
monensin, turkey broiler diet, virginiamycin, 1016†
poult, restricted feeding, 107*
broiler, growth pattern, 68*
broiler breeder performance, egg production, hatchability, light control, 1223†
broiler chick, fermented fish, lipids, nutritional quality, 270
egg production, mortality, red plastic lenses, 153*
layer performance, Nutrimin-B, Supermin-Gold, 156*
Feed:gain ratio, dietary protein, energy restriction, high-fat versus low-fat diet, turkey performance, 1974
Feed grade quality, phosphate, supplier differences, 174*
Feed grade salt, broiler chick performance, sea salt, 94*
Feed intake, abdominal fat, broiler, high energy, water intake, 879
body weight, broiler, by-products, full-fat soybeans, 29*
feed efficiency, quail–Japanese, split versus complete diet environment, 87*
body weight gain, broiler performance, particle size, sorghum grain, 2177
body weight loss, egg production, heat stress, magnesium-aspartate-hydrochloride, 1862
Feed levels, energy, growth, protein, pullet performance, 137*
Feed line, body weight, feed nutrient content, pen location, pullet, 56*
Feed nutrient content, body weight, feed line, pen location, pullet, 56*
Feed preservative, corrosion, metal strips, mold inhibitor, propionic acid, 170*
Feed preservative efficacy, carbon dioxide, mold inhibitor, propionic acid, 161*
Feed restriction, (see restricted feeding)
aggression, broiler breeder, corticosterone, 92*
broiler breeder, growth, hormones, insulin-like growth factor, 25*
Feed utilization, broiler, efficiency, fatness, restricted feeding, 502
Feed withdrawal, acclimation, broiler, heat exposure, water consumption, 176*
broiler, cages, fecal contamination, intestinal contents, 182*
cooping, fecal contamination, 102*
digesta, environmental temperature, light, 1681
broiler breast meat, carcass yield, objective texture, shrink, 86*
electrical stimulation, high temperature conditioning, rigor mortis, 94*
broiler chick, digesta, small intestine, 89*
design need, feather loss, flock age, molting programs, 126*
Feeder space, carry-over effects, floor space, layer performance, waterer space, 7*
Feeding effects, body weight, broiler breeder, feeding regimen, fertility, 209
Feeding frequency, body composition, broiler, catch-up growth, restricted feeding, 148*
compensatory growth, restricted feeding, 2074
Feeding practices, broiler breeder, cell-mediated immunity, skip-a-day feeding, 158*
Feeding regimen, body weight, broiler breeder, feeding effects, fertility, 209
carcass composition, growth rate, restricted feeding, turkey breeder hen, 1753
layer performance, protein, 84*
Feeding time, broiler breeder pullet, feed consumption, first egg, hatchability, 144*
Feeding value, barley, broiler chick, protein, 6*
Fermentation, broiler, processing waste, silage culture, 188*
Fermented fish, broiler chick, feed efficiency, lipids, nutritional quality, 270
Fermented whey-sarsaponin, ammonia, feed efficiency, litter composition, turkey tom performance, 133*
Ferrous sulfate, broiler, cottonseed meal, gossypol, prophylactic effect, 6*
Fertility, added fat, body weight, broiler breeder performance, metabolizable energy, 1659
added poultry fat, broiler breeder performance, hatchability, 158*
body weight, broiler breeder, feeding effects, feeding regimen, 209
broiler breeder, fluorescence method automated, semen quality, 36*
broiler breeder male, growth, luteinizing hormone, restricted feeding, 860†
broiler breeder performance, egg production, hatchability, zinc bacitracin, 23*
preferential mating, separate feeding, 166*
prelayer diet, pretransition lighting, pullet-layer transition, 1141
chick, semen, sexual maturity, tamoxifen, 1220†
cryopreservation, fresh semen, genetics, semen extenders, 74*
data analysis, duration of fertility, logits, poultry, 1764
egg production, hatchability, restricted feeding, turkey breeder hen, 1439
egg sequence position, hatchability, 27*
eggshell membranes, incubation, minerals, turkey, 992
heritability, seasonal decline, turkey, 365
intramagnal catheterization, intramagnal insemination, 77*
intrauterine insemination, oviposition, sperm host glands, spermatozoa, 138
neuraminidase, sialic acid, sperm storage, spermatozoa, 119
postrest period, semen collection frequency, semen production, 183*
Fertilizing ability, metabolism, sperm, subfertile, 72*
Fiber, ash, dried bakery product, ether extract, true metabolizable energy–nitrogen-corrected, 72
Fibroblast, boron toxicity, *in vitro* assay, lethal dose, 79*

Field isolate, broiler house, diclazuril, *Eimeria*, 90*
Fimbriae growth, agglutination, bacteria, broiler carcasses, d-mannose, 1582
Finisher diets, abdominal fat, amino acid(s), broiler performance, carcass composition, 191*
Finisher period, broiler performance, calcium, carcass composition, phosphorus, 125*
Finishing feed, broiler, lactose, market age, *Salmonella*, 378
First egg, broiler breeder pullet, feed consumption, feeding time, hatchability, 144*
First oviposition, feed consumption, pullet performance, strain, 12*
Fish oil, broiler performance, fat concentration, omega-3 fatty acids, soybean oil, 99*
egg cholesterol, layer, oat bran, rice bran, 3*
Flagella, bacterial attachment, d-mannose, motility, *Pseudomonoas aeruginosa*, 1404
Flavomycin®, bambermycin, reused litter, strain, turkey, 1133
Flax seed, amino acid availability, canola seed, true metabolizable energy–nitrogen-corrected, 15*
broiler meat, canola, cholesterol, lipid, 4*
canola seed, egg composition, layer, omega-3 fatty acids, 33*
cholesterol, egg composition, fatty acid profile, layer diet, 1617†
Flock age, albumen height, egg holding time, egg sanitizer, egg weight loss, 139*
design need, feather loss, feed withdrawal, molting programs, 126*
Flock profiling, avian influenza, health status, location, small poultry flocks, 61*
Floor pen, broiler, circadian rhythm, density, locomotion, 1087
Floor pen trials, anticoccidial agents, diclazuril, efficacy, 60
Floor-raised, broiler, glutathione peroxidase, riboflavin, selenium, 188*
Floor space, carry-over effects, feeder space, layer performance, waterer space, 7*
Flow cytometry, biochemical analysis, leucocyte-common antigens, monoclonal antibodies, 34*
diagnosis, F-strain, *Mycoplasma gallisepticum*, *Mycoplasma synoviae*, 1070
Mycoplasma gallisepticum, *Mycoplasma synoviae*, 178*
Fluorescence method automated, broiler breeder, fertility, semen quality, 36*
Fluorescent lighting, body weight, broiler performance, incandescent light, light source, 1030†
1,25-dihydroxyvitamin D_3, liver glycogen, tibial dyschondroplasia, vitamin D_3, 48*
curtain turkey houses, electrical energy, mortality, weight gain, 160*
egg production, egg weight, electricity consumption, layer, 1455
Fluorescent staining, 96-well format, carboxyfluorescein diacetate, propidium iodide, spermatozoa, 1602†
Fluorine, bioavailability, layer, sepiolate, sodium fluoride, 2165
copper, manganese, tibial dyschondroplasia, zinc, 184*
Fly control, insect trap efficacy, layer performance, ultraviolet-emitting insect trap, 66*
Fly populations, continuous light, intermittent light, turkey breeder, 867†
Fly resistance, automated spray equipment, *Fannis canicularis*, *Musca domestica*, synergized pyrethrins, 736
Focal myopathy, growth selection, muscle growth, turkey, 1553
Folate metabolism, egg yolk, half-life, layer, nutrition, 123*
Follicles, prostaglandins, shell-less eggs, soft-shelled eggs, uterus, 63*
Follicular control, ligation, oviposition, preovulatory follicles, timing of oviposition, 288
Follicular maturation, granulosa, ovulation, plasminogen activator, theca, 134*
Food industry, food science courses, videotape, 56*
Food preservative, animal meat meal, most probable number, ProStat™, *Salmonella*, 184*
lysozyme, pharmaceutical preservative, stability, 107*
Food safety, Extension Service, initiative approach, interdisciplinary programs, 64*
outlook, poultry industry, products, 2103
Food science courses, food industry, videotape, 56*
Foodborne pathogen, bacterial contamination, broiler carcasses, *Yersiniae*, 482†
isolation of *Yersinia*, plating media, *Yersinia* bacterium methodology, 686
Forced-molt, body weight, carcass characteristics, oviduct, turkey breeder, 194*
Foreign DNA, chromosomal DNA, deoxyribonuclease 1, nuclease degradation, sperm cells, 856†
Formaldehyde, broiler, hatchability, hatching egg disinfectant, hydrogen peroxide, 122*
employee exposure, hatchery, remote delivery system, 173*
Formic acid, broiler carcasses, broiler performance, calcium formate, microbiological characteristics, 1876
Fowl, melanocyte, sensitivity, toxicity, virtiligo, 23*
Fowl spermatozoa, adenosine 5′-triphosphate, metabolism, sperm motility, tetraphenylboron, 1563
Fractionation, litter, particle size, separation, utilization, 195*
Fragmentation, broiler meat, electrical stimulation, muscle tensioning, tenderness, 19*
Free fatty acids, body weight, corn oil, quail–Japanese, reproductive performance, 1533
bone ash, broiler performance, corn-soybean meal diet, tibial dyschondroplasia, 135*
Freezing, acid treatment, chicken fajita, *Salmonella*, sensory panel, 20*
Freezing method, malonaldehyde, mechanically deboned poultry meat, oxidation, vacuum packaging, 1813†
Freezing rate, dark poultry meat, gelation, rheology, 827
Frequency, layer, sonograms, stress, vocalization, 131*
Fresh semen, cryopreservation, fertility, genetics, semen extenders, 74*
Fructooligosaccharide, antibiotics, broiler, feed conversion, yield, 153*
bacitracin methylene disalicylate, broiler carcasses, broiler performance, *Salmonella*, 66*
broiler, colonization, *Salmonella*, 13*
Full-fat soybeans, body weight, broiler, by-products, feed intake, 29*
Function, enzymes, liver, metabolism, symposium, 1182
Functional properties, iodine, maternal thyroid status, shell thickness, turkey eggshell, 1576
Fusariotoxicosis, deoxynivalenol, mycotoxins, waterfowl, 170*
Fusarium, corn, immunosuppression, mycotoxin, tibial dyschondroplasia, 146*
Future, academia, government, poultry industry, poultry science in the year 2000, 2102
changing needs, Extension Service, issues programming, 227

Fuzzy decision analysis, cage space, colony size, egg production, layer, 1480
G-banding, borate, chicken, chromosomes, *in situ* hybridization, 1046
Gain, broiler chick, dietary salt, plasma aldosterone, 163*
Gallomycin®, broiler, *Campylobacter jejuni*, infection elimination, 143*
Gastrointestinal tract, absorption site, broiler, mineral absorption, retention time, 2185
GBA banding, banding pattern, chicken, chromosomes, methotrexate block, 107*
Gelation, chicken breast meat, dynamic rheological testing, pH, salt-soluble proteins, 2220
dark poultry meat, freezing rate, rheology, 827
Gels, egg white, mechanically deboned chicken meat, washing, 307
Gene delivery, biolistic process, chick cells, 53*
Gene expression, chick cells and tissues, mouse tyrosinase, transgenics, vector, 26*
Gene mapping, chicken, growth hormone gene, *in situ* hybridization, metaphase chromosomes, 122*
Gene transfer, embryo, quail, retrovirus vector, transgenic quail, 189*
Genetic control, concanavalin A, interleukin-2-like activity, lymphokines, mitogen response, 65
Genetic correlation, egg production, heritability, semen, sex-limited traits, 493
genetic variance, parameter estimation, selection, 68*
Genetic lines, broiler, macrophage functions, 108*
chicken, dietary protein, fatness, nitrogen metabolism, 1911
Genetic parameters, carcass composition, selection, sexual dimorphism, turkey, 1634
Genetic selection, aflatoxin, blood parameters, chicken lines, resistance, 922
environmental enrichment, fear, quail–Japanese, regular handling, 70*
Genetic stocks, beak trimming, behavior, rearing period, weight gain, 568
cannibalism, egg production, pullet, 77*
Genetic strain, broiler, corn-soybean meal diet, phosphorus, 113*
Genetic variance, genetic correlation, parameter estimation, selection, 68*
Genetic variation, Athens-Canadian randombred chicken, body temperature, body weight, broiler, 486†
body temperature, broiler, heat stress, 46*
Genetics, body weight, growth rate, selection, 14*
lysine requirement, muscle growth, quail–Japanese, 15*
brain, catecholamine, chick, development, 76*
chicken, eggshell color, shell pigmentation, 142*
color mutation, peafowl, plumage color, white allele, 128*
cryopreservation, fertility, fresh semen, semen extenders, 74*
Genotype-environment interactions, energy level, layer diet, Single Comb White Leghorn, strain, 1998
Geographical location, β-glucan, barley, chemical composition, true metabolizable energy–nitrogen-corrected, 146*
Geometric mean diameter, broiler performance, mash, milo, pellet, 85*
Germplasm preservation, chicken, cryopreservation, glycerol, semen, 999†
Gizzard, layer, limestone, particle size, retention pattern, 185*
Gizzard meat utilization, mechanically deboned turkey, sausage, 62*
Glucagon, adipocyte, broiler, lipolysis, 102*
insulin, lipid metabolism, lipogenesis, liver explants, 91*
Glucocorticoids, bursa of Fabricius, DNA degradation, lymphocytes, programmed cell death, 1292
Glucose, alanine, ascorbic acid, carbohydrate metabolism, turkey, 44*
broiler, diet, lactate, sudden death syndrome, 1529
egg weight, fasting, mortality, poult, 1718
Glucose oxidation, calorie:protein ratio, cellulose, dried distiller's by-product, lipogenesis, 150*
Glutamic acid, body weight gain, broiler chick, protein concentration, synthetic amino acids, 1950
broiler response, protein concentration, synthetic amino acids, 67*
Glutathione, aflatoxin, broiler, metabolism, renal function, 16*
fasting, glutathione S-transferases, hematocrit value, 172*
Glutathione peroxidase, broiler, floor-raised, riboflavin, selenium, 188*
chick, metabolism, riboflavin, selenium, 116*
Glutathione S-transferases, fasting, glutathione, hematocrit value, 172*
Glycerol, chicken, cryopreservation, germplasm preservation, semen, 999†
motility, oviducal cultures, spermatozoa, 1759
Glycosylated isoforms, pituitary extracts, prolactin, sodium dodecyl sulfate-electrophoresis, turkey, 108*
Gompertz equation, egg production, growth curve, plasma growth hormone, turkey, 2057
Gonadal steroids, broiler cockerel, corticosterone, heat stress, 165*
Gonadotropin, affinity purification, monoclonal antibodies, turkey, 134*
Gonadotropin secretion, adrenal corticosterone, luteinizing hormone, quail–Japanese, restricted feeding, 95*
Gossypol, broiler, cottonseed meal, ferrous sulfate, prophylactic effect, 6*
Government, academia, future, poultry industry, poultry science in the year 2000, 2102
Grain combinations, egg production, layer, protein needs, 44*
Grain form, broiler, grain source, nutritional value, pelleting, 2150
Granulosa, follicular maturation, ovulation, plasminogen activator, theca, 134*
growth factors, ovary, plasminogen activator, protein kinase C, 292
Granulosa cells, egg production, heat stress, ovarian tissue, progesterone, 100*
Group IIIA elements, quail–Japanese, 300
Grower diet, age, amino acid requirement, poult, protein level, 30*
beak trimming, high fiber, layer performance, 17*
Guinea fowl, protein level, tropical climate, weight gain, 54*
Growing period, broiler, carcass composition, crude protein, methionine, 193*
broiler breeder pullet, laying period, propionic acid, restricted feeding, 106*
Growing pullet performance, amino acid(s), layer performance, protein level, 71*
Growout housing, broiler, interregional profitability analysis, simulation model, 2092

Growout nutrition, beak trimming, laying house performance, pullet, 34*
Growth, 3-methylhistidine, broiler, degradation, early nutrition, 67*
abdominal fat, broiler, photoregimen, restricted feeding, 99*
attractant lights, brooding, quail–Bobwhite, 184*
breast yield, feather meal, strain, turkey hen, 136*
broiler breeder, feed restriction, hormones, insulin-like growth factor, 25*
broiler breeder male, fertility, luteinizing hormone, restricted feeding, 860†
broiler breeder pullet, energy requirement, maintenance, restricted feeding, 1792†
broiler house, electricity use, light source, photoperiods, 1471
broiler performance, carcass composition, lysine level, virginiamycin, 86*
feed conversion, yeast, 75*
catabolic state, chick, ethanol, leupeptin, 54*
chick, duck, sorghum, tannin, 48*
chicken, soybean, tortilla mix, vitamins, 69*
cockerels, nutritional value, quail–Japanese, *Spirulina plantensis*, 794
efficiency, lysine utilization, metabolism, turkey, 139*
energy, feed levels, protein, pullet performance, 137*
hematology, incubation, turkey embryo, white blood cell development, 2027
in vitro cell culture, leiomyomas, leiomyosarcomas, quail–Japanese, 53*
light sources, reproduction, turkey, 576
plasma hormones, turkey, 27*
ractopamine hydrochloride, turkey performance, 142*
Growth curve, egg production, Gompertz equation, plasma growth hormone, turkey, 2057
egg production curves, nonlinear models, prediction, time, 1064
Growth depression, broiler chick, cytochrome P-450, mixed-function oxidase system, monensin, 1285
Growth factors, granulosa, ovary, plasminogen activator, protein kinase C, 292
Growth hormone, body weight, egg production, Haugh unit, shell thickness, 1818†
broiler pullet, infusion, liver composition, nucleic acid content, 845†
bursal lymphocytes, chicken, growth rate, *in ovo* endocrine manipulation, 96*
cannulation, hypothyroidism, propylthiouracil, turkey, 82*
carcass traits, growth rate, pulsatile secretion, turkey, 1215
chick, lymphoid organs, thyrotropin-releasing hormone, white blood cells, 1094
cloning, nucleotide sequence, turkey, 52*
embryogenesis, *in ovo*, thyroid function, tissue development, 41*
fasting, insulin, refeeding, turkey tom, 801
half-life, hypophysectomy, metabolic clearance rate, turkey, 1569
Growth hormone-binding protein, broiler, identification and verification, turkey, 70*
Growth hormone gene, chicken, gene mapping, *in situ* hybridization, metaphase chromosomes, 122*
Growth hormone-receptor binding, broiler breeder male, growth hormone-receptor mRNA, thyroid manipulation, 28*
Growth hormone-receptor mRNA, broiler breeder male, growth hormone-receptor binding, thyroid manipulation, 28*
Growth hormone-releasing factor, body fat, broiler, triiodothyronine, 35*
broiler cockerel, continuous intravenous infusion, growth response, pulsatile infusion, 96*
Growth pattern, broiler, feed efficiency, 68*
Growth performance, breeder hen age, egg and poult size, immune function, turkey tom performance, 50*
broiler performance, Ethacal®, 40*
feed conversion, processing yields, rabbit waste, turkey, 196*
Growth promoter, broiler, *in ovo*, interleukin-2, 167*
broiler diet, drinking water, feed, virginiamycin, 1713
Growth rate, age, insulin-like growth factor-I, sex, turkey, 11*
arginine requirement, broiler chick, protein, 1377
body weight, genetics, selection, 14*
bone metabolism, broiler chick, dietary calcium, zeolite A, 1539
broiler, leg abnormalities, lighting effects, 35*
broiler chick, calcium deficiency, copper toxicity, liver copper content, 1905
pentosanase, rye, viscosity, 16*
bursal lymphocytes, chicken, growth hormone, *in ovo* endocrine manipulation, 96*
carcass composition, feeding regimen, restricted feeding, turkey breeder hen, 1753
carcass traits, growth hormone, pulsatile secretion, turkey, 1215
Growth response, broiler cockerel, continuous intravenous infusion, growth hormone-releasing factor, pulsatile infusion, 96*
Growth selection, focal myopathy, muscle growth, turkey, 1553
Guinea fowl, grower diet, protein level, tropical climate, weight gain, 54*
Halamine, combined halogen, disinfectant, pH, poultry processing, 1590
poultry processing, *Salmonella typhimurium*, 2248†
Half-life, egg yolk, folate metabolism, layer, nutrition, 123*
growth hormone, hypophysectomy, metabolic clearance rate, turkey, 1569
Halofuginone, amprolium, coccidiosis, oocyst, turkey, 89*
Hand deboning, iron bioavailability, mechanical deboning, protein quality, turkey meat, 341
Hard-cooked eggs, eggs–white versus brown, peelability, physical and chemical composition, storage conditions, 1614†
microbiological sampling, shelled egg contents, whole egg, whole egg blend, 1428
Hatch time, broiler hatching weight, holding time, incubation temperature, relative humidity, 887
Hatchability, added poultry fat, broiler breeder performance, fertility, 158*
antibiotics, broiler chick, disease prevention, *in ovo*, 106*
biotin, embryo, turkey egg, 112*
brewer's dried grains, diet, egg production, pheasant breeder, 1491
broiler, formaldehyde, hatching egg disinfectant, hydrogen peroxide, 122*
broiler breeder performance, cooled roosts, egg production, heat stress, 97*
egg production, feed efficiency, light control, 1223†
fertility, zinc bacitracin, 23*

broiler breeder pullet, feed consumption, feeding time, first egg, 144*
chick weight, eggshell conductance, incubation conditions, 535
peranatal period, 545
chicken egg, incubation, turning, 95*
contamination, disinfection, hatching egg spray, hatching eggs, 517
cooling, cyclically interrupted incubation, embryonic period, quail–Japanese, 2241†
dietary chloride, egg chloride, layer, tissue chloride, 25*
egg injection, pyridoxine, turkey egg, 186*
egg production, fertility, restricted feeding, turkey breeder hen, 1439
turkey breeder hen, yeast culture, 189*
egg sequence position, fertility, 27*
eggshell conductance, embryonic respiration, incubation, Kapok seed meal, 1
eggshell permeability, oxygen partial pressures, turkey egg, 451
embryonic carbohydrate metabolism, iodine, oxygen, turkey egg, 34*
turkey hen performance, yeast culture, 118*
Hatcheries, air sampling, broiler hatcher, *Salmonella*, 38*
breeder, *Salmonella*, 38*
broiler, *Salmonella* contamination, shell penetration, 1606†
employee exposure, formaldehyde, remote delivery system, 173*
Hatchery operations, black-out rearing, broiler breeder, layer, videotape, 23*
Hatching egg disinfectant, broiler, formaldehyde, hatchability, hydrogen peroxide, 122*
Hatching egg spray, contamination, disinfection, hatchability, hatching eggs, 517
Hatching eggs, broiler safety, egg injection, INOVOJECT®, Marek's disease vaccination, 65*
competitive exclusion, *in ovo*, *Salmonella*, 162*
contamination, disinfection, hatchability, hatching egg spray, 517
Haugh unit, ascorbic acid, chromium, egg quality, vanadium, 781
body weight, egg production, growth hormone, shell thickness, 1818†
egg quality, marketing, specific gravity, yolk color, 182*
Head skeleton, hereditary abnormalities, quail–Japanese, throat tuft, visceral arch, 1236
Health status, avian influenza, flock profiling, location, small poultry flocks, 61*
Heat distress, acclimation, broiler, fasting, mortality, 90*
light regimen, 192*
acid-base balance, broiler, corticosterone, supplemental drinking water, 163*
blood gas, broiler, potassium, sodium, 42*
blood parameters, broiler, drinking water supplementation, 42*
broiler, colostomy, mineral balance, 155*
Heat exchanger, broiler, computer control, energy conservation, ventilation, 1869
broiler house, economics, management, 31*
Heat exposure, acclimation, broiler, feed withdrawal, water consumption, 176*
Heat production, age dependency, chick, propylthiouracil, triiodothyronine-induced thermogenesis, 1599†
egg energy output, energy metabolism, layer, respiration calorimetry, 98
Heat shock proteins, blood cells, broiler cockerel, hyperthermia, 196*
broiler, neonatal heat stress, protein synthesis profile, thermotolerance, 9*
broiler cockerel, heat stress, leukocytes, turkey, 140*
chicken macrophage, heat shock protein-90 mRNA, 94*
hyperthermia, leukocytes, stress, turkey, 140*
Heat shock protein-90 mRNA, chicken macrophage, heat shock proteins, 94*
Heat stability, collagen, lathyrogen, spent fowl muscle, tenderness, 477
Heat stress, acclimation, layer, 33*
Alimet®, broiler performance, humidity, methionine, 194*
antibody production, selection lines, sheep red blood cells, 599
anticoccidial agents, broiler performance, lasalocid, temperature regimen, 1265
body temperature, broiler, genetic variation, 46*
body weight loss, egg production, feed intake, magnesium-aspartate-hydrochloride, 1862
broiler, indirect calorimetry, model, thermobalance, 197*
ionized calcium, potassium chloride, 4*
broiler breeder performance, cooled roosts, egg production, hatchability, 97*
broiler cockerel, corticosterone, gonadal steroids, 165*
heat shock proteins, leukocytes, turkey, 140*
broiler housing, computer software, decision support system, 119*
broiler performance, oral rehydration, summer growing conditions, water treatment, 1851
water cooled perch, 109*
egg production, granulosa cells, ovarian tissue, progesterone, 100*
Hemagglutination-inhibition titer, Fayoumi, Newcastle disease virus, season effect, vaccination, 88*
Hematocrit, avian leukosis, nonneoplastic wasting syndrome, 49*
Hematocrit value, fasting, glutathione, glutathione S-transferases, 172*
Hematology, ascites, broiler, high altitudes, histopathology, 741
growth, incubation, turkey embryo, white blood cell development, 2027
high altitude, incubation, oxygen supplementation, turkey embryo, 2035
Heme-complex, air chilled, broiler, cytochrome c, ice slush, 51*
amino acid(s), nicotinamide, pH, poultry meat color, 2040
cytochrome c, ligand, myoglobin, turkey breast meat color, 157
ligand, poultry meat color, salt, turkey breast meat, 1769
Hen, active immunization, egg laying, immunoneutralization, inhibins, 14*
metabolism, reproductive performance, riboflavin, selenium, 116*
Hen age, chick performance, egg weight, lipid retention, sex, 135*
Hepatic protein synthesis, Alimet®, amino acid metabolism, liver, methylthioadenosine, 1188
Hepatic tissue, cholesterol synthesis, fatty acid synthesis, quail–Japanese, substrate, 647

Hereditary abnormalities, head skeleton, quail–Japanese, throat tuft, visceral arch, 1236
Heritability, egg production, genetic correlation, semen, sex-limited traits, 493
fertility, seasonal decline, turkey, 365
phenotypic variation, prelaying behavior, single cages, strain differences, 1231
pipped eggs, semen ejaculate, turkey, 127*
***Hibiscus cannabinus* L.,** broiler performance, kenaf core litter, litter moisture, pine sawdust litter, 2064
High altitude, ascites, broiler diet, Ethacal®, mortality, 78*
ascites, broiler, hematology, histopathology, 741
hematology, incubation, oxygen supplementation, turkey embryo, 2035
High amino acid diet, abdominal fat, broiler performance, compensatory growth, low energy diet, 181*
High energy, abdominal fat, broiler, feed intake, water intake, 879
High energy diet, abdominal fat, broiler, feed and water intake, high protein diet, 177*
High fiber, age, beak trimming, grower diet, layer performance, 17*
High performance liquid chromatography, corn, corn gluten meal, marigold, xanthophyll variability, 21*
High protein diet, abdominal fat, broiler, feed and water intake, high energy diet, 177*
High temperature conditioning, broiler breast meat, electrical stimulation, feed withdrawal, rigor mortis, 94*
High-fat versus low-fat diet, carcass characteristics, energy restriction, protein level, turkey tom, 1982
dietary protein, energy restriction, feed:gain ratio, turkey performance, 1974
Histochemical determination, broiler, muscle fiber type, skeletal muscle, staining procedure, 1433
Histopathology, anticoccidial, broiler, diclazuril, efficacy, 187*
ascites, broiler, hematology, high altitudes, 741
Holding time, broiler hatching weight, hatch time, incubation temperature, relative humidity, 887
Homeostasis, developmental age, shell-less culture, trace elements, turkey embryo, 111*
Hormones, broiler breeder, feed restriction, growth, insulin-like growth factor, 25*
ex ovo culture, turkey embryo, 1*
shell-less culture, turkey embryo, 91*
Host resistance, broiler, lactose, *Salmonella* colonization, volatile fatty acids, 161*
Housing, dietary energy, dietary protein, layer performance, pullet rearing, 28*
Housing systems, broiler production efficiency, contract grower, economic evaluation, integrated operations, 554
Human adenovirus, cytokine, dendritic cell, ellipsoid-associated cell, spleen, 929
Human enteropathogens, antibodies, *Campylobacter jejuni*, cecal colonization, immunology, 193*
Human resources, needs, poultry industry, public awareness, waste management, 2110
Human × chicken cell hybrids, chicken genome, microchromosomes, partitioning, somatic cell hybridization, 81*
Humidity, Alimet®, broiler performance, heat stress, methionine, 194*
litter treatment, mold inhibition, stirring, turkey tom performance, 132*
Humoral immunity, broiler breeder, immune responses, restricted feeding, skip-a-day feeding, 18*
Humoral response, antibody production, dose effects, selection lines, sheep red blood cells, 608
Hunter Colorimeter, chromometer, eggshell color, Minolta Chroma Meter, shell measurement, 1775
Hydrated sodium calcium aluminosilicate, aflatoxicosis, body weight, poult, 175*
aflatoxin, body weight, T-2 toxin, toxicity reduction, 1078
broiler, diacetoxyscirpenol, 76*
broiler chick, liver vitamin A, riboflavin utilization, tibia manganese and zinc, 1364
Hydrilla, aquatic plants, elodea, layer performance, yolk pigmentation, 673
Hydrocolloids, bind, cook yield, sliceability, turkey ham, 16*
Hydrogen peroxide, broiler, formaldehyde, hatchability, hatching egg disinfectant, 122*
Hydrogenated vegetable oil, broiler meat, fatty acids, *trans*-$C_{18:1}$, 5*
Hypertension, arginine vasotocin, cardiac hypotensive extract, dietary sodium, Leghorn hen, 679
Hyperthermia, blood cells, broiler cockerel, heat shock proteins, 196*
heat shock proteins, leukocytes, stress, turkey, 140*
Hyperthyroid chickens, energy expenditure, lipid synthesis, liver explants, sodium-potassium transport, 114*
Hypobaric chambers, altitude, ascites, broiler, 147*
Hypobaric hypoxia, ascites, broiler, electrocardiology, 101*
Hypophysectomy, 3-methylhistidine, broiler chick, muscle protein degradation, 89*
growth hormone, half-life, metabolic clearance rate, turkey, 1569
Hypothalamus, broiler cockerel, corticotropin, stress, thermotolerance, 123*
neuroendocrine involvement, stress, thermotolerance, 123*
Hypothyroidism, cannulation, growth hormone, propylthiouracil, turkey, 82*
Ice slush, air chilled, broiler, cytochrome c, heme pigments, 51*
Identification and verification, broiler, growth hormone-binding protein, turkey, 70*
Immunoglobulin A cells, avian lymphomyeloid tissue, endogenous peroxidase, Fc alpha receptors, thymus, 101*
Immersion-scalding, bacterial cross-contamination, broiler carcasses, feather release, spray-scalding, 409
Immune development, lymphocyte surface markers, selenium deficiency, vitamin E deficiency, 32*
Immune function, breeder hen age, egg and poult size, growth performance, turkey tom performance, 50*
Immune response profile, immunocyte precursors, mouse erythrocyte immunization, plasma cells, proliferative phase, 121*
Immune responses, broiler breeder, humoral immunity, restricted feeding, skip-a-day feeding, 18*
Immunity, antibodies, *Brucella abortus*, chicken serum, immunoassays, 172*
antigenic variation, *Eimeria maxima*, *Eimeria tenella*, 51*
basophil hypersensitivity, immunocompetence, interdigital skin test, phytohemagglutinin, 403
broiler breeder, coccidiosis, intestinal lesions, salinomycin, 112*
coccidia, microscopy techniques, recombinant antigens, 40*

lymphocyte proliferation, *Pasteurella multocida*, protein deficiency, white blood cells, 2134
Immunoassays, antibodies, *Brucella abortus*, chicken serum, immunity, 172*
Immunoblotting, chicken, *Mycoplasma gallisepticum*, species-specific proteins, turkey, 10*
Immunocompetence, basophil hypersensitivity, immunity, interdigital skin test, phytohemagglutinin, 403
Immunocyte precursors, adoptive immunity, neonatal immunity, plaque-forming cells, unprimed chicken, 1103
immune response profile, mouse erythrocyte immunization, plasma cells, proliferative phase, 121*
Immunocytochemistry, antisera, chicken, ovary, steroids, 100*
lateral septal organ, vasointestinal polypeptide, 76*
Immunogenicity, *Eimeria*, merozoite, sporozoite, 83*
Immunoglobulin G, antibodies, chicken serum, purification technique, 168*
Immunoglobulin response, broiler, cecal persistence, colonization, *Salmonella typhimurium*, 130*
Immunology, antibodies, *Campylobacter jejuni*, cecal colonization, human enteropathogens, 193*
Immunoneutralization, active immunization, egg laying, hen, inhibins, 14*
Immunosuppression, corn, *Fusarium*, mycotoxin, tibial dyschondroplasia, 146*
Immunotoxicity, 3,4,3′,4′ tetrachlorobiphenyl, cytochrome P-450, xenobiotic metabolism, 85*
In ovo, antibiotics, broiler chick, disease prevention, hatchability, 106*
broiler, growth promoter, interleukin-2, 167*
competitive exclusion, hatching eggs, *Salmonella*, 162*
embryogenesis, growth hormone, thyroid function, tissue development, 41*
***In ovo* endocrine manipulation,** bursal lymphocytes, chicken, growth hormone, growth rate, 96*
***In situ* hybridization,** borate, chicken, chromosomes, G-banding, 1046
chicken, gene mapping, growth hormone gene, metaphase chromosomes, 122*
In vitro, estrogens, luteinizing hormone, pituitary cells, turkey, 124*
***In vitro* assay,** assay, micrococcal nuclease, thymocytes, 35*
boron toxicity, fibroblast, lethal dose, 79*
***In vitro* cell culture,** growth, leiomyomas, leiomyosarcomas, quail–Japanese, 53*
***In vitro* pH change,** calcium, limestone solubility, percentage weight loss, 2204
***In vitro* solubilization,** calcium level, *in vivo* solubilization, limestone particle size, 2170
In vivo, arabinose, chick, *Salmonella typhimurium*, sugar, 91*
chicken, coccidiosis, evaluation, L-651,582, 134*
***In vivo* limestone solubilization,** digestive tract, eggshell quality, layer, phosphorus level, 101*
***In vivo* solubilization,** calcium level, *in vitro* solubilization, limestone particle size, 2170
In-bag method, bath method, broiler breasts, marinade retention, tumbling variables, 62*
Incandescent light, body weight, broiler performance, fluorescent lighting, light source, 1030†
broiler breeder performance, egg production, light intensity, photoperiod, 910
Incidence, broiler carcasses, retail survey, *Salmonella*, serotypes, 3*
broiler chick, ceca, *Salmonella*, surface, 64*
Incorporation method, cholesterol, fat, feed, layer, 972
Incubation, broiler performance, egg weight loss, parent age, posthatch treatment, 526
chicken egg, hatchability, turning, 95*
dopaminergic activity, electrical stimulation, prolactin, turkey, 47*
eggshell conductance, embryonic respiration, hatchability, Kapok seed meal, 1
eggshell membranes, fertility, minerals, turkey, 992
growth, hematology, turkey embryo, white blood cell development, 2027
hematology, high altitude, oxygen supplementation, turkey embryo, 2035
Incubation behavior, luteinizing hormone, prolactin, sexual maturity, turkey, 47*
Incubation conditions, chick weight, eggshell conductance, hatchability, 535
peranatal period, 545
Incubation temperature, broiler hatching weight, hatch time, holding time, relative humidity, 887
Index, egg production, partial record, persistency, selection, 1447
Indirect calorimetry, broiler, heat stress, model, thermobalance, 197*
Inedible eggshell utilization, extruded egg product, feed conversion, shell quality, technical egg albumen, 2051†
Infection elimination, broiler, *Campylobacter jejuni*, Gallomycin®, 143*
Infectious bursal disease, monoclonal antibodies, variant strains, 39*
Infrared treatment, broiler chick, corn, nutritional value, sorghum grain, 45*
Infusion, broiler pullet, growth hormone, liver composition, nucleic acid content, 845†
Ingestive behavior, age at housing, cage shape, egg production, waterer type, 217
Inhibins, active immunization, egg laying, hen, immunoneutralization, 14*
Initiative approach, Extension Service, food safety, interdisciplinary programs, 64*
Inoculation method, broiler chick, colonization, pH, *Salmonella typhimurium*, 1809†
Inorganic sulfate, choline, egg production, layer, sulfur amino acid, 1226†
Inosine, 2,3-bisphosphoglycerate, embryo development, erythrocytes, 66*
INOVOJECT™, broiler safety, egg injection, hatching eggs, Marek's disease vaccination, 65*
Insect trap efficacy, fly control, layer performance, ultraviolet-emitting insect trap, 66*
Instructions for contributors, *Poultry Science*, 200
Insulation evaluation, California, turkey barn, 48*
Insulin, fasting, growth hormone, refeeding, turkey tom, 801
glucagon, lipid metabolism, lipogenesis, liver explants, 91*
Insulin-like growth factor, broiler breeder, feed restriction, growth, hormones, 25*
Insulin-like growth factor-I, age, growth rate, sex, turkey, 11*
Intact eggs, prediction equation, shell quality, shell weight, specific gravity, 192*
Integrated operations, broiler production efficiency, contract grower, economic evaluation, housing systems, 554
Interaction, calcium, fat, layer performance, temperature,

1*
Interdigital skin test, basophil hypersensitivity, immunity, immunocompetence, phytohemagglutinin, 403
Interdisciplinary programs, Extension Service, food safety, initiative approach, 64*
Interfacial tension, conalbumin, emulsions, lysozyme, ovalbumin, 694
Interleukin-1 production, calmodulin dependent kinase, cytokine, protein kinase c, 21*
Interleukin-2, broiler, growth promoter, *in ovo*, 167*
chicken, Marek's disease, T-cell antigens, turkey, 72*
Interleukin-2-like activity, concanavalin A, genetic control, lymphokines, mitogen response, 65
Intermittent light, broiler breeder, light regimen, tibial dyschondroplasia, 145*
continuous light, fly populations, turkey breeder, 867†
egg production, limited feeding, molt diet, strain, 8*
entrainment, reproductive parameters, turkey breeder hen, 111*
limited feeding, molt, primary wing feather growth, strain, 7*
recycled, reproductive performance, turkey hen, 142
International students, *Coturnix* International, small animal production, training, 136*
Internships, poultry experience, research, undergraduate, work experience, 129*
Interregional profitability analysis, broiler, growout housing, simulation model, 2092
Intestinal colonization, broiler diet, carcass characteristics, feed conversion, *Streptococcus faecium*, 1257
layer, reinfection, *Salmonella enteritidis*, 167*
Intestinal contents, broiler, cages, fecal contamination, feed withdrawal, 182*
Intestinal immunity, coccidiosis, intestinal intraepithelial lymphocytes, protective immunity, T-cell, 83*
Intestinal intraepithelial lymphocytes, coccidiosis, intestinal immunity, protective immunity, T-cell, 83*
Intestinal lesions, broiler breeder, coccidiosis, immunity, salinomycin, 112*
Intestinal microflora, antibiotics, *Bacillus subtilis*, body weight, turkey performance, 1966
Intestinal mucous, adhesion, broiler, colonization, *Salmonella california*, 38*
Intestinal scores, anticoccidial effect, *Eimeria dispersa*, *Eimeria mitis*, monensin, 1009†
Intestinal weight, β-glucanase, barley, broiler performance, wheat, 160*
Intracloacal, broiler chick, cecal colonization, lactose, *Salmonella typhimurium*, 198*
Intramagnal catheterization, fertility, intramagnal insemination, 77*
Intramagnal insemination, fertility, intramagnal catheterization, 77*
Intrauterine insemination, fertility, oviposition, sperm host glands, spermatozoa, 138
Iodine, embryonic carbohydrate metabolism, hatchability, oxygen, turkey egg, 34*
functional properties, maternal thyroid status, shell thickness, turkey eggshell, 1576
Ionized calcium, broiler, heat stress, potassium chloride, 4*
Ionophores, broiler, *Eimeria acervulina*, *Eimeria tenella*, lasalocid:stage of action, 169*
coccidiosis, combinations, roxarsone, 90*
Iron, aluminum, broiler chick, dietary supplement, phytate phosphorus utilization, 129*
dissolved air flotation sludge, evisceration wastewater, polymer floculation, 179*
breeder hen performance, copper, progeny, zinc, 259
Iron bioavailability, hand deboning, mechanical deboning, protein quality, turkey meat, 341
Irradiation, aerobic plate count, broiler breasts, broiler thighs, *Salmonella*, 150
broiler breasts, broiler thighs, thiobarbituric acid value, yield, 313
Isoelectric focusing, chicken pancreas, chromatography, pancreatic trypsin inhibitor, 640
Isolates, *Mycoplasma synoviae*, restriction endonuclease, sodium dodecyl sulfate-polyacrylamide gel electrophoresis, turkey, 80*
Isolation of *Yersinia*, foodborne pathogen, plating media, *Yersinia* bacterium methodology, 686
Isoleucine, amino acid(s) requirement, broiler starter period, leucine, valine, 757
Isoniazid, bone development, broiler chick, cimetidine, vitamin D_3, 1271
Isopropyl, ethanol, extraction procedure, soybean meal, true metabolizable energy–nitrogen-corrected, 80*
Issues programming, changing needs, Extension Service, future, 227
Japanese quail, (see quail–Japanese)
Junction fragment, endogenous viral genes, feathering genes, molecular analysis, unoccupied integration site, 2017
Juvenile protein restrictions, adaptation, broiler breeder, metabolic hormone concentrations, protein repletion, 113*
Kapok seed meal, eggshell conductance, embryonic respiration, hatchability, incubation, 1
Kemsyme®, broiler breeder performance, corn-soybean meal diet, digestive enzymes, egg production, 24*
Kenaf core litter, broiler performance, *Hibiscus cannabinus* L., litter moisture, pine sawdust litter, 2064
Key poultry volunteer program, middle management, poultry and avian sciences curriculum, 145*
Kojic acid, aflatoxin, broiler, synergy, toxicity, 168*
L-651,582, chicken, coccidiosis, evaluation, *in vivo*, 134*
L-arabinose, chick, D-xylose, metabolizable energy, pentose sugar, 1724
Laboratory determination, fat content, protein solubility, soybean meal, 153*
Lactate, broiler, diet, glucose, sudden death syndrome, 1529
Lactic acid, broiler carcasses, chill water treatments, *Salmonella*, sodium lactate, 152*
Lactic acid fermentation, *Aeromonas hydrophilas*, bacterial pathogens, broiler, processing waste, 116*
broiler carcasses, mortality, pathogen-free, 98*
Lactobacillus, cane molasses, daily feed consumption, layer, 98*
Lactose, anaerobic cecal culture, chick, *Salmonella enteritidis*, seroconversion, 84*
broiler, *Campylobacter jejuni*, cecal colonization, mannose, 130*
cecal anaerobes, *Salmonella*, volatile fatty acids, 171*
finishing feed, market age, *Salmonella*, 378
host resistance, *Salmonella* colonization, volatile fatty acids, 161*
broiler chick, cecal anaerobes, *Salmonella typhimurium* colonization, 64*
cecal colonization, intracloacal, *Salmonella typhimurium*, 198*
cecal flora, layer chick, *Salmonella enteritidis*, 37*
colonization, poult, *Salmonella*, 37*
Lanthionine, feather meal quality, feather processing, pepsin digestibility, sulfur amino acids, 953

Lasalocid, anticoccidial agents, broiler performance, heat stress, temperature regimen, 1265
Lasalocid:stage of action, broiler, *Eimeria acervulina, Eimeria tenella,* ionophores, 169*
Laser diffraction, contraction state, microscopy method, *Pectoralis major,* sarcomere length, 1800†
Lateral septal organ, immunocytochemistry, vasointestinal polypeptide, 76*
Lathyrogen, collagen, heat stability, spent fowl muscle, tenderness, 477
Layer, 1,25-dihydroxycholecalciferol, calcium, egg production, shell quality, 1702
25-hydroxycholecalciferol, bone calcification, cimetidine, shell quality, 1892
abdominal fat, egg production, lipid metabolism, sorbose, 1508
acclimation, heat stress, 33*
acid-insoluble ash, calcium digestibility, silica consumption, total collection method, 2228†
adenosine triphosphatase, body weight, carbonic anhydrase, vitamin D_3 metabolites, 1204
aflatoxicosis, egg production, fatty liver, tryptophan, 186*
age, behavior, caged rearing versus floor rearing, multiple-hen cages, 1652
aluminum availability, phosphorus availability, plasma phosphorus, 2237†
amino acid(s), broiler, corn, protein, 22*
anticoccidial agents, coccidiostats, egg quality, egg yolk mottling, 378
arginine vasotocin, cardiac hypotensive extract, dietary sodium, hypertension, 679
ascorbic acid, eggshell quality, plasma thyroxine, thiouracil, 180*
ash concentration, bone ash, bone strength, calcium intake, 2209
assay, canthaxanthin, egg yolk, pigmentation, 1610†
β-glucanase, barley, egg cholesterol, plasma cholesterol, 183*
barley flour, cholesterol, eggs, protein, 18*
behavior, egg production, movable roost, welfare, 2118
behavioral synchronization, cage, social facilitation, 141*
bioavailability, fluorine, sepiolate, sodium fluoride, 2165
black-out rearing, broiler breeder, hatchery operations, videotape, 23*
broiler chick, *Sesbania macrocarpa,* toxic seeds, weed seed, 669
cage population, egg production, egg quality, strain, 30*
cage space, colony size, decision analysis, population density, 114*
egg production, fuzzy decision analysis, 1480
calciferol, calcitriol, calcium, shell quality, 135*
calcium, calcium lactate, drinking water, shell quality, 162*
environment, stress, zinc-methionine, 72*
calcium deficiency, reproductive failure, vitamin D deficiency, 344*
calcium level, calcium soaps, nutrient utilization, true metabolizable energy, 768
cane molasses, daily feed consumption, *Lactobacillus,* 98*
canola seed, egg composition, flax seed, omega-3 fatty acids, 33*
chick, cholesterol feeding, cholesterol metabolism, egg cholesterol, 1694
chloride, egg production, molt, sodium, 171*
cholesterol, colestipol, egg, lovastatin, 852†
fat, feed, incorporation method, 972
choline, egg production, inorganic sulfate, sulfur amino acid, 1226†
commercial flock survey, egg content, nutritional status, vitamin profiles, 129*
corn gluten feed, egg production, molting, 90
diet acceptability, fecal moisture, sodium zeolite A, water consumption, 169*
dietary calcium, phosphatemia, phosphorus, urinary calcium, 1991
dietary chloride, egg chloride, hatchability, tissue chloride, 25*
dietary protein, egg production, postmolt performance, 74*
digestive tract, eggshell quality, *in vivo* limestone solubilization, phosphorus level, 101*
diurnal variation, egg yolk layers, serum xanthophyll, 2235†
drinking water, energy, feed, sucrose addition, 1806†
egg cholesterol, fish oil, oat bran, rice bran, 3*
egg energy output, energy metabolism, heat production, respiration calorimetry, 98
egg formation, liver, oviduct, protein synthesis, 264
egg mass, egg weight, probiotics, zinc bacitracin, 65*
egg production, eggshell quality, plasma thyroxine, thiouracil, 104*
egg specific gravity, vitamin C, 1900
egg weight, electricity consumption, fluorescent lighting, 1455
feed consumption, lenses, mortality, 165*
grain combinations, protein needs, 44*
liver fat, protein, tryptophan, 1956
phosphorus, specific gravity, synthetic sodium aluminosilicate, 2195
egg quality, storage conditions, time, vanadium, 164*
egg yolk, folate metabolism, half-life, nutrition, 123*
eggs, *Salmonella enteritidis* detection, yolk antibodies, 55*
electrolytes, postmolt performance, strain, vitamins, 105*
estradiol, melatonin, molt-induced, plasma melatonin, 60*
feathering, nervousness, productivity, rearing environment, 902
fecal moisture, sodium zeolite A, water consumption, 58*
frequency, sonograms, stress, vocalization, 131*
gizzard, limestone, particle size, retention pattern, 185*
intestinal colonization, reinfection, *Salmonella enteritidis,* 167*
magnetic resonance imaging, reproductive physiology, 28*
methionine requirement, protein, sulfur amino acids, 934
ovary, reproductive tract, vitamin A deficiency, 17*
Layer age, marigold, paprika, xanthophyll, yolk color, 170*
Layer chick, cecal flora, lactose, *Salmonella enteritidis,* 37*
Layer diet, bone strength, eggshell quality, plasma calcium, vitamin D_3 metabolites, 426
cholesterol, egg composition, fatty acid profile, flax seed, 1617†

energy level, genotype-environment interactions, Single Comb White Leghorn, strain, 1998
Layer performance, (see egg production also)
age, beak trimming, egg production, pullet, 1461
strain, 29*
grower diet, high fiber, 17*
bird density, strain, 29*
amino acid(s), corn-soybean meal diet, egg production, 60*
egg components, protein, 104*
growing pullet performance, protein level, 71*
aquatic plants, elodea, hydrilla, yolk pigmentation, 673
ascorbic acid requirement, egg quality, environmental stress, vitamin C, 774
body weight, egg production, feed efficiency, sunflower seeds, 78*
bone breaking strength, liver lipid, sodium zeolite A, 169*
production parameters, sodium zeolite A, 73*
bone development, sodium zeolite A, 172*
bone status, calcium intake, limestone solubility, particle size, 2214
brewer's dried grains, yeast, 196*
cage shape, nipple number and location, nipple waterers, water consumption, 2086
nipple waterer, strain, 55*
calcitriol, egg weight, shell quality, vitamin D_3, 1822†
calcium, fat, interaction, temperature, 1*
calcium metabolism, calcium source, limestone solubility, shell quality, 2199
carry-over effects, feeder space, floor space, waterer space, 7*
dietary energy, dietary protein, housing, pullet rearing, 28*
dietary protein, strain, temperature, 33*
duckweed, egg production, egg quality, sewage-grown Lemnacea, 1835
egg cholesterol, orotic acid, 157*
egg production, wheat middlings diet, 12*
phosphorus, shell quality, sodium aluminosilicate, 105
feed efficiency, Nutrimin-B, Supermin-Gold, 156*
feeding regimen, protein, 84*
fly control, insect trap efficacy, ultraviolet-emitting insect trap, 66*
limited feeding, molt-induced, nutrient density, 1883
temperature, vitamin C, 57*
toe-clip, 189*
Laying house performance, beak trimming, growout nutrition, pullet, 34*
Laying period, broiler breeder pullet, growing period, propionic acid, restricted feeding, 106*
Leanness, abdominal fat, feed conversion, plasma lipoprotein, selection, 143*
Least-cost ration formulation, linear programming, nutrient variability, stochastic programming, 39*
Lecture techniques, multimedia, PODIUM educational computer software, video disc, 117*
Leg abnormalities, body weight, broiler chick, feed conversion, niacin requirement, 433
broiler, growth rate, lighting effects, 35*
broiler chick, calcium, dyschondroplasia, phosphorus, 1496
compensatory growth, protein consumption, restricted growth, turkey performance, 1731
Leg disorders, amino acid requirement, dietary protein, soybean meal, turkey, 159*
amino acid(s), bone development, broiler, calcium, 191*
Leg strength, energy, protein, turkey performance, 73*
Leiomyomas, growth, *in vitro* cell culture, leiomyosarcomas, quail–Japanese, 53*
Leiomyosarcomas, growth, *in vitro* cell culture, leiomyomas, quail–Japanese, 53*
Lenses, egg production, feed consumption, layer, mortality, 165*
Lesion, *Aspergillus fumigatus,* pathology, pigeon, reticuloendothelial system, 2*
Lesions, broiler, coccidiosis, Ethacal®, shank pigmentation, 155*
Lesser mealworm, broiler performance, darkling beetle, dietary ivermectin, 1281
relationship, 190*
Lethal dose, boron toxicity, fibroblast, *in vitro* assay, 79*
Leucine, amino acid(s) requirement, broiler starter period, isoleucine, valine, 757
Leucocyte-common antigens, biochemical analysis, flow cytometry, monoclonal antibodies, 34*
Leukocyte migration, cellular immunity, dopamine, wattle response, 89*
Leukocytes, adrenal cells, corticosterone, ovine corticotropin-releasing factor, 63*
broiler cockerel, heat shock proteins, heat stress, turkey, 140*
heat shock proteins, hyperthermia, stress, turkey, 140*
Leukosis virus, seroconversion, shedders, slow-feathering dam, tumors, 127*
Leupeptin, catabolic state, chick, ethanol, growth, 54*
Ligand, cytochrome c, heme-complex, myoglobin, turkey breast meat color, 157
heme-complex, poultry meat color, salt, turkey breast meat, 1769
Ligation, follicular control, oviposition, preovulatory follicles, timing of oviposition, 288
Light, broiler, digesta, environmental temperature, feed withdrawal, 1681
Light control, broiler breeder performance, egg production, feed efficiency, hatchability, 1223†
Light intensity, broiler breeder performance, egg production, incandescent light, photoperiod, 910
Light microscopy, sperm storage tubules, turkey, uterovaginal junction, 13*
Light regimen, acclimation, broiler, heat distress, 192*
broiler breeder, intermittent light, tibial dyschondroplasia, 145*
semen, testes, 110*
Light source, body weight, broiler performance, fluorescent lighting, incandescent light, 1030†
broiler house, electricity use, growth, photoperiods, 1471
growth, reproduction, turkey, 576
Light stimulation, body composition, body weight, broiler breeder, energy intake, 715
Lighting, reproductive performance, restricted feeding, turkey breeder, 100*
Lighting effects, broiler, growth rate, leg abnormalities, 35*
Limestone, gizzard, layer, particle size, retention pattern, 185*
Limestone particle size, calcium level, *in vitro* solubilization, *in vivo* solubilization, 2170
Limestone solubility, bone status, calcium intake, layer performance, particle size, 2214
calcium, *in vitro* pH change, percentage weight loss, 2204

calcium metabolism, calcium source, layer performance, shell quality, 2199
Limited feeding, adipocyte number, broiler, lipogenesis, lipolysis, 150*
egg production, intermittent light, molt diet, strain, 8*
intermittent light, molt, primary wing feather growth, strain, 7*
layer performance, molt-induced, nutrient density, 1883
Linear programming, least-cost ration formulation, nutrient variability, stochastic programming, 39*
Linear regression, Adams-Bell model, egg production curves, Marquardt method, nonlinear models, 31*
egg production curves, nonlinear models, prediction, prediction error, 1467
Linoleic acid, palmitic acid, quail–Japanese, reproduction, 137*
yolk lipids, 1922
Lipid, broiler chick, feed availability, posthatch yolk utilization, yolk sac, 95*
broiler meat, canola, cholesterol, flax seed, 4*
Lipid carcass composition, body composition, body weight, broiler, prediction equation, 1318
Lipid energy, broiler carcasses, carcass energy, prediction, protein, 1310
Lipid metabolism, abdominal fat, egg production, layer, sorbose, 1508
broiler chick performance, diet dilution method, dietary protein, tryptophan requirement, 746
broiler pullet, continuous administration, pituitary-derived chicken growth hormone, pulsatile administration, 114*
enzyme activity, fatty acid synthase, liver, newly hatched chicks, 1183
glucagon, insulin, lipogenesis, liver explants, 91*
Lipid peroxidation, assay, chromatographic analysis, liver, malondialdehyde, 1371
malonaldehyde, sperm concentration, turkey, 32*
Lipid retention, chick performance, egg weight, hen age, sex, 135*
Lipid synthesis, energy expenditure, hyperthyroid chickens, liver explants, sodium-potassium transport, 114*
Lipid transport proteins, cholesterol metabolism, fatty acid transport, liver, 136*
Lipids, broiler chick, feed efficiency, fermented fish, nutritional quality, 270
cholesterol, dehydrated chicken meat, supercritical carbon dioxide extraction, 53*
Lipogenesis, adipocyte number, broiler, limited feeding, lipolysis, 150*
caloric:protein ratio, cellulose, dried distiller's by-product, glucose oxidation, 150*
glucagon, insulin, lipid metabolism, liver explants, 91*
Lipolysis, adipocyte, broiler, glucagon, 102*
adipocyte number, broiler, limited feeding, lipogenesis, 150*
Listeria monocytogenes, broiler, ceca, cloacal swab, colonization, 457
Litter, breast blister, broiler performance, carcass quality, raised flooring, 1644
broiler, cage layer manure, composting, turkey, 59*
broiler carcasses, microbiological quality, processing, *Salmonella,* 2128
fractionation, particle size, separation, utilization, 195*
skin, turkey tom, ulcerative dermatitis, 195*
Litter ash, bioavailability, broiler, phosphorus, 1845
Litter composition, ammonia, feed efficiency, fermented whey-sarsaponin, turkey tom performance, 133*
Litter condition, poult, stunting syndrome, virginiamycin, 5*
Litter moisture, broiler performance, *Hibiscus cannabinus* L., kenaf core litter, pine sawdust litter, 2064
Litter replacement, broiler performance, litter treatment, sulfur, 97*
Litter sodium borate treatment, brain, embryo, thyroid, water iodophor, 176*
Litter treatment, broiler performance, litter replacement, sulfur, 97*
humidity, mold inhibition, stirring, turkey tom performance, 132*
Live shrink, broiler, meat quality, processing yield, vitamin C, 52*
Liver, Alimet®, amino acid metabolism, hepatic protein synthesis, methylthioadenosine, 1188
amino acid(s), brain, thiamin deficiency, turkey, 110*
assay, chromatographic analysis, lipid peroxidation, malondialdehyde, 1371
body weight, chicken, deiodinase, 92*
cholesterol metabolism, fatty acid transport, lipid transport proteins, 136*
egg formation, layer, oviduct, protein synthesis, 264
enzyme activity, fatty acid synthase, lipid metabolism, newly hatched chicks, 1183
enzymes, function, metabolism, symposium, 1182
lysine deficiency, methionine deficiency, oviduct, protein synthesis, 84
Liver cell culture, chicken insulin, parenchymal cell, second-messenger regulation, triglyceride synthesis, 78*
Liver composition, broiler pullet, growth hormone, infusion, nucleic acid content, 845†
Liver copper content, broiler chick, calcium deficiency, copper toxicity, growth rate, 1905
Liver explants, energy expenditure, hyperthyroid chickens, lipid synthesis, sodium-potassium transport, 114*
glucagon, insulin, lipid metabolism, lipogenesis, 91*
Liver fat, egg production, layer, protein, tryptophan, 1956
Liver glycogen, 1,25-dihydroxyvitamin D_3, fluorescent lighting, tibial dyschondroplasia, vitamin D_3, 48*
Liver lipid, bone breaking strength, layer performance, sodium zeolite A, 169*
Liver lipid composition, dietary linoleic acid, egg size, yolk lipid composition, yolk weight, 634
Liver vitamin A, broiler chick, hydrated sodium calcium aluminosilicate, riboflavin utilization, tibia manganese and zinc, 1364
Location, avian influenza, flock profiling, health status, small poultry flocks, 61*
Locomotion, broiler, circadian rhythm, density, floor pen, 1087
Logits, data analysis, duration of fertility, fertility, poultry, 1764
Long segmented filamentous organism, broiler, pigmentation, serum carotenoid, 6*
Longevity, animal needs, animal welfare, ethical aspects, production systems, 1827
Lovastatin, cholesterol, colestipol, egg, layer, 852†
Low energy diet, abdominal fat, broiler performance, compensatory growth, high amino acid diet, 181*
Low fat, bacon, cured turkey thigh, turkey, 140*
Low protein diet, broiler breeder male, nitrogen retention, temperature, 185*
Low-zinc diet, biotin, chick diet, egg white, protein source, 959

Lupin seeds, autoclaved, chick performance, dehulled, nutritional value, 24*
Lutein, dietary fat, oxycarotenoids, yolk pigmentation, 354
Lutein metabolism, aflatoxin, broiler, dietary lipid, micellar theory, 53
Luteinizing hormone, adrenal corticosterone, gonadotropin secretion, quail–Japanese, restricted feeding, 95*
broiler breeder male, fertility, growth, restricted feeding, 860†
estrogens, *in vitro*, pituitary cells, turkey, 124*
incubation behavior, prolactin, sexual maturity, turkey, 47*
prolactin, steroidogenic response, turkey, 96*
Luteinizing hormone-releasing hormone, enzyme-linked immunosorbent assay, monoclonal antibodies, quantitative measurement, 81*
Lymphoblastoid cells, Marek's disease, monoclonal antibodies, nuclear antigen, 79*
Lymphocyte chemotactic factor, bursa of Fabricius, lymphocyte inhibitory factor, thymus, 249
Lymphocyte inhibitory factor, bursa of Fabricius, lymphocyte chemotactic factor, thymus, 249
Lymphocyte proliferation, immunity, *Pasteurella multocida*, protein deficiency, white blood cells, 2134
Lymphocyte surface markers, immune development, selenium deficiency, vitamin E deficiency, 32*
Lymphocytes, bursa of Fabricius, DNA degradation, glucocorticoids, programmed cell death, 1292
Lymphoid organs, chick, growth hormone, thyrotropin-releasing hormone, white blood cells, 1094
Lymphokines, concanavalin A, genetic control, interleukin-2-like activity, mitogen response, 65
Lymphomas, antibody response, avian leukosis virus, endogenous viral genes, feathering genes, 1244
congenital transmission, endogenous viral genes, feathering genes, shedding, 1251
Lysine, abdominal fat, broiler performance, starter diet, yield, 159*
amino acid excretion, crop-intubation, methionine, 149*
amino acid(s), broiler, carcass quality, crude protein, 131*
broiler performance, carcass yield, 2*
strain-cross, 18*
Lysine deficiency, liver, methionine deficiency, oviduct, protein synthesis, 84
Lysine level, broiler performance, carcass composition, growth, virginiamycin, 86*
Lysine requirement, body weight, genetics, muscle growth, quail–Japanese, 15*
Lysine utilization, efficiency, growth, metabolism, turkey, 139*
Lysine-HCl, abdominal fat, broiler performance, phase feeding, roaster, 181*
Lysozyme, conalbumin, emulsions, interfacial tension, ovalbumin, 694
food preservative, pharmaceutical preservative, stability, 107*
Macrophage, aflatoxin-B_1, chicken, mixed-function oxidase, piperonyl butoxide, 102*
age, poult, tumor necrosis factor, 67*
Macrophage functions, broiler, genetic lines, 108*
Magnesium-aspartate-hydrochloride, body weight loss, egg production, feed intake, heat stress, 1862
Magnetic resonance imaging, layer, reproductive physiology, 28*
Maintenance, broiler breeder, egg production, energy metabolism, partition of dietary energy intake, 1339
broiler breeder pullet, energy requirement, growth, restricted feeding, 1792†
Major histocompatibility complex, *B*-congenic chicken lines, molecular typing, restriction fragment length polymorphisms, 1195
recombination, ribosomal genes, 21*
Major histocompatibility complex dosage, bursal development, trisomics, 62*
Male reproductive performance, photoregimen, quail–Japanese, stress, testosterone propionate injections, 118*
Malonaldehyde, freezing method, mechanically deboned poultry meat, oxidation, vacuum packaging, 1813†
lipid peroxidation, sperm concentration, turkey, 32*
Malondialdehyde, assay, chromatographic analysis, lipid peroxidation, liver, 1371
Management, broiler house, economics, heat exchanger, 31*
Manganese, broiler performance, calcium:phosphorus ratio, dyschondroplasia, 112*
copper, fluorine, tibial dyschondroplasia, zinc, 184*
Manganese utilization, calcium, chick, phosphorus, slope ratio, 1156
standard-curve methodology, 977
Mannose, broiler, *Campylobacter jejuni*, cecal colonization, lactose, 130*
Marek's disease, chicken, interleukin-2, T-cell antigens, turkey, 72*
lymphoblastoid cells, monoclonal antibodies, nuclear antigen, 79*
Marek's disease vaccination, broiler safety, egg injection, hatching eggs, INOVOJECT™, 65*
Marigold, corn, corn gluten meal, high performance liquid chromatography, xanthophyll variability, 21*
layer age, paprika, xanthophyll, yolk color, 170*
Marigold extracts, broiler, skin pigmentation, xanthophyll, 178*
Marinade retention, bath method, broiler breasts, in-bag method, tumbling variables, 62*
Marination, broiler breast muscle, divalent cations, meat texture, rigor development, 148*
Market age, broiler, finishing feed, lactose, *Salmonella*, 378
Market survey, broiler carcasses, drug resistance, *Salmonella* characterization, *Salmonella* isolation, 592
Market weight, broiler, processing yield, sex, strain, 54*
sex, strain, yield characteristics, 42*
Marketing, change prediction, egg inventory, egg purchases reports, 30*
egg quality, Haugh unit, specific gravity, yolk color, 182*
Marquardt method, Adams-Bell model, egg production curves, linear regression, nonlinear models, 31*
Mash, broiler performance, geometric mean diameter, milo, pellet, 85*
Mass selection, body weight, carcass composition, quail–Japanese, sensory quality, 1037
Maternal thyroid status, functional properties, iodine, shell thickness, turkey eggshell, 1576
Mating behavior, aggression, broiler breeder, plasma testosterone, tryptophan, 92*
Maxiban®, monensin, narasin, nicarbazin, shuttle program in broilers, 11*
Meat quality, broiler, live shrink, processing yield, vitamin C, 52*
Meat tenderness, broiler, carcass characteristics, cimaterol, response time, 57*

broiler breast meat, duckling, post-mortem aging, 192*
broiler carcasses, electrical stimulation, temperature conditioning, 1781
Meat texture, broiler breast muscle, divalent cations, marination, rigor development, 148*
Meat yield, age, protein level, turkey, weight gain, 584
broiler, carcass quality, dietary lysine, fat content, 702
Mechanical deboning, hand deboning, iron bioavailability, protein quality, turkey meat, 341
Mechanically deboned chicken meat, crude actomyosin, polymerization, transglutaminase, 4*
egg white, gels, washing, 307
fatty acid composition, neutral lipid, phospholipid, 1414
fatty acids, neutral lipids, phospholipids, storage, 166
freezing method, malonaldehyde, oxidation, vacuum packaging, 1813†
protein solubility, proteolytic degradation, washing, 147*
Mechanically deboned turkey, gizzard meat utilization, sausage, 62*
Medium-chain triglyceride, age, broiler, metabolizable energy, true metabolizable energy, 5*
Melanocyte, fowl, sensitivity, toxicity, virtiligo, 23*
Melatonin, estradiol, layer, molt-induced, plasma melatonin, 60*
Metabolizable energy, added fat, body weight, broiler breeder performance, fertility, 1659
age, broiler, medium-chain triglyceride, true metabolizable energy, 5*
broiler, calorie:protein ratio, dietary self-selection, roaster, 61*
broiler chick, energy, soybean oil, 99*
broiler performance, digestibility, palm kernel oil, palm oil, 151*
chick, D-xylose, L-arabinose, pentose sugar, 1724
digestibility, poultry litter, roughages, ruminants, 93*
Metabolizable energy–nitrogen-corrected, broiler performance, sunflower meal, supplemental fat, 1503
fat, feather meal, protein content, 39*
nutrient composition, sorghum grain, tannin, yellow corn, 1147
Metabolizable energy–nitrogen-corrected ratios, broiler, dietary lysine, energy utilization, tissue synthesis, 1299
Merozoite, *Eimeria,* immunogenicity, sporozoite, 83*
Eimeria tenella, purification, 197*
Metabolic clearance rate, growth hormone, half-life, hypophysectomy, turkey, 1569
Metabolic hormone concentrations, adaptation, broiler breeder, juvenile protein restrictions, protein repletion, 113*
Metabolic parameters, chick, endotoxin, serum lipids, tumor necrosis factor, 69*
Metabolism, adenosine 5′-triphosphate, fowl spermatozoa, sperm motility, tetraphenylboron, 1563
aflatoxin, broiler, glutathione, renal function, 16*
aluminum, broiler chick performance, calcium, phosphorus, 966
aluminum sulfate, broiler chick, calcium, phosphorus, 985
chick, glutathione peroxidase, riboflavin, selenium, 116*
efficiency, growth, lysine utilization, turkey, 139*
enzymes, function, liver, symposium, 1182
fertilizing ability, sperm, subfertile, 72*
hen, reproductive performance, riboflavin, selenium, 116*
Metal strips, corrosion, feed preservative, mold inhibitor, propionic acid, 170*
Metaphase chromosomes, chicken, gene mapping, growth hormone gene, *in situ* hybridization, 122*
Methionine, absorption, bioavailability, cockerels, methionine hydroxy analog, 281
aflatoxin, broiler performance, mold-infested corn, niacinamide, 177*
Alimet®, broiler performance, heat stress, humidity, 194*
amino acid excretion, crop-intubation, lysine, 149*
amino acid fortification, chick, corn-soybean meal diet, 59*
broiler, carcass composition, crude protein, growing period, 193*
brown-egg-type pullet, early maturation, egg size, protein, 1943
Methionine deficiency, liver, lysine deficiency, oviduct, protein synthesis, 84
Methionine hydroxy analog, absorption, bioavailability, cockerels, methionine, 281
Methionine metabolism, 2-hydroxy-4-methylthio butanoic acid, Alimet®, methylthioadenosine, 164*
Methionine requirement, layer, protein, sulfur amino acids, 934
Methodology, eggs, *Salmonella* recovery, 17*
Methotrexate block, banding pattern, chicken, chromosomes, GBA banding, 107*
Methylthioadenosine, 2-hydroxy-4-methylthio butanoic acid, Alimet®, methionine metabolism, 164*
Alimet®, amino acid metabolism, hepatic protein synthesis, liver, 1188
Micellar theory, aflatoxin, broiler, dietary lipid, lutein metabolism, 53
Microbial growth, carbon dioxide, chemical preservatives, feed, 146*
Microbiological changes, bedding material, pathogenic bacteria, poultry litter, ruminant feed, 117*
Microbiological characteristics, broiler carcasses, broiler performance, calcium formate, formic acid, 1876
Microbiological quality, air scrubbing, broiler carcasses, chlorine, *Salmonella typhimurium,* 44*
broiler carcasses, litter, processing, *Salmonella,* 2128
reprocessing, 158*
Microbiological sampling, hard-cooked eggs, shelled egg contents, whole egg, whole egg blend, 1428
Microbiology, broiler, coliforms, composting, mortality, 36*
Microchromosomes, chicken genome, human × chicken cell hybrids, partitioning, somatic cell hybridization, 81*
Microcidial efficiency, Anaerobic Pasteurizing Conditioning System, *Escherichia coli,* pelleting, *Salmonella,* 1595†
Micrococcal nuclease, assay, *in vitro* assay, thymocytes, 35*
Microorganisms, *Escherichia coli,* feed, mold count, pelleting, 175*
Microscopy method, contraction state, laser diffraction, *Pectoralis major,* sarcomere length, 1800†
Microscopy techniques, coccidia, immunity, recombinant antigens, 40*
Microwave cooking, broiler meat, oxidative deterioration, reheating, tocopherol, 8*
chicken muscle, chicken skin, oxidation products, refrigerated storage, 833
Middle management, key poultry volunteer program, poultry and avian sciences curriculum, 145*

Milo, broiler performance, geometric mean diameter, mash, pellet, 85*
Mineral absorption, absorption site, broiler, gastrointestinal tract, retention time, 2185
Mineral apposition rate, bone, osteopenia, prelay pullets, 65*
Mineral balance, broiler, colostomy, heat distress, 155*
Minerals, eggshell membranes, fertility, incubation, turkey, 992
Minigene, chicken, oocyte, vitellogenin, 24*
Minolta Chroma Meter, chromometer, eggshell color, Hunter Colorimeter, shell measurement, 1775
Mist spray, broiler, cooling, mortality, 157*
Mitogen response, concanavalin A, genetic control, interleukin-2-like activity, lymphokines, 65
Mixed-function oxidase, aflatoxin-B_1, chicken, macrophage, piperonyl butoxide, 102*
Mixed-function oxidase system, broiler chick, cytochrome P-450, growth depression, monensin, 1285
Model, broiler, heat stress, indirect calorimetry, thermobalance, 197*
Modified technique, bioassay precision, Sibbald technique, true metabolizable energy, 149*
Moisture, endpoint temperature, physical characteristics, sensory evaluation, turkey breast meat, 106*
Mold activity, carbon dioxide, ergosterol, 58*
Mold count, *Escherichia coli*, feed, microorganisms, pelleting, 175*
Mold growth, *Aspergillus parasiticus*, feed, respirometry, 154*
carbon dioxide production, oxygen consumption, poultry feed, 9*
Mold-infested corn, aflatoxin, broiler performance, methionine, niacinamide, 177*
Mold inhibition, humidity, litter treatment, stirring, turkey tom performance, 132*
Mold inhibitor, aflatoxin, broiler breeder performance, deoxynivalenol, mycotoxins, 37
carbon dioxide, feed preservative efficacy, propionic acid, 161*
corrosion, feed preservative, metal strips, propionic acid, 170*
Molecular analysis, endogenous viral genes, feathering genes, junction fragment, unoccupied integration site, 2017
Molecular cloning, expression, nucleotide sequence, prolactin, turkey, 71*
Molecular typing, *B*-congenic chicken lines, major histocompatibility complex, restriction fragment length polymorphisms, 1195
Molt, chloride, egg production, layer, sodium, 171*
intermittent light, limited feeding, primary wing feather growth, strain, 7*
Molt diet, egg production, intermittent light, limited feeding, strain, 8*
Molt-induced, estradiol, layer, melatonin, plasma melatonin, 60*
layer performance, limited feeding, nutrient density, 1883
Molting, corn gluten feed, egg production, layer, 90
Molting programs, design need, feather loss, feed withdrawal, flock age, 126*
Monensin, anticoccidial effect, *Eimeria dispersa*, *Eimeria mitis*, intestinal scores, 1009†
body weight, feed efficiency, turkey broiler diet, virginiamycin, 1016†
broiler chick, coccidiosis, sodium zeolite A, weight gain, 276
cytochrome P-450, growth depression, mixed-function oxidase system, 1285
Eimeria, monensin plus nicarbazin, nicarbazin, resistance, 1485
resistance, 154*
Maxiban®, narasin, nicarbazin, shuttle program in broilers, 11*
Monensin plus nicarbazin, *Eimeria*, monensin, nicarbazin, resistance, 1485
resistance, 154*
Monoclonal antibodies, affinity purification, gonadotropin, turkey, 134*
biochemical analysis, flow cytometry, leucocyte-common antigens, 34*
enzyme-linked immunosorbent assay, luteinizing hormone-releasing hormone, quantitative measurement, 81*
infectious bursal disease, variant strains, 39*
lymphoblastoid cells, Marek's disease, nuclear antigen, 79*
Mortality, acclimation, broiler, fasting, heat distress, 90*
anticoccidial agents, Chukar partridge, *Eimeria*, weight gain, 1675
ascites, broiler diet, Ethacal®, high altitude, 78*
broiler, coliforms, composting, microbiology, 36*
cooling, mist spray, 157*
broiler breeder performance, broiler chick performance, nipple waterer, satellite waterer, 45
broiler carcasses, lactic acid fermentation, pathogen-free, 98*
curtain turkey houses, electrical energy, fluorescent lighting, weight gain, 160*
egg production, feed consumption, layer, lenses, 165*
feed efficiency, red plastic lenses, 153*
egg weight, fasting, glucose, poult, 1718
Most probable number, animal meat meal, food preservative, ProStat™, *Salmonella*, 184*
Motility, bacterial attachment, d-mannose, flagella, *Pseudomonoas aeruginosa*, 1404
chicken, glycerol, oviducal cultures, spermatozoa, 1759
Mouse erythrocyte immunization, immune response profile, immunocyte precursors, plasma cells, proliferative phase, 121*
Mouse tyrosinase, chick cells and tissues, gene expression, transgenics, vector, 26*
Mouth lesions, beak discoloration, broiler breeder, diacetoxyscirpenol, 124*
Movable roost, behavior, egg production, layer, welfare, 2118
Multimedia, lecture techniques, PODIUM educational computer software, video disc, 117*
Multiple-hen cages, age, behavior, caged rearing versus floor rearing, layer, 1652
Multistate meetings, Extension Service, poultry industry, poultry programs, regionalization, 231
***Musca domestica* automated spray equipment,** *Fannis canicularis*, fly resistance, synergized pyrethrins, 736
Muscle fiber, broiler, duckling, *pectoralis major* muscle, 126*
Muscle fiber type, broiler, histochemical determination, skeletal muscle, staining procedure, 1433
Muscle growth, body weight, genetics, lysine requirement, quail–Japanese, 15*
broiler, corticosterone, protein synthesis, trilostane, 2143

focal myopathy, growth selection, turkey, 1553
Muscle protein degradation, 3-methylhistidine, broiler chick, hypophysectomy, 89*
Muscle tensioning, broiler meat, electrical stimulation, fragmentation, tenderness, 19*
Muscovy drake, precocious puberty, semen, tamoxifen, turkey tom, 176†
Muscovy duck, cockerels, digestibility of polysaccharides, nonstarch polysaccharides, rats, 623
Musculus pectoralis, chicken, denervation, 124
Mycoplasma gallisepticum, chicken, immunoblotting, species-specific proteins, turkey, 10*
corneal opacity, pullet, vaccination, weight loss, 159*
diagnosis, F-strain, flow cytometry, *Mycoplasma synoviae,* 1070
flow cytometry, *Mycoplasma synoviae,* 178*
enzyme-linked immunosorbent assay, turkey, vaccination, 43*
Mycoplasma synoviae, diagnosis, F-strain, flow cytometry, *Mycoplasma gallisepticum,* 1070
flow cytometry, *Mycoplasma gallisepticum,* 178*
isolates, restriction endonuclease, sodium dodecyl sulfate-polyacrylamide gel electrophoresis, turkey, 80*
Mycotoxin, aflatoxin, Chukar partridge, ochratoxin, T-2 toxin, 343*
broiler chick, ochratoxin, *Salmonella,* 47*
corn, *Fusarium,* immunosuppression, tibial dyschondroplasia, 146*
Mycotoxins, aflatoxin, broiler breeder performance, deoxynivalenol, mold inhibitor, 37
deoxynivalenol, fusariotoxicosis, waterfowl, 170*
Myofibrillar protein, adhesion strength, broiler breast meat, cook-in-the-film procedure, poultry meat product, 360†
Myoglobin, cytochrome c, heme-complex, ligand, turkey breast meat color, 157
Narasin, broiler performance, feed additives, roxarsone, zinc bacitracin, 898
Maxiban®, monensin, nicarbazin, shuttle program in broilers, 11*
Needs, human resources, poultry industry, public awareness, waste management, 2110
Neonatal heat stress, broiler, heat shock proteins, protein synthesis profile, thermotolerance, 9*
Neonatal immunity, adoptive immunity, immunocyte precursors, plaque-forming cells, unprimed chicken, 1103
Nervousness, feathering, layer, productivity, rearing environment, 902
Neuraminidase, fertility, sialic acid, sperm storage, spermatozoa, 119
Neuroendocrine involvement, broiler cockerel, hypothalamus, stress, thermotolerance, 123*
Neutral lipids, fatty acid composition, mechanically deboned chicken meat, phospholipid, 1414
fatty acids, mechanically deboned chicken meat, phospholipids, storage, 166
New England states, Extension Service, poultry programs, regionalization, 242
Newcastle disease virus, Fayoumi, hemagglutination-inhibition titer, season effect, vaccination, 88*
Newly hatched chicks, enzyme activity, fatty acid synthase, lipid metabolism, liver, 1183
Niacin, body weight, broiler, corn-soybean meal diet, feed conversion, 2231†
poult, tryptophan, tryptophan-into-niacin conversion, 446
Niacin requirement, body weight, broiler chick, feed conversion, leg abnormalities, 433
Niacinamide, aflatoxin, broiler performance, methionine, mold-infested corn, 177*
body weight, poult growth, salt, stocking density, 661
Nicarbazin, *Eimeria,* monensin, monensin plus nicarbazin, resistance, 1485
resistance, 154*
Maxiban®, monensin, narasin, shuttle program in broilers, 11*
Nicotinamide, amino acid(s), heme-complex, pH, poultry meat color, 2040
Nipple number and location, cage shape, layer performance, nipple waterers, water consumption, 2086
Nipple waterer, behavior, body weight, pullet, waterer usage, 1020†
broiler breeder performance, broiler chick performance, mortality, satellite waterer, 45
cage shape, layer performance, strain, 55*
nipple number and location, water consumption, 2086
Nitrogen metabolism, chicken, dietary protein, fatness, genetic lines, 1911
Nitrogen retention, broiler breeder male, low protein diet, temperature, 185*
Nonlinear models, Adams-Bell model, egg production curves, linear regression, Marquardt method, 31*
egg production curves, growth curves, prediction, time, 1064
linear regression, prediction, prediction error, 1467
Nonneoplastic wasting syndrome, avian leukosis, hematocrit, 49*
Nonstarch polysaccharides, cockerels, digestibility of polysaccharides, Muscovy duck, rats, 623
Novobiocin, enrichment procedure, *Salmonella* isolation, tetrathionate broth, 721
Nuclear antigen, lymphoblastoid cells, Marek's disease, monoclonal antibodies, 79*
Nuclease degradation, chromosomal DNA, deoxyribonuclease 1, foreign DNA, sperm cells, 856†
Nucleic acid content, broiler pullet, growth hormone, infusion, liver composition, 845†
Nucleic acids, 3-methylhistidine, breast muscle composition, chick, protein concentration, 1325
Nucleotide sequence, cloning, growth hormone, turkey, 52*
expression, molecular cloning, prolactin, turkey, 71*
Nuisance, ordinance, siting standards, turkey forum, urban encroachment, 138*
Nutrient composition, extruded soybean meal, turkey performance, 93*
metabolizable energy–nitrogen-corrected, sorghum grain, tannin, yellow corn, 1147
Nutrient density, layer performance, limited feeding, molt-induced, 1883
Nutrient management program, broiler production, waste, 31*
Nutrient restriction, abdominal fat, broiler performance, compensatory growth, early life, 652
Nutrient retention, disaccharidases, pale-bird syndrome, stunting syndrome, turkey, 1931
Nutrient utilization, calcium level, calcium soaps, layer, true metabolizable energy, 768
Nutrient variability, least-cost ration formulation, linear programming, stochastic programming, 39*
Nutrimin-B, feed efficiency, layer performance, Supermin-Gold, 156*

Nutrition, egg yolk, folate metabolism, half-life, layer, 123*
Nutritional quality, broiler chick, feed efficiency, fermented fish, lipids, 270
Nutritional status, commercial flock survey, egg content, layer, vitamin profiles, 129*
Nutritional value, autoclaved, chick performance, dehulled, lupin seeds, 24*
broiler, chemical composition, shatter cane, tannin, 45*
grain form, grain source, pelleting, 2150
broiler chick, corn, infrared treatment, sorghum grain, 45*
broiler diet, corn, pearl millet, sorghum, 132*
broiler performance, chemical composition, triticale, 177*
cockerels, growth, quail–Japanese, *Spirulina plantensis*, 794
Oat bran, egg cholesterol, fish oil, layer, rice bran, 3*
Obese chicken, autoimmunity, chicken growth hormone, thyroid hormone, 88*
Objective texture, broiler breast meat, carcass yield, feed withdrawal, shrink, 86*
Ochratoxin, aflatoxin, Chukar partridge, mycotoxin, T-2 toxin, 343*
broiler chick, mycotoxin, *Salmonella*, 47*
broiler performance, phenylalanine, 414
Ochratoxin A, blood chemistry, broiler chick, phenylalanine, 420
Off-flavor, chicken patties, reheating, storage, 320
Oligosaccharides, digestibility, rooster, soybean meal, true metabolizable energy–nitrogen-corrected, 787
Omega-3 fatty acids, broiler performance, fat concentration, fish oil, soybean oil, 99*
canola seed, egg composition, flax seed, layer, 33*
Oocyst, amprolium, coccidiosis, halofuginone, turkey, 89*
Oocyte, chicken, minigene, vitellogenin, 24*
Oral administration, alanine-producing bacteria, chick growth, urea, 1023†
Oral rehydration, broiler performance, heat stress, summer growing conditions, water treatment, 1851
Orange G binding, overprocessing, protein solubility, soybean meal, urease activity, 76
Ordinance, nuisance, siting standards, turkey forum, urban encroachment, 138*
Orotic acid, egg cholesterol, layer performance, 157*
Osteopenia, bone, mineral apposition rate, prelay pullets, 65*
Osteoporosis, dietary phosphorus, pullet, sexual maturity, urinary calcium, 109*
Ostrich, blood samples, clinical chemistry, emu, serum biochemical values, 12*
Outlook, environment, federal budget, poultry industry, public-private cooperation, 2114
food safety, poultry industry, products, 2103
Ovalbumin, conalbumin, egg white gelation, elastic modulus, 179*
emulsions, interfacial tension, lysozyme, 694
Ovarian tissue, egg production, granulosa cells, heat stress, progesterone, 100*
Ovary, antisera, chicken, immunocytochemistry, steroids, 100*
granulosa, growth factors, plasminogen activator, protein kinase C, 292
layer, reproductive tract, vitamin A deficiency, 17*
Overcooking, age, soybean meal, turkey, turkey performance, 175*
Overprocessing, orange G binding, protein solubility, soybean meal, urease activity, 76
Overpull, egg candling, training program, undergrade eggs, 131*
Oviducal cultures, chicken, glycerol, motility, spermatozoa, 1759
Oviduct, body weight, carcass characteristics, forced-molt, turkey breeder, 194*
egg formation, layer, liver, protein synthesis, 264
liver, lysine deficiency, methionine deficiency, protein synthesis, 84
Oviduct removal, chicken, plasma luteinizing hormone, quail–Japanese, 26*
Oviduct weight, chick, estrogen-induced, shell gland, thyroid hormone modulaton, 73*
Ovine corticotropin-releasing factor, adrenal cells, corticosterone, leukocytes, 63*
Oviposition, egg production, eggshell quality, postoviposition, tibia status, 2068
fertility, intrauterine insemination, sperm host glands, spermatozoa, 138
follicular control, ligation, preovulatory follicles, timing of oviposition, 288
Ovulation, follicular maturation, granulosa, plasminogen activator, theca, 134*
Oxidation, freezing method, malonaldehyde, mechanically deboned poultry meat, vacuum packaging, 1813†
Oxidation products, chicken muscle, chicken skin, microwave cooking, refrigerated storage, 833
Oxidative deterioration, broiler meat, microwave cooking, reheating, tocopherol, 8*
Oxycarotenoids, dietary fat, lutein, yolk pigmentation, 354
Oxygen, embryonic carbohydrate metabolism, hatchability, iodine, turkey egg, 34*
Oxygen consumption, biopotency, chick, thyroxine, triiodothyronine, 1027†
carbon dioxide production, mold growth, poultry feed, 9*
Oxygen partial pressures, eggshell permeability, hatchability, turkey egg, 451
Oxygen supplementation, hematology, high altitude, incubation, turkey embryo, 2035
Oyster shell, bone ash, bone development, turkey, 14*
Paired feeding, broiler, sodium aluminosilicate, sodium availability, 93*
Pale-bird syndrome, disaccharidases, nutrient retention, stunting syndrome, turkey, 1931
Palm kernel oil, broiler performance, digestibility, metabolizable energy, palm oil, 151*
Palm oil, broiler performance, digestibility, metabolizable energy, palm kernel oil, 151*
Palmitic acid, linoleic acid, quail–Japanese, reproduction, 137*
yolk lipids, 1922
Pancreas, chicken, chymotrypsin, elastase, trypsin, 57*
Pancreatic trypsin inhibitor, chicken pancreas, chromatography, isoelectric focusing, 640
Panel responses, broiler breast meat, deboning time, sensory test, shear value, 1420
Pantothenic acid requirement, broiler, riboflavin requirement, 43*
Paper under water lines, broiler performance, satellite cups, water management, 63*
Paprika, layer age, marigold, xanthophyll, yolk color, 170*
Parameter estimation, genetic correlation, genetic variance, selection, 68*
Peranatal period, chick weight, eggshell conductance, hatchability, incubation conditions, 545

Parathyroid gland localization, sudan black, vital stain, 133
Parenchymal cell, chicken insulin, liver cell culture, second-messenger regulation, triglyceride synthesis, 78*
Parent age, broiler performance, egg weight loss, incubation, posthatch treatment, 526
Partial record, egg production, index, persistency, selection, 1447
Particle size, body weight gain, broiler performance, feed intake, sorghum grain, 2177
bone status, calcium intake, layer performance, limestone solubility, 2214
broiler chick, calcium, defluorinated phosphate, phosphorus, 1110
fractionation, litter, separation, utilization, 195*
gizzard, layer, limestone, retention pattern, 185*
Partition of dietary energy intake, broiler breeder, egg production, energy metabolism, maintenance, 1339
Partitioning, chicken genome, human × chicken cell hybrids, microchromosomes, somatic cell hybridization, 81*
Parts yield, amino acid(s), dietary protein, soybean meal, turkey, 173*
antibiotics, broiler performance, dressing percentage, processing characteristics, 1787
canola meal, taste preference, turkey, 138*
Pasteurella multocida, immunity, lymphocyte proliferation, protein deficiency, white blood cells, 2134
Pathogen-free, broiler carcasses, lactic acid fermentation, mortality, 98*
Pathogenic bacteria, bedding material, microbiological changes, poultry litter, ruminant feed, 117*
Pathogenicity, avian influenza, chicken, 26*
Pathology, *Aspergillus fumigatus,* lesion, pigeon, reticuloendothelial system, 2*
pigeon, susceptibility, 2*
Peafowl, color mutation, genetics, plumage color, white allele, 128*
Pearl millet, broiler diet, corn, nutritional value, sorghum, 132*
Pectoralis major, contraction state, laser diffraction, microscopy method, sarcomere length, 1800†
***Pectoralis major* muscle,** broiler, duckling, muscle fiber, 126*
cooking method, deboning time, sensory evaluation, Texture Profile Analysis, 329
Peelability, eggs–white versus brown, hard-cooked eggs, physical and chemical composition, storage conditions, 1614†
Pellet, broiler performance, geometric mean diameter, mash, milo, 85*
Pellet integrity, broiler performance, calcium lignosulfonate, dietary energy, summer-raised, 198*
Pelleting, Anaerobic Pasteurizing Conditioning System, *Escherichia coli,* microcidial efficiency, *Salmonella,* 1595†
broiler, grain form, grain source, nutritional value, 2150
Escherichia coli, feed, microorganisms, mold count, 175*
Pen location, body weight, feed line, feed nutrient content, pullet, 56*
Pentosanase, broiler chick, growth rate, rye, viscosity, 16*
Pentose sugar, chick, D-xylose, L-arabinose, metabolizable energy, 1724
Pepsin digestibility, feather meal quality, feather processing, lanthionine, sulfur amino acids, 953
Peptide histidine isoleucine, prolactin secretion, turkey, vasoactive intestinal peptide, 1209
Percentage weight loss, calcium, *in vitro* pH change, limestone solubility, 2204
Perivitelline layer, acrosome reaction, avian sperm-egg interaction, sperm receptor, spermatozoa, 1012†
Persistency, egg production, index, partial record, selection, 1447
pH, amino acid(s), heme-complex, nicotinamide, poultry meat color, 2040
broiler breast meat, sarcomere length, shear method, tenderness, 348
broiler chick, colonization, inoculation method, *Salmonella typhimurium,* 1809†
chicken breast meat, dynamic rheological testing, gelation, salt-soluble proteins, 2220
combined halogen, disinfectant, halamine, poultry processing, 1590
Pharmaceutical preservative, food preservative, lysozyme, stability, 107*
Pharmacogenetics, chick embryo, developmental genetics, ethanol, 15*
Phase feeding, abdominal fat, broiler performance, lysine·HCl, roaster, 181*
Pheasant breeder, brewer's dried grains, diet, egg production, hatchability, 1491
Phenotypic variation, heritability, prelaying behavior, single cages, strain differences, 1231
Phenylalanine, blood chemistry, broiler chick, ochratoxin A, 420
broiler performance, ochratoxin, 414
Phosphate, feed grade quality, supplier differences, 174*
Phosphatemia, dietary calcium, layer, phosphorus, urinary calcium, 1991
Phospholipid, fatty acid composition, mechanically deboned chicken meat, neutral lipid, 1414
Phospholipids, fatty acids, mechanically deboned chicken meat, neutral lipids, storage, 166
Phosphorus, 25-hydroxycholecalciferol, broiler, vitamin D_3, 178*
aflatoxicosis, broiler, calcium, renal function, 1796†
aluminum, broiler chick performance, calcium, metabolism, 966
aluminum sulfate, broiler chick, calcium, metabolism, 985
bioavailability, broiler, litter ash, 1845
broiler, corn-soybean meal diet, genetic strain, 113*
broiler chick, calcium, defluorinated phosphate, particle size, 1110
dyschondroplasia, leg abnormalities, 1496
broiler performance, calcium, carcass composition, finisher period, 125*
calcium, chick, manganese utilization, slope ratio, 1156
standard-curve methodology, 977
feed, x-ray fluorescence spectroscopy, 1803†
dietary calcium, layer, phosphatemia, urinary calcium, 1991
egg production, layer, specific gravity, synthetic sodium aluminosilicate, 2195
layer, shell quality, sodium aluminosilicate, 105
Phosphorus availability, aluminum availability, layer, plasma phosphorus, 2237†
Phosphorus bioavailability, biological value, bone ash, chick, commercial phosphate, 113
Phosphorus deficiency, broiler performance, phytase, 133*

Phosphorus level, digestive tract, eggshell quality, *in vivo* limestone solubilization, layer, 101*
egg production, egg specific gravity, phosphorus source, sodium aluminosilicate, 2157
Phosphorus source, egg production, egg specific gravity, phosphorus level, sodium aluminosilicate, 2157
sodium, turkey, 84*
Phosphorus utilization, casein-dextrose diet, corn-soybean meal diet, poultry, sodium aluminosilicate, 97*
Photoperiod, broiler breeder performance, egg production, incandescent light, light intensity, 910
Photoperiods, broiler house, electricity use, growth, light source, 1471
Photoregimen, abdominal fat, broiler, growth, restricted feeding, 99*
male reproductive performance, quail–Japanese, stress, testosterone propionate injections, 118*
Photostimulation, age, reproduction, restricted feeding, turkey breeder hen, 1522
precocity, semen production, turkey tom, 49*
Physical and chemical composition, eggs–white versus brown, hard-cooked eggs, peelability, storage conditions, 1614†
Physical characteristics, endpoint temperature, moisture, sensory evaluation, turkey breast meat, 106*
Phytase, broiler performance, phosphorus deficiency, 133*
Phytate phosphorus utilization, aluminum, broiler chick, dietary supplement, iron, 129*
Phytohemagglutinin, basophil hypersensitivity, immunity, immunocompetence, interdigital skin test, 403
Pigeon, *Aspergillus fumigatus,* lesion, pathology, reticuloendothelial system, 2*
pathology, susceptibility, 2*
Pigmentation, assay, canthaxanthin, egg yolk, layer, 1610†
bioavailability, *cis*-lutein, egg yolk, 58*
broiler, long segmented filamentous organism, serum carotenoid, 6*
Pine sawdust litter, broiler performance, *Hibiscus cannabinus* L., kenaf core litter, litter moisture, 2064
Pine shavings, broiler litter, recycled paper chips, 81*
Piperonyl butoxide, aflatoxin-B_1, chicken, macrophage, mixed-function oxidase, 102*
Pipped eggs, heritability, semen ejaculate, turkey, 127*
Pituitary cells, estrogens, *in vitro,* luteinizing hormone, turkey, 124*
Pituitary-derived chicken growth hormone, broiler pullet, continuous administration, lipid metabolism, pulsatile administration, 114*
Pituitary extracts, glycosylated isoforms, prolactin, sodium dodecyl sulfate-electrophoresis, turkey, 108*
Plane of nutrition, carcass yield, compensatory growth, protein consumption, turkey, 1743
Plaque-forming cells, adoptive immunity, immunocyte precursors, neonatal immunity, unprimed chicken, 1103
Plasma, cholesterol, quail–Japanese, selection, yolk, 141*
Plasma aldosterone, broiler chick, dietary salt, gain, 163*
extraction procedure, radioimmunoassay, 163*
Plasma calcium, bone strength, eggshell quality, layer diet, vitamin D_3 metabolites, 426
boron, broiler breeder performance, egg production, shell quality, 108*
Plasma cells, immune response profile, immunocyte precursors, mouse erythrocyte immunization, proliferative phase, 121*
Plasma cholesterol, adrenocorticotropic hormone, divergent selection, quail–Japanese, 205
β-glucanase, barley, egg cholesterol, layer, 183*
Plasma growth hormone, egg production, Gompertz equation, growth curve, turkey, 2057
Plasma hormone level, broodiness, dosimetry study, epostane, turkey hen, 40*
Plasma hormones, broody-prone, epostane, turkey hen, 103*
growth, turkey, 27*
Plasma lipoprotein, abdominal fat, feed conversion, leanness, selection, 143*
Plasma luteinizing hormone, chicken, oviduct removal, quail–Japanese, 26*
Plasma melatonin, estradiol, layer, melatonin, molt-induced, 60*
Plasma phosphorus, aluminum availability, layer, phosphorus availability, 2237†
body weight, quail, reproduction, yolk precursor, 1055
Plasma testosterone, aggression, broiler breeder, mating behavior, tryptophan, 92*
Plasma thyroid hormone, embryo age, embryo weight, tetraiodothyronine, triiodothyronine, 1388
Plasma thyroxine, ascorbic acid, eggshell quality, layer, thiouracil, 180*
egg production, eggshell quality, layer, thiouracil, 104*
Plasminogen activator, follicular maturation, granulosa, ovulation, theca, 134*
granulosa, growth factors, ovary, protein kinase C, 292
Plasson hanging bell waterer, body weight, broiler performance, Chore-Time cups, feed conversion, 71*
Plating media, foodborne pathogen, isolation of *Yersinia, Yersinia* bacterium methodology, 686
Plumage color, color loci, turkey, 118*
color mutation, genetics, peafowl, white allele, 128*
Plumage color genetics, chicken, eye color, shank color, 128*
PODIUM educational computer software, lecture techniques, multimedia, video disc, 117*
Polymer flocculation, aluminum, dissolved air flotation sludge, evisceration wastewater, iron, 179*
Polymerization, crude actomyosin, mechanically deboned chicken meat, transglutaminase, 4*
Polymorphic-nucleoli, embryo development, ribosomal RNA gene copy number, 41*
Population density, cage space, colony size, decision analysis, layer, 114*
Posthatch treatment, broiler performance, egg weight loss, incubation, parent age, 526
Posthatch yolk utilization, broiler chick, feed availability, lipid, yolk sac, 95*
Postmolt performance, dietary protein, egg production, layer, 74*
electrolytes, layer, strain, vitamins, 105*
Post-mortem, broiler breast meat, electrical stimulation, shear value, tenderization, 168*
Post-mortem aging, broiler breast meat, duckling, meat tenderness, 192*
Postoviposition, egg production, eggshell quality, oviposition, tibia status, 2068
Postrest period, fertility, semen collection frequency, semen production, 183*
Potassium, ascitic syndrome, broiler chick, sodium, 9*
blood gas, broiler, heat distress, sodium, 42*
Potassium chloride, broiler, heat stress, ionized calcium, 4*
Potassium salts, dark turkey meat, quality characteristics, sodium salt, turkey patties, 471
Poult, aflatoxicosis, body weight, hydrated sodium calcium aluminosilicate, 175*

age, apparent metabolizable energy–nitrogen-corrected, broiler chick, canola oil, 50*
amino acid requirement, grower diet, protein level, 30*
macrophage, tumor necrosis factor, 67*
aircraft overflight, behavioral effects, sound, 22*
animal protein diet, corn-soybean meal diet, dietary changes, stunting syndrome, 8*
blood pressure and heart rate, catecholamine level, coccidiosis, epinephrine, 10*
body weight, feed efficiency, restricted feeding, 107*
broiler performance, fat retention, taurine, 195*
colonization, lactose, *Salmonella*, 37*
egg weight, fasting, glucose, mortality, 1718
litter condition, stunting syndrome, virginiamycin, 5*
niacin, tryptophan, tryptophan-into-niacin conversion, 446
Poult growth, body weight, niacinamide, salt, stocking density, 661
Poult performance, broiler performance, protein deficiency, restricted feeding, sodium deficiency, 945
Poultry, amino acid digestibility, swine, 60*
casein-dextrose diet, corn-soybean meal diet, phosphorus utilization, sodium aluminosilicate, 97*
data analysis, duration of fertility, fertility, logits, 1764
Poultry and avian sciences curriculum, key poultry volunteer program, middle management, 145*
Poultry by-product meal, alfalfa meal, amino acid(s), energy, feather meal, 1544
Poultry experience, internships, research, undergraduate, work experience, 129*
Poultry fat, animal-vegetable fat, fat absorbability, restaurant grease, turkey, 55*
Poultry feed, carbon dioxide production, mold growth, oxygen consumption, 9*
Poultry industry, academia, Extension Service, research, students, 2107
future, government, poultry science in the year 2000, 2102
environment, federal budget, outlook, public-private cooperation, 2114
Extension Service, multistate meetings, poultry programs, regionalization, 231
poultry programs, regionalization, 236
food safety, outlook, products, 2103
human resources, needs, public awareness, waste management, 2110
Poultry litter, antifungal activity, *Aspergillus parasiticus*, boric acid, darkling beetle, 147*
bedding material, microbiological changes, pathogenic bacteria, ruminant feed, 117*
digestibility, metabolizable energy, roughages, ruminants, 93*
Poultry management, computer program, problem solving, undergraduate course, 105*
Poultry meat color, amino acid(s), heme-complex, nicotinamide, pH, 2040
heme-complex, ligand, salt, turkey breast meat, 1769
Poultry meat product, adhesion strength, broiler breast meat, cook-in-the-film procedure, myofibrillar protein, 360†
Poultry processing, combined halogen, disinfectant, halamine, pH, 1590
Salmonella typhimurium, 2248†
Poultry products, adulterant, chicken, turkey, 86*
Poultry programs, Extension Service, multistate meetings, poultry industry, regionalization, 231
New England states, regionalization, 242
poultry industry, regionalization, 236
regionalization, specialists, 238
youth programs, 224
Poultry research programs, conferences, Extension Service, regionalization, youth programs, 233
Poultry science, enrollment, recruitment, undergraduate programs, 563
Poultry Science, instructions for contributors, 200
Poultry Science Association, Constitution and By-Laws, 183
poultry students, recruitment, videotape, 111*
Poultry science in the year 2000, academia, future, government, poultry industry, 2102
Poultry students, Poultry Science Association, recruitment, videotape, 111*
Poultry survey, characterization, educational needs, small flock owners, 144*
Prebreeder feeding, body weight, broiler breeder hen performance, dietary protein, egg production, 1118
Precalcified ova, blastoderm, early oviposition, prostaglandins, 59*
Precocious puberty, Muscovy drake, semen, tamoxifen, turkey tom, 176†
Precocity, photostimulation, semen production, turkey tom, 49*
Prediction, broiler carcasses, carcass energy, lipid energy, protein, 1310
egg production curves, growth curves, nonlinear models, time, 1064
linear regression, nonlinear models, prediction error, 1467
Prediction equation, body composition, body weight, broiler, lipid carcass composition, 1318
intact eggs, shell quality, shell weight, specific gravity, 192*
Prediction error, egg production curves, linear regression, nonlinear models, prediction, 1467
Preenrichment, broiler carcasses, enzyme-linked immunosorbent assay, *Salmonella* detection, whole carcass rinse samples, 185*
Preferential mating, broiler breeder performance, fertility, separate feeding, 166*
Prelay pullets, bone, mineral apposition rate, osteopenia, 65*
Prelayer diet, broiler breeder performance, fertility, pretransition lighting, pullet-layer transition, 1141
Prelaying behavior, heritability, phenotypic variation, single cages, strain differences, 1231
Preovulatory follicles, follicular control, ligation, oviposition, timing of oviposition, 288
Prescald cleaning, broiler, carcass washing, fecal contamination, prototype machine, 121*
Pretransition lighting, broiler breeder performance, fertility, prelayer diet, pullet-layer transition, 1141
Primary wing feather growth, intermittent light, limited feeding, molt, strain, 7*
Primary wing feather loss, regrowth, strain, 7*
Primilac®, broiler, carcass *Salmonella* count, cecal count, *Salmonella*, 70*
Probiotic, broiler, *Salmonella typhimurium*, whey, withdrawal feed, 1670
Probiotics, egg mass, egg weight, layer, zinc bacitracin, 65*
Problem solving, computer program, poultry management, undergraduate course, 105*
Processing, broiler carcasses, litter, microbiological quality, *Salmonella*, 2128

broiler litter, contamination, recycled paper, *Salmonella*, 109*
Processing characteristics, antibiotics, broiler performance, dressing percentage, parts yield, 1787
Processing waste, *Aeromonas hydrophilas*, bacterial pathogens, broiler, lactic acid fermentation, 116*
broiler, fermentation, silage culture, 188*
Processing yield, broiler, live shrink, meat quality, vitamin C, 52*
market weight, sex, strain, 54*
broiler performance, Ethacal®, zeolite A, 155*
Processing yields, feed conversion, growth performance, rabbit waste, turkey, 196*
Production parameters, bone breaking strength, layer performance, sodium zeolite A, 73*
Production systems, animal needs, animal welfare, ethical aspects, longevity, 1827
Production traits, alloantigen systems, antibody response, chicken lines, sheep erythrocytes, 871
Productivity, feathering, layer, nervousness, rearing environment, 902
Products, food safety, outlook, poultry industry, 2103
Profitability, broiler production, Canada, trade barriers, 11*
Progeny, breeder hen performance, copper, iron, zinc, 259
broiler breeder, quantitative traits, selection, 193*
Progesterone, egg production, granulosa cells, heat stress, ovarian tissue, 100*
Programmed cell death, bursa of Fabricius, DNA degradation, glucocorticoids, lymphocytes, 1292
Prolactin, dopaminergic activity, electrical stimulation, incubation, turkey, 47*
expression, molecular cloning, nucleotide sequence, turkey, 71*
glycosylated isoforms, pituitary extracts, sodium dodecyl sulfate-electrophoresis, turkey, 108*
incubation behavior, luteinizing hormone, sexual maturity, turkey, 47*
luteinizing hormone, steroidogenic response, turkey, 96*
Prolactin secretion, peptide histidine isoleucine, turkey, vasoactive intestinal peptide, 1209
Proliferative phase, immune response profile, immunocyte precursors, mouse erythrocyte immunization, plasma cells, 121*
Prophylactic effect, broiler, cottonseed meal, ferrous sulfate, gossypol, 6*
Propidium iodide, 96-well format, carboxyfluorescein diacetate, fluorescent staining, spermatozoa, 1602†
Propionic acid, broiler breeder pullet, growing period, laying period, restricted feeding, 106*
carbon dioxide, feed preservative efficacy, mold inhibitor, 161*
corrosion, feed preservative, metal strips, mold inhibitor, 170*
Propylthiouracil, age dependency, chick, heat production, triiodothyronine-induced thermogenesis, 1599†
cannulation, growth hormone, hypothyroidism, turkey, 82*
Prostaglandins, blastoderm, early oviposition, precalcified ova, 59*
follicles, shell-less eggs, soft-shelled eggs, uterus, 63*
ProStat™, animal meat meal, food preservative, most probable number, *Salmonella*, 184*
Protective immunity, coccidiosis, intestinal immunity, intestinal intraepithelial lymphocytes, T-cell, 83*
Protein, 1,25-dihydroxycholecalciferol, broiler, calcium, tibial dyschondroplasia, 46*
amino acid(s), broiler, corn, layer, 22*
egg components, layer performance, 104*
arginine requirement, broiler chick, growth rate, 1377
barley, broiler chick, feeding value, 6*
barley flour, cholesterol, eggs, layer, 18*
body composition, energy, temperature, turkey tom performance, 50*
broiler carcasses, carcass energy, lipid energy, prediction, 1310
broiler diet, carcass composition, essential amino acids, 103*
brown-egg-type pullet, early maturation, egg size, methionine, 1943
egg production, layer, liver fat, tryptophan, 1956
energy, feed levels, growth, pullet performance, 137*
leg strength, turkey performance, 73*
feeding regimen, layer performance, 84*
layer, methionine requirement, sulfur amino acids, 934
Protein binding, aflatoxin, chicken blood, enzyme-linked immunosorbent assay, storage, 10*
Protein characteristics, amino acid(s), corn, drought, yield, 83*
Protein concentration, 3-methylhistidine, breast muscle composition, chick, nucleic acids, 1325
body weight gain, broiler chick, glutamic acid, synthetic amino acids, 1950
broiler response, glutamic acid, synthetic amino acids, 67*
Protein consumption, carcass yield, compensatory growth, plane of nutrition, turkey, 1743
compensatory growth, leg abnormalities, restricted growth, turkey performance, 1731
Protein content, fat, feather meal, metabolizable energy–nitrogen-corrected, 39*
Protein deficiency, broiler performance, poult performance, restricted feeding, sodium deficiency, 945
immunity, lymphocyte proliferation, *Pasteurella multocida*, white blood cells, 2134
Protein digestibility, β-glucan, barley, bioavailable energy, enzyme supplementation, 1174
Protein kinase c, calmodulin dependent kinase, cytokine, interleukin-1 production, 21*
cyclic adenosine monophosphate, small yellow follicles, steroidogenesis, theca cells, 75*
Protein kinase C, granulosa, growth factors, ovary, plasminogen activator, 292
Protein level, age, amino acid requirement, grower diet, poult, 30*
meat yield, turkey, weight gain, 584
amino acid(s), growing pullet performance, layer performance, 71*
carcass characteristics, energy restriction, high-fat versus low-fat diet, turkey tom, 1982
grower diet, guinea fowl, tropical climate, weight gain, 54*
Protein needs, egg production, grain combinations, layer, 44*
Protein quality, amino acid digestibility, chicken, corn gluten feed, true metabolizable energy–nitrogen-corrected, 1165
hand deboning, iron bioavailability, mechanical deboning, turkey meat, 341
Protein repletion, adaptation, broiler breeder, juvenile protein restrictions, metabolic hormone concentrations, 113*
Protein requirement, abdominal fat, amino acid(s), broiler production, 194*

Protein solubility, fat content, laboratory determination, soybean meal, 153*
mechanically deboned chicken meat, proteolytic degradation, washing, 147*
orange G binding, overprocessing, soybean meal, urease activity, 76
soybean meal, trypsin inhibitor, underprocessing, urease activity, 1749
Protein source, biotin, chick diet, egg white, low-zinc diet, 959
bloodmeal, broiler chick, white lupins, 156*
broiler, cereal, diet, sudden death syndrome, 1331
Protein supplement, amino acid balance, broiler chick performance, 156*
broiler diet, sesame seed meal, soybean oil meal, 157*
Protein synthesis, broiler, corticosterone, muscle growth, trilostane, 2143
egg formation, layer, liver, oviduct, 264
liver, lysine deficiency, methionine deficiency, oviduct, 84
Protein synthesis profile, broiler, heat shock proteins, neonatal heat stress, thermotolerance, 9*
Proteoglycans, broiler chick, dwarfism, epiphyseal growth plate, skeletal development, 1399
Proteolytic degradation, mechanically deboned chicken meat, protein solubility, washing, 147*
Prototype machine, broiler, carcass washing, fecal contamination, prescald cleaning, 121*
Pseudomonoas aeruginosa, bacterial attachment, d-mannose, flagella, motility, 1404
Public awareness, human resources, needs, poultry industry, waste management, 2110
Public-private cooperation, environment, federal budget, outlook, poultry industry, 2114
Pullet, age, beak trimming, egg production, layer performance, 1461
amino acid feeding program, body weight, egg production, 763
amprolium, coccidiosis, *Eimeria,* restricted feeding, 115*
beak trimming, cannibalism, egg production, genetic stocks, 77*
growout nutrition, laying house performance, 34*
behavior, body weight, nipple waterer, waterer usage, 1020†
body weight, feed line, feed nutrient content, pen location, 56*
corneal opacity, *Mycoplasma gallisepticum,* vaccination, weight loss, 159*
dietary phosphorus, osteoporosis, sexual maturity, urinary calcium, 109*
Pullet breeder, anticoccidial agents, broiler breeder, coccidia, efficacy, 166*
Pullet diet, diet density, pullet performance, summer and spring housed, young hen diet, 161*
Pullet-layer transition, broiler breeder performance, fertility, prelayer diet, pretransition lighting, 1141
Pullet performance, diet density, pullet diet, summer and spring housed, young hen diet, 161*
energy, feed levels, growth, protein, 137*
feed consumption, first oviposition, strain, 12*
Pullet rearing, dietary energy, dietary protein, housing, layer performance, 28*
Pulsatile administration, broiler pullet, continuous administration, lipid metabolism, pituitary-derived chicken growth hormone, 114*
Pulsatile infusion, broiler cockerel, continuous intravenous infusion, growth hormone-releasing factor, growth response, 96*
Pulsatile secretion, carcass traits, growth hormone, growth rate, turkey, 1215
Purebreds, crossbred, dietary energy, quantitative traits, selection, 180*
Purification, *Eimeria tenella,* merozoite, 197*
Purification technique, antibodies, chicken serum, immunoglobulin G, 168*
Purified amino acid diet, chick, corn-soybean meal diet, riboflavin requirement, 1357
Pyridoxine, egg injection, hatchability, turkey egg, 186*
Quail, body weight, plasma phosphorus, reproduction, yolk precursor, 1055
embryo, gene transfer, retrovirus vector, transgenic quail, 189*
Quail–Bobwhite, attractant lights, brooding, growth, 184*
body weight, brooder type, brooding environment, brooding paper, 2082
ergot-like feed, toxicosis, toxin, 87*
Quail–Japanese, abdominal fat, body weight, selection, testes weight, 1627
adrenal corticosterone, gonadotropin secretion, luteinizing hormone, restricted feeding, 95*
adrenocorticotropic hormone, divergent selection, plasma cholesterol, 205
atherosclerosis, carcass lipids, cholesterol, dietary fat, 82*
body density, carcass composition, correlation, selection, 1051
body weight, carcass composition, mass selection, sensory quality, 1037
corn oil, free fatty acids, reproductive performance, 1533
divergent selection, split versus complete diet environment, 87*
feed efficiency, feed intake, split versus complete diet environment, 87*
genetics, lysine requirement, muscle growth, 15*
chicken, oviduct removal, plasma luteinizing hormone, 26*
cholesterol, plasma, selection, yolk, 141*
cholesterol synthesis, fatty acid synthesis, hepatic tissue, substrate, 647
cockerels, growth, nutritional value, *Spirulina plantensis,* 794
cooling, cyclically interrupted incubation, embryonic period, hatchability, 2241†
environmental enrichment, fear, genetic selection, regular handling, 70*
Group IIIA elements, 300
growth, *in vitro* cell culture, leiomyomas, leiomyosarcomas, 53*
head skeleton, hereditary abnormalities, throat tuft, visceral arch, 1236
linoleic acid, palmitic acid, reproduction, 137*
yolk lipids, 1922
male reproductive performance, photoregimen, stress, testosterone propionate injections, 118*
Quality characteristics, dark turkey meat, potassium salts, sodium salt, turkey patties, 471
Quantitative measurement, enzyme-linked immunosorbent assay, luteinizing hormone-releasing hormone, monoclonal antibodies, 81*
Quantitative traits, broiler breeder, progeny, selection, 193*
broiler breeder male, crossbred, crossbred, selection, 128*
crossbred, dietary energy, purebreds, selection, 180*
Rabbit waste, feed conversion, growth performance, processing yields, turkey, 196*

Ractopamine hydrochloride, carcass parameters, turkey, 143*
growth, turkey performance, 142*
Radioimmunoassay, extraction procedure, plasma aldosterone, 163*
Raffinose, soybean meal, stachyose, sucrose, true metabolizable energy–nitrogen-corrected, 80*
Raised flooring, breast blister, broiler performance, carcass quality, litter, 1644
Rats, chick, dietary tannin, duck, sorghum, 1685
cholesterol metabolism, diet, egg lecithin, soy lecithin, 68*
cockerels, digestibility of polysaccharides, Muscovy duck, nonstarch polysaccharides, 623
Rearing environment, feathering, layer, nervousness, productivity, 902
Rearing method, behavior, Chukar partridge, survival, 126*
Rearing period, beak trimming, behavior, genetic stocks, weight gain, 568
Recombinant antigens, coccidia, immunity, microscopy techniques, 40*
Recombination, major histocompatibility complex, ribosomal genes, 21*
Recruitment, enrollment, poultry science, undergraduate programs, 563
Poultry Science Association, poultry students, videotape, 111*
Recycled, intermittent light, reproductive performance, turkey hen, 142
Recycled paper, broiler litter, contamination, processing, *Salmonella*, 109*
Recycled paper chips, broiler litter, pine shavings, 81*
Red pepper, *Capsicum annuum*, carotenoids, egg yolk, saponification, 462
Red plastic lenses, egg production, feed efficiency, mortality, 153*
Refeeding, fasting, growth hormone, insulin, turkey tom, 801
Refrigerated storage, chicken muscle, chicken skin, microwave cooking, oxidation products, 833
Regionalization, communication, Extension Service, specialists, western United States, 241
conferences, Extension Service, poultry research programs, youth programs, 233
Extension Service, multistate meetings, poultry industry, poultry programs, 231
New England states, poultry programs, 242
poultry industry, poultry programs, 236
poultry programs, specialists, 238
youth programs, 224
Regrowth, primary wing feather loss, strain, 7*
Regular handling, environmental enrichment, fear, genetic selection, quail–Japanese, 70*
Reheating, broiler meat, microwave cooking, oxidative deterioration, tocopherol, 8*
chicken patties, off-flavor, storage, 320
Reinfection, intestinal colonization, layer, *Salmonella enteritidis*, 167*
Relationship, broiler performance, darkling beetle, lesser mealworm, 190*
Relative humidity, broiler hatching weight, hatch time, holding time, incubation temperature, 887
Remote delivery system, employee exposure, formaldehyde, hatchery, 173*
Renal function, aflatoxicosis, broiler, calcium, phosphorus, 1796†
aflatoxin, broiler, glutathione, metabolism, 16*
Renin-angiotensin system, appetite, sodium chloride, sodium deficiency, 138*
Reprocessing, broiler carcasses, microbiological quality, 158*
Salmonella, serotypes, 20*
Reproduction, age, photostimulation, restricted feeding, turkey breeder hen, 1522
anticoccidial agents, broiler breeder, egg production, shell pigmentation, 27
body weight, plasma phosphorus, quail, yolk precursor, 1055
growth, light sources, turkey, 576
linoleic acid, palmitic acid, quail–Japanese, 137*
yolk lipids, 1922
Reproductive failure, calcium deficiency, layer, vitamin D deficiency, 344*
Reproductive parameters, entrainment, intermittent light, turkey breeder hen, 111*
Reproductive performance, body weight, corn oil, free fatty acids, quail–Japanese, 1533
hen, metabolism, riboflavin, selenium, 116*
intermittent light, recycled, turkey hen, 142
lighting, restricted feeding, turkey breeder, 100*
riboflavin, rooster, selenium, sperm cell metabolism, 117*
Reproductive physiology, layer, magnetic resonance imaging, 28*
Reproductive potential, drug resistance, *Eimeria* precocious lines, trickle dose, 69*
Reproductive tract, layer, ovary, vitamin A deficiency, 17*
Research, academia, Extension Service, poultry industry, students, 2107
animal sciences, college administration, teaching, 132*
internships, poultry experience, undergraduate, work experience, 129*
Resistance, aflatoxin, blood parameters, chicken lines, genetic selection, 922
broiler chick, cold acclimation, serum chemistry, 915
Eimeria, monensin, monensin plus nicarbazin, nicarbazin, 1485
nicarbazin, 154*
Respiration calorimetry, egg energy output, energy metabolism, heat production, layer, 98
Respirometry, *Aspergillus parasiticus*, feed, mold growth, 154*
Response time, broiler, carcass characteristics, cimaterol, meat tenderness, 57*
Restaurant grease, animal-vegetable fat, fat absorbability, poultry fat, turkey, 55*
Restricted feeding, abdominal fat, broiler, compensatory growth, dietary protein, 1855
growth, photoregimen, 99*
adrenal corticosterone, gonadotropin secretion, luteinizing hormone, quail–Japanese, 95*
age, photostimulation, reproduction, turkey breeder hen, 1522
aggression, broiler breeder male, tryptophan, 1664
amprolium, coccidiosis, *Eimeria*, pullet, 115*
Bio-cox, broiler performance, coccidiosis, skin pigmentation, 179*
body composition, broiler, catch-up growth, feeding frequency, 148*
compensatory growth, feeding frequency, 2074
body weight, feed efficiency, poult, 107*

broiler, carcass yield, compensatory growth, 190*
efficiency, fatness, feed utilization, 502
roaster, skeletal disease, 32*
broiler breeder, economics, egg production, 166*
humoral immunity, immune responses, skip-a-day feeding, 18*
broiler breeder male, fertility, growth, luteinizing hormone, 860†
broiler breeder pullet, energy requirement, growth, maintenance, 1792†
growing period, laying period, propionic acid, 106*
broiler performance, poult performance, protein deficiency, sodium deficiency, 945
carcass composition, feeding regimen, growth rate, turkey breeder hen, 1753
egg production, fertility, hatchability, turkey breeder hen, 1439
lighting, reproductive performance, turkey breeder, 100*
Restricted growth, compensatory growth, leg abnormalities, protein consumption, turkey performance, 1731
Restricted protein intake, breast yield, compensatory growth, turkey tom, 82*
Restriction endonuclease, isolates, *Mycoplasma synoviae*, sodium dodecyl sulfate-polyacrylamide gel electrophoresis, turkey, 80*
Restriction fragment length polymorphisms, *B*-congenic chicken lines, major histocompatibility complex, molecular typing, 1195
Retail survey, broiler carcasses, incidence, *Salmonella*, serotypes, 3*
drug resistance, *Salmonella*, turkey parts, 27*
Retention pattern, gizzard, layer, limestone, particle size, 185*
Retention time, absorption site, broiler, gastrointestinal tract, mineral absorption, 2185
Reticulo-endothelial system, *Aspergillus fumigatus*, lesion, pathology, pigeon, 2*
Retrovirus vector, embryo, gene transfer, quail, transgenic quail, 189*
Reused litter, bambermycin, flavomycin®, strain, turkey, 1133
Rheology, dark poultry meat, freezing rate, gelation, 827
Riboflavin, body weight, boron, broiler, 186*
broiler, floor-raised, glutathione peroxidase, selenium, 188*
chick, glutathione peroxidase, metabolism, selenium, 116*
hen, metabolism, reproductive performance, selenium, 116*
reproductive performance, rooster, selenium, sperm cell metabolism, 117*
Riboflavin requirement, broiler, pantothenic acid requirement, 43*
chick, corn-soybean meal diet, purified amino acid diet, 1357
Riboflavin utilization, broiler chick, hydrated sodium calcium aluminosilicate, liver vitamin A, tibia manganese and zinc, 1364
Ribosomal genes, major histocompatibility complex, recombination, 21*
Rice bran, egg cholesterol, fish oil, layer, oat bran, 3*
Rickets, boron, broiler chick, tibial dyschondroplasia, vitamin D_3, 165*
Rigor development, broiler breast muscle, divalent cations, marination, meat texture, 148*
Rigor mortis, broiler breast meat, electrical stimulation, feed withdrawal, high temperature conditioning, 94*
Roaster, abdominal fat, broiler performance, lysine-HCl, phase feeding, 181*
broiler, calorie:protein ratio, dietary self-selection, metabolizable energy, 61*
restricted feeding, skeletal disease, 32*
Rooster, acrosin purification, extraction, spermatozoa, urea, 812
digestibility, oligosaccharides, soybean meal, true metabolizable energy–nitrogen-corrected, 787
reproductive performance, riboflavin, selenium, sperm cell metabolism, 117*
Roughages, digestibility, metabolizable energy, poultry litter, ruminants, 93*
Round heart disease, breed, spontaneous cardiomyopathy, starter diet, turkey, 181*
Roxarsone, broiler performance, feed additives, narasin, zinc bacitracin, 898
coccidiosis, combinations, ionophores, 90*
rRNA gene copy number, embryo development, polymorphic-nucleoli, 41*
Ruminant feed, bedding material, microbiological changes, pathogenic bacteria, poultry litter, 117*
Ruminants, digestibility, metabolizable energy, poultry litter, roughages, 93*
Rye, broiler chick, growth rate, pentosanase, viscosity, 16*
Salinomycin, aflatoxin, body weight, broiler chick, feed efficiency, 849†
broiler breeder, coccidiosis, immunity, intestinal lesions, 112*
Salmonella, acid treatment, chicken fajita, freezing, sensory panel, 20*
aerobic plate count, broiler breasts, broiler thighs, irradiation, 150
air sampling, broiler hatcher, hatcheries, 38*
Anaerobic Pasteurizing Conditioning System, *Escherichia coli*, microcidial efficiency, pelleting, 1595†
animal meat meal, food preservative, most probable number, ProStat™, 184*
assay methods, broiler carcasses, broiler processing, variability, 171*
carcass halves, variability, 864†
bacitracin methylene disalicylate, broiler carcasses, broiler performance, fructooligosaccharide, 66*
breeder, hatcheries, 38*
broiler, carcass *Salmonella* count, cecal count, Primilac®, 70*
cecal anaerobes, lactose, volatile fatty acids, 171*
colonization, fructooligosaccharide, 13*
finishing feed, lactose, market age, 378
broiler carcasses, ceca, d-mannose, 2244†
drinking water, 173*
chill water treatments, lactic acid, sodium lactate, 152*
incidence, retail survey, serotypes, 3*
litter, microbiological quality, processing, 2128
reprocessing, serotypes, 20*
broiler chick, ceca, incidence, surface, 64*
mycotoxin, ochratoxin, 47*
broiler litter, contamination, processing, recycled paper, 109*
broiler performance, buffered propionic acid, carcass microflora, 818
broiler production, ceca, feathers, skin, 154*
colonization, lactose, poult, 37*
competitive exclusion, hatching eggs, *in ovo*, 162*

DNA probe, egg production, 98*
drug resistance, retail survey, turkey parts, 27*
egg production facilities, sampling, 174*
***Salmonella californa*,** adhesion, broiler, colonization, intestinal mucous, 38*
***Salmonella* characterization,** broiler carcasses, drug resistance, market survey, *Salmonella* isolation, 592
***Salmonella* colonization,** broiler, host resistance, lactose, volatile fatty acids, 161*
***Salmonella* contamination,** broiler, hatcheries, shell penetration, 1606†
***Salmonella* detection,** broiler carcasses, enzyme-linked immunosorbent assay, preenrichment, whole carcass rinse samples, 185*
***Salmonella enteritidis*,** anaerobic cecal culture, chick, lactose, seroconversion, 84*
bursal disease virus, chick, egg, transovarian transmission, 183*
cecal flora, lactose, layer chick, 37*
intestinal colonization, layer, reinfection, 167*
***Salmonella enteritidis* detection,** eggs, layer, yolk antibodies, 55*
***Salmonella* isolation,** broiler carcasses, drug resistance, market survey, *Salmonella* characterization, 592
enrichment procedure, novobiocin, tetrathionate broth, 721
***Salmonella* mutant,** broiler chick, colonization, vaccine, 20*
***Salmonella* recovery,** eggs, methodology, 17*
***Salmonella typhimurium*,** air scrubbing, broiler carcasses, chlorine, microbiological quality, 44*
arabinose, chick, *in vivo*, sugar, 91*
broiler, cecal persistence, colonization, immunoglobulin response, 130*
probiotic, whey, withdrawal feed, 1670
broiler chick, cecal colonization, intracloacal, lactose, 198*
colonization, inoculation method, pH, 1809†
combined halogen, disinfectant, halamine, poultry processing, 2248†
***Salmonella typhimurium* colonization,** broiler chick, cecal anaerobes, lactose, 64*
Salt, body weight, niacinamide, poult growth, stocking density, 661
heme-complex, ligand, poultry meat color, turkey breast meat, 1769
Salt-soluble proteins, chicken breast meat, dynamic rheological testing, gelation, pH, 2220
Sampling, age, broiler breast muscle, symmetry, weight, 711†
egg production facilities, *Salmonella*, 174*
Sampling locations, broiler processing, scalding temperature, skin strength, 1108
Saponification, *Capsicum annuum*, carotenoids, egg yolk, red pepper, 462
Sarcomere length, broiler breast meat, pH, shear method, tenderness, 348
contraction state, laser diffraction, microscopy method, *Pectoralis major*, 1800†
Satellite cups, broiler performance, paper under water lines, water management, 63*
Satellite waterer, broiler breeder performance, broiler chick performance, mortality, nipple waterer, 45
Sausage, gizzard meat utilization, mechanically deboned turkey, 62*
Scabby hip lesions, broiler appearance, downgrading, scalding conditions, skin discoloration, 1006†
Scalding conditions, broiler appearance, downgrading, scabby hip lesions, skin discoloration, 1006†
Scalding temperature, broiler processing, sampling locations, skin strength, 1108
Science education, classroom, *Coturnix*, 137*
Scirpenols, brine shrimp, broiler chick, comparative toxicity, dermal toxicity, 397
Scrambled egg flavor, sulfur, white flavor, yolk flavor, 141*
Sea salt, broiler chick performance, feed grade salt, 94*
Season effect, Fayoumi, hemagglutination-inhibition titer, Newcastle disease virus, vaccination, 88*
Seasonal decline, fertility, heritability, turkey, 365
Second-messenger regulation, chicken insulin, liver cell culture, parenchymal cell, triglyceride synthesis, 78*
Selection, abdominal fat, body weight, quail–Japanese, testes weight, 1627
feed conversion, leanness, plasma lipoprotein, 143*
body density, carcass composition, correlation, quail–Japanese, 1051
body weight, broiler breeder, tibial dyschondroplasia, 145*
genetics, growth rate, 14*
broiler breeder, progeny, quantitative traits, 193*
broiler breeder male, crossbred, crossbred, quantitative traits, 128*
carcass composition, genetic parameters, sexual dimorphism, turkey, 1634
cholesterol, plasma, quail–Japanese, yolk, 141*
crossbred, dietary energy, purebreds, quantitative traits, 180*
egg production, index, partial record, persistency, 1447
genetic correlation, genetic variance, parameter estimation, 68*
Selection lines, antibody production, dose effects, humoral response, sheep red blood cells, 608
heat stress, sheep red blood cells, 599
Selective targeting, bursal lymphocytes, cyclophosphamide, embryo, structure-activity relationships, 144*
Selenium, broiler, floor-raised, glutathione peroxidase, riboflavin, 188*
chick, glutathione peroxidase, metabolism, riboflavin, 116*
hen, metabolism, reproductive performance, riboflavin, 116*
reproductive performance, riboflavin, rooster, sperm cell metabolism, 117*
Selenium deficiency, immune development, lymphocyte surface markers, vitamin E deficiency, 32*
Semen, artificial insemination, evaluation procedures, turkey, videotape, 13*
broiler breeder, light regimen, testes, 110*
chick, fertility, sexual maturity, tamoxifen, 1220†
chicken, cryopreservation, germplasm preservation, glycerol, 999†
egg production, genetic correlation, heritability, sex-limited traits, 493
Muscovy drake, precocious puberty, tamoxifen, turkey tom, 176†
Semen collection frequency, fertility, postrest period, semen production, 183*
Semen ejaculate, heritability, pipped eggs, turkey, 127*
Semen extenders, cryopreservation, fertility, fresh semen, genetics, 74*
Semen production, ejaculate volume, sperm concentration, turkey breeder, turkey hen presence, 1003†
fertility, postrest period, semen collection frequency, 183*
photostimulation, precocity, turkey tom, 49*

Semen quality, broiler breeder, fertility, fluorescence method automated, 36*
Sensitivity, fowl, melanocyte, toxicity, virtiligo, 23*
Sensory evaluation, cooking method, deboning time, *Pectoralis major* muscle, Texture Profile Analysis, 329
endpoint temperature, moisture, physical characteristics, turkey breast meat, 106*
Sensory panel, acid treatment, chicken fajita, freezing, *Salmonella*, 20*
Sensory quality, body weight, carcass composition, mass selection, quail–Japanese, 1037
Sensory tenderness, Allo-Kramer shear, broiler breast meat, shear value, Warner-Bratzler shear, 176*
Sensory test, broiler breast meat, deboning time, panel responses, shear value, 1420
Separate feeding, broiler breeder performance, fertility, preferential mating, 166*
Separate sex diet, amino acid(s), broiler performance, carcass quality, energy, 1513
Separation, fractionation, litter, particle size, utilization, 195*
Sepiolate, bioavailability, fluorine, layer, sodium fluoride, 2165
Sequence length, age, body weight, broiler breeder, egg production, 113*
Seroconversion, anaerobic cecal culture, chick, lactose, *Salmonella enteritidis*, 84*
slow-feathering dam, leukosis virus, shedders, tumors, 127*
Serotypes, broiler carcasses, incidence, retail survey, *Salmonella*, 3*
reprocessing, *Salmonella*, 20*
Serum biochemical values, blood samples, clinical chemistry, emu, ostrich, 12*
Serum carotenoid, broiler, long segmented filamentous organism, pigmentation, 6*
Serum chemistry, aflatoxin, broiler chick, cold acclimation, resistance, 915
Serum glucose, breeder hen age, broiler chick, triglyceride, yolk fat, 1394
Serum lipids, chick, endotoxin, metabolic parameters, tumor necrosis factor, 69*
Serum xanthophyll, diurnal variation, egg yolk layers, layer, 2235†
Sesame seed meal, broiler diet, protein supplement, soybean oil meal, 157*
Sesbania macrocarpa, broiler chick, layer, toxic seeds, weed seed, 669
Sewage-grown Lemnacea, duckweed, egg production, egg quality, layer performance, 1835
Sex, age, growth rate, insulin-like growth factor-I, turkey, 11*
broiler, market weight, processing yield, strain, 54*
strain, yield characteristics, 42*
chick performance, egg weight, hen age, lipid retention, 135*
Sex-limited traits, egg production, genetic correlation, heritability, semen, 493
Sexual dimorphism, carcass composition, genetic parameters, selection, turkey, 1634
Sexual maturity, body composition, body weight, dietary energy, Dwarf Leghorns, 16
chick, fertility, semen, tamoxifen, 1220†
dietary phosphorus, osteoporosis, pullet, urinary calcium, 109*
incubation behavior, luteinizing hormone, prolactin, turkey, 47*
Shank color, chicken, eye color, plumage color genetics, 128*
Shank pigmentation, broiler, coccidiosis, Ethacal®, lesions, 155*
Shatter cane, broiler, chemical composition, nutritional value, tannin, 45*
Shear method, broiler breast meat, pH, sarcomere length, tenderness, 348
Shear value, Allo-Kramer shear, broiler breast meat, sensory tenderness, Warner-Bratzler shear, 176*
tenderness, Warner-Bratzler shear, 85*
broiler breast meat, deboning time, panel responses, sensory test, 1420
electrical stimulation, post-mortem, tenderization, 168*
textural quality, ultrasonic radiation, 164*
Shedders, leukosis virus, seroconversion, slow-feathering dam, tumors, 127*
Shedding, congenital transmission, endogenous viral genes, feathering genes, lymphomas, 1251
Sheep erythrocytes, alloantigen systems, antibody response, chicken lines, production traits, 871
Sheep red blood cells, antibody production, dose effects, humoral response, selection lines, 608
heat stress, selection lines, 599
Shelf-life, chicken patties, color, cooking loss, texture profile, 148*
Shell gland, chick, estrogen-induced, oviduct weight, thyroid hormone modulaton, 73*
Shell measurement, chromometer, eggshell color, Hunter Colorimeter, Minolta Chroma Meter, 1775
Shell penetration, broiler, hatcheries, *Salmonella* contamination, 1606†
Shell pigmentation, anticoccidial agents, broiler breeder, egg production, reproduction, 27
chicken, eggshell color, genetics, 142*
Shell quality, 1,25-dihydroxycholecalciferol, calcium, egg production, layer, 1702
25-hydroxycholecalciferol, bone calcification, cimetidine, layer, 1892
boron, broiler breeder performance, egg production, plasma calcium, 108*
calciferol, calcitriol, calcium, layer, 135*
calcitriol, egg weight, layer performance, vitamin D_3, 1822†
calcium, calcium lactate, drinking water, layer, 162*
calcium metabolism, calcium source, layer performance, limestone solubility, 2199
clutch cycle, shell-less eggs, uncollectible egg production, 509
egg production, layer performance, phosphorus, sodium aluminosilicate, 105
extruded egg product, feed conversion, inedible eggshell utilization, technical egg albumen, 2051†
intact eggs, prediction equation, shell weight, specific gravity, 192*
Shell thickness, body weight, egg production, growth hormone, Haugh unit, 1818†
functional properties, iodine, maternal thyroid status, turkey eggshell, 1576
Shell weight, eggshell quality, egg specific gravity, egg specific gravity formula, egg weight, 48
intact eggs, prediction equation, shell quality, specific gravity, 192*
Shelled egg contents, hard-cooked eggs, microbiological sampling, whole egg, whole egg blend, 1428
Shell-less culture, developmental age, homeostasis, trace elements, turkey embryo, 111*
hormones, turkey embryo, 91*

Shell-less eggs, clutch cycle, shell quality, uncollectible egg production, 509
follicles, prostaglandins, soft-shelled eggs, uterus, 63*
Shrink, broiler breast meat, carcass yield, feed withdrawal, objective texture, 86*
Shuttle program in broilers, Maxiban®, monensin, narasin, nicarbazin, 11*
Sialic acid, fertility, neuraminidase, sperm storage, spermatozoa, 119
Sibbald technique, bioassay precision, modified technique, true metabolizable energy, 149*
Silage culture, broiler, fermentation, processing waste, 188*
Silica consumption, acid-insoluble ash, calcium digestibility, layer, total collection method, 2228†
Simulation model, broiler, growout housing, interregional profitability analysis, 2092
Single cages, heritability, phenotypic variation, prelaying behavior, strain differences, 1231
Single Comb White Leghorn, energy level, genotype-environment interactions, layer diet, strain, 1998
Siting standards, nuisance, ordinance, turkey forum, urban encroachment, 138*
Skeletal development, broiler chick, dwarfism, epiphyseal growth plate, proteoglycans, 1399
broiler performance, dietary calcium, dietary phosphorus, 119*
Skeletal disease, broiler, restricted feeding, roaster, 32*
Skeletal muscle, broiler, histochemical determination, muscle fiber type, staining procedure, 1433
Skin, broiler production, ceca, feathers, *Salmonella*, 154*
litter, turkey tom, ulcerative dermatitis, 195*
Skin discoloration, broiler appearance, downgrading, scabby hip lesions, scalding conditions, 1006†
Skin pigmentation, Bio-cox, broiler performance, coccidiosis, restricted feeding, 179*
broiler, marigold extracts, xanthophyll, 178*
Skin strength, broiler processing, sampling locations, scalding temperature, 1108
Skip-a-day feeding, broiler breeder, cell- mediated immunity, feeding practices, 158*
humoral immunity, immune responses, restricted feeding, 18*
Sliceability, bind, cook yield, hydrocolloids, turkey ham, 16*
Slope ratio, calcium, chick, manganese utilization, phosphorus, 1156
Small animal production, *Coturnix* International, international students, training, 136*
Small flock owners, characterization, educational needs, poultry survey, 144*
Small intestine, broiler chick, digesta, feed withdrawal, 89*
Small poultry flocks, avian influenza, flock profiling, health status, location, 61*
Small yellow follicles, cyclic adenosine monophosphate, protein kinase c, steroidogenesis, theca cells, 75*
Soapstock, broiler performance, tallow, 120*
Social facilitation, behavioral synchronization, cage, layer, 141*
Sodium, ascitic syndrome, broiler chick, potassium, 9*
blood gas, broiler, heat distress, potassium, 42*
chloride, egg production, layer, molt, 171*
phosphorus source, turkey, 84*
Sodium aluminosilicate, broiler, paired feeding, sodium availability, 93*
casein-dextrose diet, corn-soybean meal diet, phosphorus utilization, poultry, 97*
egg production, egg specific gravity, phosphorus level, phosphorus source, 2157
layer performance, phosphorus, shell quality, 105
Sodium availability, broiler, paired feeding, sodium aluminosilicate, 93*
Sodium chloride, appetite, renin-angiotensin system, sodium deficiency, 138*
Sodium chloride deficiency, bone status, boron, broiler performance, diet, 187*
Sodium deficiency, appetite, renin-angiotensin system, sodium chloride, 138*
broiler performance, poult performance, protein deficiency, restricted feeding, 945
Sodium dodecyl sulfate-electrophoresis, glycosylated isoforms, pituitary extracts, prolactin, turkey, 108*
Sodium dodecyl sulfate-polyacrylamide gel electrophoresis, isolates, *Mycoplasma synoviae*, restriction endonuclease, turkey, 80*
Sodium fluoride, bioavailability, fluorine, layer, sepiolate, 2165
Sodium lactate, broiler carcasses, chill water treatments, lactic acid, *Salmonella*, 152*
Sodium pentobarbital sleeping time, aflatoxin, broiler chick, cold acclimation, cytochrome P-450, 388
Sodium-potassium transport, energy expenditure, hyperthyroid chickens, lipid synthesis, liver explants, 114*
Sodium salt, dark turkey meat, potassium salts, quality characteristics, turkey patties, 471
Sodium tetraborate-borax, boric acid, boron, broiler breeder performance, 187*
Sodium zeolite A, broiler chick, coccidiosis, monensin, weight gain, 276
ascorbic acid, broiler performance, 75*
bone breaking strength, broiler performance, 174*
layer performance, liver lipid, 169*
production parameters, 73*
bone development, layer performance, 172*
diet acceptability, fecal moisture, layer, water consumption, 169*
fecal moisture, layer, water consumption, 58*
Soft-shelled eggs, follicles, prostaglandins, shell-less eggs, uterus, 63*
Somatic cell hybridization, chicken genome, human × chicken cell hybrids, microchromosomes, partitioning, 81*
Sonograms, frequency, layer, stress, vocalization, 131*
Sorbose, abdominal fat, egg production, layer, lipid metabolism, 1508
Sorghum, broiler diet, corn, nutritional value, pearl millet, 132*
chick, dietary tannin, duck, rat, 1685
duck, growth, tannin, 48*
Sorghum grain, acid steeping, broiler performance, chemical composition, corn, 45*
body weight gain, broiler performance, feed intake, particle size, 2177
broiler chick, corn, infrared treatment, nutritional value, 45*
metabolizable energy–nitrogen-corrected, nutrient composition, tannin, yellow corn, 1147
Sound, aircraft overflight, behavioral effects, poult, 22*
Soy lecithin, cholesterol metabolism, diet, egg lecithin, rats, 68*
Soybean, chicken, growth, tortilla mix, vitamins, 69*
Soybean meal, age, overcooking, turkey, turkey performance, 175*

amino acid requirement, dietary protein, leg disorders, turkey, 159*
amino acid(s), dietary protein, parts yield, turkey, 173*
digestibility, rooster, oligosaccharides, true metabolizable energy–nitrogen-corrected, 787
ethanol, extraction procedure, isopropyl, true metabolizable energy–nitrogen-corrected, 80*
fat content, laboratory determination, protein solubility, 153*
orange G binding, overprocessing, protein solubility, urease activity, 76
protein solubility, trypsin inhibitor, underprocessing, urease activity, 1749
raffinose, stachyose, sucrose, true metabolizable energy–nitrogen-corrected, 80*
Soybean oil, broiler chick, energy, metabolizable energy, 99*
broiler performance, fat concentration, fish oil, omega-3 fatty acids, 99*
Soybean oil meal, broiler diet, protein supplement, sesame seed meal, 157*
Specialists, communication, Extension Service, regionalization, western United States, 241
Extension Service, poultry programs, regionalization, 238
Species-specific proteins, chicken, immunoblotting, *Mycoplasma gallisepticum,* turkey, 10*
Specific gravity, egg production, layer, phosphorus, synthetic sodium aluminosilicate, 2195
egg quality, Haugh unit, marketing, yolk color, 182*
intact eggs, prediction equation, shell quality, shell weight, 192*
Spent fowl muscle, collagen, heat stability, lathyrogen, tenderness, 477
Sperm, fertilizing ability, metabolism, subfertile, 72*
Sperm cell metabolism, reproductive performance, riboflavin, rooster, selenium, 117*
Sperm cells, chromosomal DNA, deoxyribonuclease 1, foreign DNA, nuclease degradation, 856†
Sperm concentration, ejaculate volume, semen production, turkey breeder, turkey hen presence, 1003†
lipid peroxidation, malonaldehyde, turkey, 32*
Sperm host glands, fertility, intrauterine insemination, oviposition, spermatozoa, 138
Sperm motility, adenosine 5′-triphosphate, fowl spermatozoa, metabolism, tetraphenylboron, 1563
Sperm receptor, acrosome reaction, avian sperm-egg interaction, perivitelline layer, spermatozoa, 1012†
Sperm storage, fertility, neuraminidase, sialic acid, spermatozoa, 119
Sperm storage tubules, light microscopy, turkey, uterovaginal junction, 13*
Spermatozoa, 96-well format, carboxyfluorescein diacetate, fluorescent staining, propidium iodide, 1602†
acrosin purification, extraction, rooster, urea, 812
acrosome reaction, avian sperm-egg interaction, perivitelline layer, sperm receptor, 1012†
chicken, glycerol, motility, oviducal cultures, 1759
fertility, intrauterine insemination, oviposition, sperm host glands, 138
neuraminidase, sialic acid, sperm storage, 119
Spirulina plantensis, cockerels, growth, nutritional value, quail–Japanese, 794
Spleen, cytokine, dendritic cell, ellipsoid-associated cell, human adenovirus, 929
Split versus complete diet environment, body weight, divergent selection, quail–Japanese, 87*
feed efficiency, feed intake, quail–Japanese, 87*
Spontaneous cardiomyopathy, breed, round heart disease, starter diet, turkey, 181*
Sporozoite, *Eimeria,* immunogenicity, merozoite, 83*
Spray-scalding, bacterial cross-contamination, broiler carcasses, feather release, immersion-scalding, 409
Stability, food preservative, lysozyme, pharmaceutical preservative, 107*
Stachyose, raffinose, soybean meal, sucrose, true metabolizable energy–nitrogen-corrected, 80*
Staining procedure, broiler, histochemical determination, muscle fiber type, skeletal muscle, 1433
Standard-curve methodology, calcium, chick, manganese utilization, phosphorus, 977
Starter diet, abdominal fat, broiler performance, lysine, yield, 159*
breed, round heart disease, spontaneous cardiomyopathy, turkey, 181*
Steroidogenesis, cyclic adenosine monophosphate, protein kinase c, small yellow follicles, theca cells, 75*
Steroidogenic response, luteinizing hormone, prolactin, turkey, 96*
Steroids, antisera, chicken, immunocytochemistry, ovary, 100*
Stirring, humidity, litter treatment, mold inhibition, turkey tom performance, 132*
Stochastic programming, least-cost ration formulation, linear programming, nutrient variability, 39*
Stocking density, body weight, niacinamide, poult growth, salt, 661
Storage, aflatoxin, chicken blood, enzyme-linked immunosorbent assay, protein binding, 10*
chicken patties, off-flavor, reheating, 320
fatty acids, mechanically deboned chicken meat, neutral lipids, phospholipids, 166
Storage conditions, egg quality, layer, time, vanadium, 164*
eggs–white versus brown, hard-cooked eggs, peelability, physical and chemical composition, 1614†
Strain, age, beak trimming, egg production, layer performance, 29*
bird density, layer performance, 29*
bambermycin, flavomycin®, reused litter, turkey, 1133
breast yield, feather meal, growth, turkey hen, 136*
broiler, market weight, processing yield, sex, 54*
sex, yield characteristics, 42*
cage population, egg production, egg quality, layer, 30*
cage shape, layer performance, nipple waterer, 55*
dietary protein, layer performance, temperature, 33*
egg production, intermittent light, limited feeding, molt diet, 8*
electrolytes, layer, postmolt performance, vitamins, 105*
energy level, genotype-environment interactions, layer diet, Single Comb White Leghorn, 1998
feed consumption, first oviposition, pullet performance, 12*
intermittent light, limited feeding, molt, primary wing feather growth, 7*
primary wing feather loss, regrowth, 7*
Strain-cross, broiler performance, carcass yield, lysine, 18*
Strain differences, heritability, phenotypic variation, prelaying behavior, single cages, 1231
Streptococcus faecium, broiler diet, carcass characteristics, feed conversion, intestinal colonization, 1257
Stress, broiler cockerel, corticotropin, hypothalamus, thermotolerance, 123*

hypothalamus, neuroendocrine involvement, thermotolerance, 123*
calcium, environment, layer, zinc-methionine, 72*
frequency, layer, sonograms, vocalization, 131*
heat shock proteins, hyperthermia, leukocytes, turkey, 140*
male reproductive performance, photoregimen, quail–Japanese, testosterone propionate injections, 118*
Structure-activity relationships, bursal lymphocytes, cyclophosphamide, embryo, selective targeting, 144*
Students, academia, Extension Service, poultry industry, research, 2107
Stunting syndrome, animal protein diet, corn-soybean meal diet, dietary changes, poult, 8*
disaccharidases, nutrient retention, pale-bird syndrome, turkey, 1931
litter condition, poult, virginiamycin, 5*
Subfertile, fertilizing ability, metabolism, sperm, 72*
Substrate, cholesterol synthesis, fatty acid synthesis, hepatic tissue, quail–Japanese, 647
Sucrose, raffinose, soybean meal, stachyose, true metabolizable energy–nitrogen-corrected, 80*
Sucrose addition, drinking water, energy, feed, layer, 1806†
Sudan black, parathyroid gland localization, vital stain, 133
Sudden death syndrome, broiler, cereal, diet, protein source, 1331
diet, glucose, lactate, 1529
tissue minerals, 245
Sugar, arabinose, chick, *in vivo*, *Salmonella typhimurium*, 91*
Sulfur, broiler chick, calcium, canola meal, cystine, 615
broiler performance, litter replacement, litter treatment, 97*
scrambled egg flavor, white flavor, yolk flavor, 141*
Sulfur amino acid(s), Alimet®, cockerels, crystalline amino acid diet, cystine, 43*
choline, egg production, inorganic sulfate, layer, 1226†
feather meal quality, feather processing, lanthionine, pepsin digestibility, 953
layer, methionine requirement, protein, 934
Summer and spring housed, diet density, pullet diet, pullet performance, young hen diet, 161*
Summer growing conditions, broiler performance, heat stress, oral rehydration, water treatment, 1851
Summer-raised, broiler performance, calcium lignosulfonate, dietary energy, pellet integrity, 198*
Sunflower meal, broiler performance, metabolizable energy–nitrogen-corrected, supplemental fat, 1503
Sunflower seeds, body weight, egg production, feed efficiency, layer performance, 78*
Supercritical carbon dioxide extraction, cholesterol, dehydrated chicken meat, lipids, 53*
Supermin-Gold, feed efficiency, layer performance, Nutrimin-B, 156*
Supplemental drinking water, acid-base balance, broiler, corticosterone, heat distress, 163*
Supplemental fat, broiler performance, metabolizable energy–nitrogen-corrected, sunflower meal, 1503
Supplier differences, feed grade quality, phosphate, 174*
Surface, broiler chick, ceca, incidence, *Salmonella*, 64*
Survival, behavior, Chukar partridge, rearing method, 126*
Susceptibility, *Aspergillus fumigatus*, pathology, pigeon, 2*
Swine, amino acid digestibility, poultry, 60*
Symmetry, age, broiler breast muscle, sampling, weight, 711†
Symposium, enzymes, function, liver, metabolism, 1182
Synergized pyrethrins, automated spray equipment, *Fannis canicularis*, fly resistance, *Musca domestica*, 736
Synergy, aflatoxin, broiler, kojic acid, toxicity, 168*
Synthetic amino acids, body weight gain, broiler chick, glutamic acid, protein concentration, 1950
broiler response, glutamic acid, protein concentration, 67*
Synthetic sodium aluminosilicate, egg production, layer, phosphorus, specific gravity, 2195
T-2 toxin, aflatoxin, body weight, hydrated sodium calcium aluminosilicate, toxicity reduction, 1078
Chukar partridge, mycotoxin, ochratoxin, 343*
T-cell, coccidiosis, intestinal immunity, intestinal intraepithelial lymphocytes, protective immunity, 83*
T-cell antigens, chicken, interleukin-2, Marek's disease, turkey, 72*
Tallow, acid oil, broiler performance, fat, 120*
broiler performance, soapstock, 120*
Tamoxifen, chick, fertility, semen, sexual maturity, 1220†
Muscovy drake, precocious puberty, semen, turkey tom, 176†
Tannin, broiler, chemical composition, nutritional value, shatter cane, 45*
chick, duck, growth, sorghum, 48*
metabolizable energy–nitrogen-corrected, nutrient composition, sorghum grain, yellow corn, 1147
Taste preference, canola meal, parts yield, turkey, 138*
Taurine, broiler performance, fat retention, poult, 195*
calcium, chick age, erythrocyte, thermal stress, 139*
Teaching, animal sciences, college administration, research, 132*
Technical egg albumen, extruded egg product, feed conversion, inedible eggshell utilization, shell quality, 2051†
Temperature, body composition, energy, protein, turkey tom performance, 50*
broiler breeder male, low protein diet, nitrogen retention, 185*
calcium, fat, interaction, layer performance, 1*
composting, dead birds, disposal, 3*
dietary protein, layer performance, strain, 33*
layer performance, vitamin C, 57*
Temperature conditioning, broiler carcasses, electrical stimulation, meat tenderness, 1781
Temperature regimen, anticoccidial agents, broiler performance, heat stress, lasalocid, 1265
Tenderization, broiler breast meat, electrical stimulation, post-mortem, shear value, 168*
Tenderness, Allo-Kramer shear, broiler breast meat, shear value, Warner-Bratzler shear, 85*
broiler breast meat, pH, sarcomere length, shear method, 348
broiler meat, electrical stimulation, fragmentation, muscle tensioning, 19*
collagen, heat stability, lathyrogen, spent fowl muscle, 477
Testes, activity, behavior, broiler performance, exercise, 121*
broiler breeder, light regimen, semen, 110*
Testes weight, abdominal fat, body weight, quail–Japanese, selection, 1627
Testosterone propionate injections, male reproductive performance, photoregimen, quail–Japanese, stress, 118*
Tetraiodothyronine, embryo age, embryo weight, plasma thyroid hormone, triiodothyronine, 1388

Tetraphenylboron, adenosine 5′-triphosphate, fowl spermatozoa, metabolism, sperm motility, 1563
Tetrathionate broth, enrichment procedure, novobiocin, *Salmonella* isolation, 721
Textural quality, broiler breast meat, shear value, ultrasonic radiation, 164*
Texture, aseptic processing, chicken meat, collagen, 41*
Texture profile, chicken patties, color, cooking loss, shelf-life, 148*
Texture Profile Analysis, cooking method, deboning time, *Pectoralis major* muscle, sensory evaluation, 329
Theca, follicular maturation, granulosa, ovulation, plasminogen activator, 134*
Theca cells, cyclic adenosine monophosphate, protein kinase c, small yellow follicles, steroidogenesis, 75*
Thermal stress, calcium, chick age, erythrocyte, taurine, 139*
Thermobalance, broiler, heat stress, indirect calorimetry, model, 197*
Thermotolerance, broiler, heat shock proteins, neonatal heat stress, protein synthesis profile, 9*
broiler cockerel, corticotropin, hypothalamus, stress, 123*
hypothalamus, neuroendocrine involvement, stress, 123*
Thiamin deficiency, amino acid(s), brain, liver, turkey, 110*
Thiobarbituric acid value, broiler breasts, broiler thighs, irradiation, yield, 313
Thiouracil, ascorbic acid, eggshell quality, layer, plasma thyroxine, 180*
egg production, eggshell quality, layer, plasma thyroxine, 104*
Throat tuft, head skeleton, hereditary abnormalities, quail–Japanese, visceral arch, 1236
Thymocytes, assay, *in vitro* assay, micrococcal nuclease, 35*
Thymus, avian lymphomyeloid tissue, endogenous peroxidase, Fc alpha receptors, immunoglobulin A cells, 101*
bursa of Fabricius, lymphocyte chemotactic factor, lymphocyte inhibitory factor, 249
Thyroid, brain, embryo, litter sodium borate treatment, water iodophor, 176*
Thyroid function, embryogenesis, growth hormone, *in ovo*, tissue development, 41*
Thyroid hormone, autoimmunity, chicken growth hormone, obese chicken, 88*
Thyroid hormone modulaton, chick, estrogen-induced, oviduct weight, shell gland, 73*
Thyroid manipulation, broiler breeder male, growth hormone-receptor binding, growth hormone-receptor mRNA, 28*
Thyrotropin-releasing hormone, chick, growth hormone, lymphoid organs, white blood cells, 1094
Thyroxine, biopotency, chick, oxygen consumption, triiodothyronine, 1027†
Tibia manganese and zinc, broiler chick, hydrated sodium calcium aluminosilicate, liver vitamin A, riboflavin utilization, 1364
Tibia mineralization, broiler chick, dicalcium phosphate, vitamin A, vitamin D_3, 25*
Tibia status, egg production, eggshell quality, oviposition, postoviposition, 2068
Tibia strength, 1,25-dihydroxyvitamin D_3, eggshell quality, 1α-hydroxyvitamin D_3, vitamin D_3, 2008
Tibial dyschondroplasia, 1,25-dihydroxycholecalciferol, broiler, calcium, protein, 46*
1,25-dihydroxyvitamin D_3, fluorescent lighting, liver glycogen, vitamin D_3, 48*
body weight, broiler breeder, selection, 145*
bone ash, broiler performance, corn-soybean meal diet, free fatty acids, 135*
boron, broiler chick, rickets, vitamin D_3, 165*
broiler breeder, intermittent light, light regimen, 145*
copper, fluorine, manganese, zinc, 184*
corn, *Fusarium*, immunosuppression, mycotoxin, 146*
Time, egg production curves, growth curves, nonlinear models, prediction, 1064
egg quality, layer, storage conditions, vanadium, 164*
Timing of oviposition, follicular control, ligation, oviposition, preovulatory follicles, 288
Tissue chloride, dietary chloride, egg chloride, hatchability, layer, 25*
Tissue development, embryogenesis, growth hormone, *in ovo*, thyroid function, 41*
Tissue heat production, broiler breeder, energy metabolism, fasting metabolism, tissue metabolism, 1348
Tissue metabolism, broiler breeder, energy metabolism, fasting metabolism, tissue heat production, 1348
Tissue minerals, broiler, sudden death syndrome, 245
Tissue synthesis, broiler, dietary lysine, energy utilization, metabolizable energy–nitrogen-corrected ratios, 1299
Tissue uptake, bioavailability, chick, copper acetate, copper carbonate, 197*
zinc, 188*
Tocopherol, broiler meat, microwave cooking, oxidative deterioration, reheating, 8*
Toe-clip, layer performance, 189*
Tortilla mix, chicken, growth, soybean, vitamins, 69*
Total collection method, acid-insoluble ash, calcium digestibility, layer, silica consumption, 2228†
Toxic seeds, broiler chick, layer, *Sesbania macrocarpa*, weed seed, 669
Toxicity, aflatoxin, aluminosilicate, body weight, charcoal, 727
broiler, kojic acid, synergy, 168*
fowl, melanocyte, sensitivity, virtiligo, 23*
Toxicity reduction, aflatoxin, body weight, hydrated sodium calcium aluminosilicate, T-2 toxin, 1078
Toxicosis, ergot-like feed, quail–Bobwhite, toxin, 87*
Toxin, ergot-like feed, quail–Bobwhite, toxicosis, 87*
Trace elements, developmental age, homeostasis, shell-less culture, turkey embryo, 111*
Trace minerals, broiler performance, carcass composition, vitamins, withdrawal period, 191*
Trade barriers, broiler production, Canada, profitability, 11*
Training, *Coturnix* International, international students, small animal production, 136*
Training program, egg candling, overpull, undergrade eggs, 131*
***Trans*-$C_{18:1}$,** broiler meat, fatty acids, hydrogenated vegetable oil, 5*
Transgenic quail, embryo, gene transfer, quail, retrovirus vector, 189*
Transgenics, chick cells and tissues, gene expression, mouse tyrosinase, vector, 26*
Transglutaminase, crude actomyosin, mechanically deboned chicken meat, polymerization, 4*
Transient toxicosis, chicken, etiology, 51*
Trans ovarian transmission, bursal disease virus, chick, egg, *Salmonella enteritidis*, 183*
Trickle dose, drug resistance, *Eimeria* precocious lines, reproductive potential, 69*

Trickle vaccination, broiler, coccidiostat, *Eimeria tenella*, 160*
Triglyceride, breeder hen age, broiler chick, serum glucose, yolk fat, 1394
Triglyceride synthesis, chicken insulin, liver cell culture, parenchymal cell, second-messenger regulation, 78*
Triiodothyronine, biopotency, chick, oxygen consumption, thyroxine, 1027†
body fat, broiler, growth hormone-releasing factor, 35*
embryo age, embryo weight, plasma thyroid hormone, tetraiodothyronine, 1388
Triiodothyronine-induced thermogenesis, age dependency, chick, heat production, propylthiouracil, 1599†
Trilostane, broiler, corticosterone, muscle growth, protein synthesis, 2143
Trisomics, bursal development, major histocompatibility complex dosage, 62*
Triticale, broiler performance, chemical composition, nutritional value, 177*
Tropical climate, grower diet, Guinea fowl, protein level, weight gain, 54*
Truck cage location, bruising, downgrading, turkey processing, unloading turkeys, 1410
True metabolizable energy, age, broiler, metabolizable energy, medium-chain triglyceride, 5*
bioassay precision, modified technique, Sibbald technique, 149*
broiler, carcass energy retention, 180*
calcium level, calcium soaps, layer, nutrient utilization, 768
True metabolizable energy–nitrogen-corrected, amino acid availability, canola seed, flax seed, 15*
amino acid digestibility, chicken, corn gluten feed, protein quality, 1165
ash, dried bakery product, ether extract, fiber, 72
β-glucan, barley, chemical composition, geographical location, 146*
β-glucan, barley, dietary enzyme, excreta collection time, 1816†
digestibility, rooster, oligosaccharides, soybean meal, 787
ethanol, extraction procedure, isopropyl, soybean meal, 80*
raffinose, soybean meal, stachyose, sucrose, 80*
Trypsin, chicken, chymotrypsin, elastase, pancreas, 57*
Trypsin inhibitor, broiler performance, untoasted full-fat soybean, urease activity, 22*
protein solubility, soybean meal, underprocessing, urease activity, 1749
Tryptophan, aflatoxicosis, egg production, fatty liver, layer, 186*
aggression, broiler breeder male, dominance status, 122*
broiler breeder, mating behavior, plasma testosterone, 92*
restricted feeding, 1664
egg production, layer, liver fat, protein, 1956
niacin, poult, tryptophan-into-niacin conversion, 446
Tryptophan-into-niacin conversion, niacin, poult, tryptophan, 446
Tryptophan requirement, broiler chick performance, diet dilution method, dietary protein, lipid metabolism, 746
Tumbling variables, bath method, broiler breasts, in-bag method, marinade retention, 62*
Tumor necrosis factor, age, macrophage, poult, 67*
chick, endotoxin, metabolic parameters, serum lipids, 69*
Tumors, leukosis virus, seroconversion, shedders, slow-feathering dam, 127*
Turkey, adrenocortical cells, Angiotensin II, cytosolic calcium, 119*
angiotensin II receptors, 74*
adulterant, chicken, poultry products, 86*
affinity purification, gonadotropin, monoclonal antibodies, 134*
age, feed efficiency, virginiamycin, weight gain, 1383
growth rate, insulin-like growth factor-I, sex, 11*
meat yield, protein level, weight gain, 584
overcooking, soybean meal, turkey performance, 175*
alanine, ascorbic acid, carbohydrate metabolism, glucose, 44*
amino acid requirement, dietary protein, leg disorders, soybean meal, 159*
amino acid(s), brain, liver, thiamin deficiency, 110*
dietary protein, parts yield, soybean meal, 173*
amprolium, coccidiosis, halofuginone, oocyst, 89*
animal-vegetable fat, fat absorbability, poultry fat, restaurant grease, 55*
artificial insemination, evaluation procedures, semen, videotape, 13*
bacon, cured turkey thigh, low fat, 140*
bambermycin, flavomycin®, reused litter, strain, 1133
bioelectrical impedance analysis, body composition, fat-free mass, 369
bone ash, bone development, oyster shell, 14*
breed, round heart disease, spontaneous cardiomyopathy, starter diet, 181*
broiler, cage layer manure, composting, litter, 59*
chlorinated hydrocarbon residues, uropygial gland, 19*
growth hormone-binding protein, identification and verification, 70*
broiler cockerel, heat shock proteins, heat stress, leukocytes, 140*
cannulation, growth hormone, hypothyroidism, propylthiouracil, 82*
canola meal, parts yield, taste preference, 138*
carcass composition, genetic parameters, selection, sexual dimorphism, 1634
carcass parameters, ractopamine hydrochloride, 143*
carcass traits, growth hormone, growth rate, pulsatile secretion, 1215
carcass yield, compensatory growth, plane of nutrition, protein consumption, 1743
chicken, immunoblotting, *Mycoplasma gallisepticum*, species-specific proteins, 10*
interleukin-2, Marek's disease, T-cell antigens, 72*
chlordane, DDT, dieldrin, uropygial gland, 19*
cloning, growth hormone, nucleotide sequence, 52*
color loci, plumage color, 118*
digestive enzymes, digestive system, embryo development, 120*
disaccharidases, nutrient retention, pale-bird syndrome, stunting syndrome, 1931
dopaminergic activity, electrical stimulation, incubation, prolactin, 47*
efficiency, growth, lysine utilization, metabolism, 139*
egg production, Gompertz equation, growth curve, plasma growth hormone, 2057
eggshell membranes, fertility, incubation, minerals, 992
enzyme-linked immunosorbent assay, *Mycoplasma gallisepticum*, vaccination, 43*

estrogens, *in vitro*, luteinizing hormone, pituitary cells, 124*
expression, molecular cloning, nucleotide sequence, prolactin, 71*
feed conversion, growth performance, processing yields, rabbit waste, 196*
fertility, heritability, seasonal decline, 365
focal myopathy, growth selection, muscle growth, 1553
glycosylated isoforms, pituitary extracts, prolactin, sodium dodecyl sulfate-electrophoresis, 108*
growth, light sources, reproduction, 576
plasma hormones, 27*
growth hormone, half-life, hypophysectomy, metabolic clearance rate, 1569
heat shock proteins, hyperthermia, leukocytes, stress, 140*
heritability, pipped eggs, semen ejaculate, 127*
incubation behavior, luteinizing hormone, prolactin, sexual maturity, 47*
isolates, *Mycoplasma synoviae*, restriction endonuclease, sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 80*
light microscopy, sperm storage tubules, uterovaginal junction, 13*
lipid peroxidation, malonaldehyde, sperm concentration, 32*
luteinizing hormone, prolactin, steroidogenic response, 96*
peptide histidine isoleucine, prolactin secretion, vasoactive intestinal peptide, 1209
phosphorus source, sodium, 84*

Turkey barn, California, insulation evaluation, 48*

Turkey breast meat, endpoint temperature, moisture, physical characteristics, sensory evaluation, 106*
heme-complex, ligand, poultry meat color, salt, 1769

Turkey breast meat color, cytochrome c, heme-complex, ligand, myoglobin, 157

Turkey breeder, body weight, carcass characteristics, forced-molt, oviduct, 194*
continuous light, fly populations, intermittent light, 867†
ejaculate volume, semen production, sperm concentration, turkey hen presence, 1003†
lighting, reproductive performance, restricted feeding, 100*

Turkey breeder hen, age, photostimulation, reproduction, restricted feeding, 1522
carcass composition, feeding regimen, growth rate, restricted feeding, 1753
egg production, fertility, hatchability, restricted feeding, 1439
hatchability, yeast culture, 189*
entrainment, intermittent light, reproductive parameters, 111*

Turkey broiler diet, body weight, feed efficiency, monensin, virginiamycin, 1016†

Turkey egg, biotin, embryo, hatchability, 112*
egg injection, hatchability, pyridoxine, 186*
eggshell permeability, hatchability, oxygen partial pressures, 451
embryonic carbohydrate metabolism, hatchability, iodine, oxygen, 34*

Turkey eggshell, functional properties, iodine, maternal thyroid status, shell thickness, 1576

Turkey embryo, developmental age, homeostasis, shell-less culture, trace elements, 111*
ex ovo culture, hormones, 1*
growth, hematology, incubation, white blood cell development, 2027
hematology, high altitude, incubation, oxygen supplementation, 2035
hormones, shell-less culture, 91*

Turkey forum, nuisance, ordinance, siting standards, urban encroachment, 138*

Turkey ham, bind, cook yield, hydrocolloids, sliceability, 16*

Turkey hen, breast yield, feather meal, growth, strain, 136*
broodiness, dosimetry study, epostane, plasma hormone level, 40*
broodiness development, broody-prone, egg production, epostane, 46*
broody-prone, epostane, plasma hormones, 103*
intermittent light, recycled, reproductive performance, 142

Turkey hen performance, hatchability, yeast culture, 118*

Turkey hen presence, ejaculate volume, semen production, sperm concentration, turkey breeder, 1003†

Turkey meat, hand deboning, iron bioavailability, mechanical deboning, protein quality, 341

Turkey parts, drug resistance, retail survey, *Salmonella*, 27*

Turkey patties, dark turkey meat, potassium salts, quality characteristics, sodium salt, 471

Turkey performance, age, overcooking, soybean meal, turkey, 175*
antibiotics, *Bacillus subtilis*, body weight, intestinal microflora, 1966
compensatory growth, leg abnormalities, protein consumption, restricted growth, 1731
dietary protein, energy restriction, feed:gain ratio, high-fat versus low-fat diet, 1974
energy, leg strength, protein, 73*
extruded soybean meal, nutrient composition, 93*
growth, ractopamine hydrochloride, 142*

Turkey poult, (see poult)

Turkey processing, bruising, downgrading, truck cage location, unloading turkeys, 1410

Turkey tom, breast yield, compensatory growth, restricted protein intake, 82*
carcass characteristics, energy restriction, high-fat versus low-fat diet, protein level, 1982
fasting, growth hormone, insulin, refeeding, 801
litter, skin, ulcerative dermatitis, 195*
Muscovy drake, precocious puberty, semen, tamoxifen, 176†
photostimulation, precocity, semen production, 49*

Turkey tom performance, ammonia, feed efficiency, fermented whey-sarsaponin, litter composition, 133*
body composition, energy, protein, temperature, 50*
breeder hen age, egg and poult size, growth performance, immune function, 50*
humidity, litter treatment, mold inhibition, stirring, 132*

Turning, chicken egg, hatchability, incubation, 95*

Ulcerative dermatitis, litter, skin, turkey tom, 195*

Ultrasonic radiation, broiler breast meat, shear value, textural quality, 164*

Ultraviolet-emitting insect trap, fly control, insect trap efficacy, layer performance, 66*

Uncollectible egg production, clutch cycle, shell quality, shell-less eggs, 509

Undergrade eggs, egg candling, overpull, training program, 131*

Undergraduate, internships, poultry experience, research, work experience, 129*
Undergraduate course, computer program, poultry management, problem solving, 105*
Undergraduate programs, enrollment, poultry science, recruitment, 563
Underprocessing, protein solubility, soybean meal, trypsin inhibitor, urease activity, 1749
Unloading turkeys, bruising, downgrading, truck cage location, turkey processing, 1410
Unoccupied integration site, endogenous viral genes, feathering genes, junction fragment, molecular analysis, 2017
Unprimed chicken, adoptive immunity, immunocyte precursors, neonatal immunity, plaque-forming cells, 1103
Untoasted full-fat soybean, broiler performance, trypsin inhibitor, urease activity, 22*
Urban encroachment, nuisance, ordinance, siting standards, turkey forum, 138*
Urea, acrosin purification, extraction, rooster, spermatozoa, 812
alanine-producing bacteria, chick growth, oral administration, 1023†
Urease activity, broiler performance, trypsin inhibitor, untoasted full-fat soybean, 22*
orange G binding, overprocessing, protein solubility, soybean meal, 76
protein solubility, soybean meal, trypsin inhibitor, underprocessing, 1749
Urinary acidifiers, ammonium sulfate, DL-methionine, urolithiasis, 79*
Urinary calcium, dietary calcium, layer, phosphatemia, phosphorus, 1991
dietary phosphorus, osteoporosis, pullet, sexual maturity, 109*
Urolithiasis, ammonium sulfate, DL-methionine, urinary acidifiers, 79*
Uropygial gland, broiler, chlorinated hydrocarbon residues, turkey, 19*
chlordane, DDT, dieldrin, turkey, 19*
Uterovaginal junction, light microscopy, sperm storage tubules, turkey, 13*
Uterus, follicles, prostaglandins, shell-less eggs, soft-shelled eggs, 63*
Utilization, fractionation, litter, particle size, separation, 195*
Vaccination, corneal opacity, *Mycoplasma gallisepticum*, pullet, weight loss, 159*
enzyme-linked immunosorbent assay, *Mycoplasma gallisepticum*, turkey, 43*
Fayoumi, hemagglutination-inhibition titer, Newcastle disease virus, season effect, 88*
Vaccine, broiler chick, colonization, *Salmonella* mutant, 20*
Vacuum evaporation, angel food cake, concentration, egg white, 36*
Vacuum packaging, freezing method, malonaldehyde, mechanically deboned poultry meat, oxidation, 1813†
Valine, amino acid(s) requirement, broiler starter period, isoleucine, leucine, 757
Vanadium, ascorbic acid, chromium, egg quality, Haugh units, 781
egg quality, layer, storage conditions, time, 164*
Variability, assay methods, broiler carcasses, broiler processing, *Salmonella*, 171*
carcass halves, *Salmonella*, 864†
Variant strains, infectious bursal disease, monoclonal antibodies, 39*
Vasoactive intestinal peptide, peptide histidine isoleucine, prolactin secretion, turkey, 1209
Vasointestinal polypeptide, immunocytochemistry, lateral septal organ, 76*
Vector, chick cells and tissues, gene expression, mouse tyrosinase, transgenics, 26*
Ventilation, air inlets, baffles, broiler house, 125*
broiler, computer control, energy conservation, heat exchanger, 1869
broiler house, electricity reduction, wind sensor, 190*
Video disc, lecture techniques, multimedia, PODIUM educational computer software, 117*
Videotape, animal welfare, caponization, 104*
artificial insemination, evaluation procedures, semen, turkey, 13*
black-out rearing, broiler breeder, hatchery operations, layer, 23*
broiler grower, broiler industry, broiler production, education, 105*
food industry, food science courses, 56*
Poultry Science Association, poultry students, recruitment, 111*
Virginiamycin, age, feed efficiency, turkey, weight gain, 1383
body weight, feed efficiency, monensin, turkey broiler diet, 1016†
broiler diet, drinking water, feed, growth promoter, 1713
broiler performance, carcass composition, growth, lysine level, 86*
litter condition, poult, stunting syndrome, 5*
Virtiligo, fowl, melanocyte, sensitivity, toxicity, 23*
Visceral arch, head skeleton, hereditary abnormalities, quail–Japanese, throat tuft, 1236
Viscosity, broiler chick, growth rate, pentosanase, rye, 16*
Vital stain, parathyroid gland localization, sudan black, 133
Vitamin A, broiler chick, dicalcium phosphate, tibia mineralization, vitamin D_3, 25*
Vitamin A deficiency, layer, ovary, reproductive tract, 17*
Vitamin C, ascorbic acid requirement, egg quality, environmental stress, layer performance, 774
broiler, live shrink, meat quality, processing yield, 52*
egg production, egg specific gravity, layer, 1900
layer performance, temperature, 57*
Vitamin D deficiency, calcium deficiency, layer, reproductive failure, 344*
Vitamin D_3, 1,25-dihydroxyvitamin D_3, eggshell quality, 1α-hydroxyvitamin D_3, tibia strength, 2008
fluorescent lighting, liver glycogen, tibial dyschondroplasia, 48*
25-hydroxycholecalciferol, broiler, phosphorus, 178*
bone development, broiler chick, cimetidine, isoniazid, 1271
boron, broiler chick, rickets, tibial dyschondroplasia, 165*
broiler chick, dicalcium phosphate, tibia mineralization, vitamin A, 25*
calcitriol, egg weight, layer performance, shell quality, 1822†
Vitamin D_3 metabolites, adenosine triphosphatase, body weight, carbonic anhydrase, layer, 1204
bone strength, eggshell quality, layer diet, plasma calcium, 426

Vitamin E deficiency, immune development, lymphocyte surface markers, selenium deficiency, 32*
Vitamin profiles, commercial flock survey, egg content, layer, nutritional status, 129*
Vitamins, broiler performance, carcass composition, trace minerals, withdrawal period, 191*
chicken, growth, soybean, tortilla mix, 69*
electrolytes, layer, postmolt performance, strain, 105*
Vitellogenin, chicken, minigene, oocyte, 24*
Vocalization, frequency, layer, sonograms, stress, 131*
Volatile fatty acids, broiler, cecal anaerobes, lactose, *Salmonella*, 171*
host resistance, lactose, *Salmonella* colonization, 161*
Warner-Bratzler shear, Allo-Kramer shear, broiler breast meat, sensory tenderness, shear value, 176*
shear value, tenderness, 85*
Washing, egg white, gels, mechanically deboned chicken meat, 307
mechanically deboned chicken meat, protein solubility, proteolytic degradation, 147*
Waste, broiler production, nutrient management program, 31*
Waste management, human resources, needs, poultry industry, public awareness, 2110
Water consumption, acclimation, broiler, feed withdrawal, heat exposure, 176*
cage shape, layer performance, nipple number and location, nipple waterers, 2086
diet acceptability, fecal moisture, layer, sodium zeolite A, 169*
fecal moisture, layer, sodium zeolite A, 58*
Water cooled perch, broiler performance, heat stress, 109*
Water intake, abdominal fat, broiler, feed intake, high energy, 879
Water iodophor, brain, embryo, litter sodium borate treatment, thyroid, 176*
Water management, broiler performance, paper under water lines, satellite cups, 63*
Water treatment, broiler performance, heat stress, oral rehydration, summer growing conditions, 1851
Waterer space, carry-over effects, feeder space, floor space, layer performance, 7*
Waterer type, age at housing, cage shape, egg production, ingestive behavior, 217
Waterer usage, behavior, body weight, nipple waterer, pullet, 1020†
Waterfowl, deoxynivalenol, fusariotoxicosis, mycotoxins, 170*
Wattle response, cellular immunity, dopamine, leukocyte migration, 89*
Weed seed, broiler chick, layer, *Sesbania macrocarpa*, toxic seeds, 669
Weight, age, broiler breast muscle, sampling, symmetry, 711†
Weight gain, abdominal fat, arginine requirement, broiler, feed efficiency, 182*
age, feed efficiency, turkey, virginiamycin, 1383
meat yield, protein level, turkey, 584
anticoccidial agents, Chukar partridge, *Eimeria*, mortality, 1675
beak trimming, behavior, genetic stocks, rearing period, 568
broiler chick, coccidiosis, monensin, sodium zeolite A, 276
curtain turkey houses, electrical energy, fluorescent lighting, mortality, 160*
grower diet, Guinea fowl, protein level, tropical climate, 54*
Weight loss, corneal opacity, *Mycoplasma gallisepticum*, pullet, vaccination, 159*
Welfare, behavior, egg production, layer, movable roost, 2118
Western United States, communication, Extension Service, regionalization, specialists, 241
Wheat, β-glucanase, barley, broiler performance, intestinal weight, 160*
Wheat middlings diet, egg production, layer performance, 12*
Whey, broiler, probiotic, *Salmonella typhimurium*, withdrawal feed, 1670
White allele, color mutation, genetics, peafowl, plumage color, 128*
White blood cell development, growth, hematology, incubation, turkey embryo, 2027
White blood cells, chick, growth hormone, lymphoid organs, thyrotropin-releasing hormone, 1094
immunity, lymphocyte proliferation, *Pasteurella multocida*, protein deficiency, 2134
White flavor, scrambled egg flavor, sulfur, yolk flavor, 141*
White lupins, bloodmeal, broiler chick, protein source, 156*
Whole carcass rinse samples, broiler carcasses, enzyme-linked immunosorbent assay, preenrichment, *Salmonella* detection, 185*
Whole egg, hard-cooked eggs, microbiological sampling, shelled egg contents, whole egg blend, 1428
Whole egg blend, hard-cooked eggs, microbiological sampling, shelled egg contents, whole egg, 1428
Wind sensor, broiler house, electricity reduction, ventilation, 190*
Withdrawal feed, broiler, probiotic, *Salmonella typhimurium*, whey, 1670
Withdrawal period, broiler performance, carcass composition, trace minerals, vitamins, 191*
Work experience, internships, poultry experience, research, undergraduate, 129*
Xanthophyll, broiler, marigold extracts, skin pigmentation, 178*
layer age, marigold, paprika, yolk color, 170*
Xanthophyll variability, corn, corn gluten meal, high performance liquid chromatography, marigold, 21*
Xenobiotic metabolism, 3,4,3′,4′ tetrachlorobiphenyl, cytochrome P-450, immunotoxicity, 85*
X-ray fluorescence spectroscopy, calcium, feed, phosphorus, 1803†
Yeast, brewer's dried grains, layer performance, 196*
broiler performance, feed conversion, growth, 75*
Yeast culture, egg production, hatchability, turkey breeder hen, 189*
hatchability, turkey hen performance, 118*
Yellow corn, metabolizable energy–nitrogen-corrected, nutrient composition, sorghum grain, tannin, 1147
***Yersinia bacterium* methodology,** foodborne pathogen, isolation of *Yersinia*, plating media, 686
Yersiniae, bacterial contamination, broiler carcasses, foodborne pathogen, 482†
Yield, abdominal fat, broiler performance, lysine, starter diet, 159*
amino acid(s), corn, drought, protein characteristics, 83*
antibiotics, broiler, feed conversion, fructooligosaccharide, 153*

batter, breading, chicken nuggets, deep-fat frying, 103*
broiler breasts, broiler thighs, irradiation, thiobarbituric acid value, 313
Yield-by-difference, broiler processing, broiler yield determination methods, 52*
Yield characteristics, broiler, market weight, sex, strain, 42*
Yolk, cholesterol, plasma, quail–Japanese, selection, 141*
Yolk antibodies, eggs, layer, *Salmonella enteritidis* detection, 55*
Yolk color, egg quality, Haugh unit, marketing, specific gravity, 182*
layer age, marigold, paprika, xanthophyll, 170*
Yolk fat, breeder hen age, broiler chick, serum glucose, triglyceride, 1394
Yolk flavor, scrambled egg flavor, sulfur, white flavor, 141*
Yolk lipid composition, dietary linoleic acid, egg size, liver lipid composition, yolk weight, 634
Yolk lipids, linoleic acid, palmitic acid, quail–Japanese, reproduction, 1922
Yolk pigmentation, aquatic plants, elodea, hydrilla, layer performance, 673
dietary fat, lutein, oxycarotenoids, 354
Yolk precursor, body weight, plasma phosphorus, quail, reproduction, 1055
Yolk sac, broiler chick, feed availability, lipid, posthatch yolk utilization, 95*
Yolk weight, dietary linoleic acid, egg size, liver lipid composition, yolk lipid composition, 634
Young hen diet, diet density, pullet diet, pullet performance, summer and spring housed, 161*
Youth programs, conferences, Extension Service, poultry research programs, regionalization, 233
Extension Service, poultry programs, regionalization, 224
Zeolite A, bone metabolism, broiler chick, dietary calcium, growth rate, 1539
broiler performance, Ethacal®, processing yield, 155*
Zinc, bioavailability, chick, tissue uptake, 188*
zinc sulfate, zinc-methionine, 142*
breeder hen performance, copper, iron, progeny, 259
copper, fluorine, manganese, tibial dyschondroplasia, 184*
Zinc bacitracin, broiler breeder performance, egg production, fertility, hatchability, 23*
broiler performance, feed additives, narasin, roxarsone, 898
egg mass, egg weight, layer, probiotics, 65*
Zinc-methionine, bioavailability, zinc, zinc sulfate, 142*
calcium, environment, layer, stress, 72*
Zinc sulfate, bioavailability, zinc, zinc-methionine, 142*